

OD Series, Remote & Self-Contained, Open Dairy Merchandisers



Features

- ▶ Decorator colored sides of your choice from Marck's enormous inventory.
- ▶ Night Shades lock in your refrigeration overnight.
- ▶ Four levels of mirror stainless steel shelving on remote model, three levels on self-contained models.
- ▶ Freon valve installed on remote models.
- ▶ Dial Thermometer for accurate temperature readings.
- ▶ Enhanced product lighting from top canopy and under two levels of mirror stainless steel shelving on remote model, three on self-contained model.
- ▶ Optional 5 levels of product lighting.
- ▶ Drain is 1" pipe thread (drain connection required in field, remote and self-contained models).
- ▶ Front bumper - made of high density PVC for shopping cart impact.
- ▶ Side Panels have 1/4" plexiglass for maximum visibility and safety.
- ▶ Insulation is full density, solid core urethane.
- ▶ Automatic time clocks are standard for self-contained models.
- ▶ Mirror finish stainless steel trim, caps, moulding, main deck and shelves.

Marc's OD Series Open Dairy Merchandisers

MODEL	LENGTH	HEIGHT	DEPTH	Unit Installed	Unit recommended (not included)	Minimum circuit ampacity electrical data	Appox. shipping weight
OD-6R	72 1/2 "	78 1/2"	34 1/2 "	x	1 1/2 H.P.*	115/1/60 8 amps	700 lbs.
OD-8R	94 1/2 "	79 1/2"	34 1/2 "	x	2 H.P.*	115/1/60 12.5 amps	800 lbs.
OD-10R	116 1/2 "	79 1/2"	34 1/2 "	x	3 H.P.*	115/1/60 12.5 amps	1000 lbs.
OD-12R	138 1/2 "	79 1/2"	34 1/2 "	x	3 H.P.*	115/1/60 14.5 amps	1140 lbs.
OD-4S/C	49 "	79 1/2"	34 1/2 " plus 3" removeable wall spacer for compressor air flow	1 H.P.	x	115/1/60 8 amps lights & fans	675 lbs.
						230/208-60-1 10.5 amps units & clock	
OD-6S/C	72 1/2 "	79 1/2"	34 1/2 " plus 3" removeable wall spacer for compressor air flow	2 H.P.	x	115/1/60 8 amps lights & fans	775 lbs.
						230/208-60-1 15.5 amps units & clock	

NOTE: Designed for use in locations with air conditioning where temperature and relative humidity do not exceed 75% F and 55% RH.

* This size condenser unit is RECOMMENDED for this model. Consult a competent refrigeration mechanic to determine the appropriate size for your specific application. The appropriate condenser will vary depending on length of run, indoor/outdoor use, etc. Do not install near heat, A/C Air ducts, A/C thermostats or doorways. We reserve the right to change specifications without notice.

