

# ITALIA 1-2-3 NEUTRAL SHOWCASE

## STANDARD FEATURES

- Available in 3 heights: 45"H, 47"H, 53"H
- Diffused LED lighting 3000°K
- Sliding double pane doors closure on operator side
- Double glazed walls
- Perfect visibility on all 4 sides
- Front, top, sides double glasses
- Glass frame gray
- Cases ship standard unfinished front and stainless steel skin sides

## OPTIONS

- Italia 4
- Italia 1-2-3 Narrow - 25" deep
- Glass frame colors: black, white, and gold
- Front access double doors
- Lift up hydraulic double pane front glass
- Matches with Muro H11
- RAL color finish/wood laminate front and side panels
- Casters



Photos shown with optional RAL color finish. Standard cases are unfinished front with stainless steel skin sides.



Visit our website for more finishing options and RAL colors  
[www.oscartek.com](http://www.oscartek.com)

| ITALIA 1 NEUTRAL            |         |                              |                              |                              |                              |
|-----------------------------|---------|------------------------------|------------------------------|------------------------------|------------------------------|
| TECHNICAL FEATURES          |         | MODELS                       |                              |                              |                              |
|                             |         | ITALIA 1 N900<br>(ITL1NT35)  | ITALIA 1 N1200<br>(ITL1NT47) | ITALIA 1 N1500<br>(ITL1NT59) | ITALIA 1 N2000<br>(ITL1NT78) |
| External Dimensions (L-D-H) | Inches  | *35 3/8" - 31 5/8" - 45 1/4" | *47 1/4" - 31 5/8" - 45 1/4" | *59" - 31 5/8" - 45 1/4"     | *78 3/4" - 31 5/8" - 45 1/4" |
| Inches-MM                   | MM      | *900 - 803 - 1150            | *1200 - 803 - 1150           | *1500 - 803 - 1150           | *2000 - 803 - 1150           |
| Crated Dimensions (L-D-H)   | Inches  | 42" - 38" - 52"              | 54" - 38" - 52"              | 67" - 38" - 52"              | 85" - 38" - 52"              |
| Inches-MM                   | MM      | 1066 - 965 - 1320            | 1371 - 965 - 1320            | 1701 - 965 - 1320            | 2159 - 965 - 1320            |
| Operating Temperature       | °F      | Ambient                      | Ambient                      | Ambient                      | Ambient                      |
| Electric Supply             | V/Ph/Hz | 115/1/60                     | 115/1/60                     | 115/1/60                     | 115/1/60                     |
| Power Consumption           | W/A     | 60/0.57                      | 90/0.85                      | 120/1.14                     | 130/1.23                     |
| Net Weights                 | Lb      | 265                          | 320                          | 400                          | 520                          |
| Crated Weights              | Lb      | 315                          | 370                          | 475                          | 595                          |

\* DIMENSIONS ARE WITHOUT SIDE PANELS

\*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

# ITALIA 1-2-3 NEUTRAL SHOWCASE

| ITALIA 1 NEUTRAL            |         |                            |                            |
|-----------------------------|---------|----------------------------|----------------------------|
| TECHNICAL FEATURES          |         | MODELS                     |                            |
|                             |         | ITALIA 1 NA90LT            | ITALIA 1 NA90RT            |
| External Dimensions (L-D-H) | Inches  | ** 59" - 31 5/8" - 45 1/4" | ** 59" - 31 5/8" - 45 1/4" |
| Inches-MM                   | MM      | **1500 - 803 - 1150        | **1500 - 803 - 1150        |
| Crated Dimensions (L-D-H)   | Inches  | 60" - 39 3/8" - 55 1/8"    | 84" - 39 3/8" - 55 1/8"    |
| Inches-MM                   | MM      | 1524 - 1000 - 1400         | 2133 - 1000 - 1400         |
| Operating Temperature       | °F      | Ambient                    | Ambient                    |
| Power Supply                | V/Ph/Hz | 115/1/60                   | 115/1/60                   |
| Power Consumption           | A       | 3                          | 3                          |
| Net Weights                 | Lb      | 605                        | 605                        |
| Crated Weights              | Lb      | 680                        | 680                        |

\*\*DIMENSIONS ARE WITHOUT SIDE PANELS. SEE PLAN VIEWS FOR ADDITIONAL EXTERIOR DIMENSIONS

| ITALIA 2 NEUTRAL            |         |                              |                              |                              |                              |
|-----------------------------|---------|------------------------------|------------------------------|------------------------------|------------------------------|
| TECHNICAL FEATURES          |         | MODELS                       |                              |                              |                              |
|                             |         | ITALIA 2 N900<br>(ITL2NT35)  | ITALIA 2 N1200<br>(ITL2NT47) | ITALIA 2 N1500<br>(ITL2NT59) | ITALIA 2 N2000<br>(ITL2NT78) |
| External Dimensions (L-D-H) | Inches  | *35 3/8" - 31 5/8" - 47 1/4" | *47 1/4" - 31 5/8" - 47 1/4" | *59" - 31 5/8" - 47 1/4"     | *78 3/4" - 31 5/8" - 47 1/4" |
| Inches-MM                   | MM      | *900 - 803 - 1200            | *1200 - 803 - 1200           | *1500 - 803 - 1200           | *2000 - 803 - 1200           |
| Crated Dimensions (L-D-H)   | Inches  | 42" - 38" - 54"              | 54" - 38" - 54"              | 67" - 38" - 54"              | 85" - 38" - 54"              |
| Inches-MM                   | MM      | 1066 - 965 - 1371            | 1371 - 965 - 1371            | 1701 - 965 - 1371            | 2159 - 965 - 1371            |
| Operating Temperature       | °F      | Ambient                      | Ambient                      | Ambient                      | Ambient                      |
| Electric Supply             | V/Ph/Hz | 115/1/60                     | 115/1/60                     | 115/1/60                     | 115/1/60                     |
| Power Consumption           | W/A     | 70/0.6                       | 100/0.9                      | 140/1.3                      | 150/1.4                      |
| Net Weights                 | Lb      | 285                          | 355                          | 440                          | 575                          |
| Crated Weights              | Lb      | 335                          | 405                          | 515                          | 650                          |

\* DIMENSIONS ARE WITHOUT SIDE PANELS

| ITALIA 2 NEUTRAL            |         |                            |                            |
|-----------------------------|---------|----------------------------|----------------------------|
| TECHNICAL FEATURES          |         | MODELS                     |                            |
|                             |         | ITALIA 2 NA90LT            | ITALIA 2 NA90RT            |
| External Dimensions (L-D-H) | Inches  | ** 59" - 31 5/8" - 47 1/4" | ** 59" - 31 5/8" - 47 1/4" |
| Inches-MM                   | MM      | **1500 - 803 - 1200        | **1500 - 803 - 1200        |
| Crated Dimensions (L-D-H)   | Inches  | 67" - 38" - 54"            | 67" - 38" - 54"            |
| Inches-MM                   | MM      | 1701 - 965 - 1371          | 1701 - 965 - 1371          |
| Operating Temperature       | °F      | Ambient                    | Ambient                    |
| Electric Supply             | V/Ph/Hz | 115/1/60                   | 115/1/60                   |
| Power Consumption           | A       | 3                          | 3                          |
| Net Weights                 | Lb      | 670                        | 670                        |
| Crated Weights              | Lb      | 750                        | 750                        |

\*\*DIMENSIONS ARE WITHOUT SIDE PANELS. SEE PLAN VIEWS FOR ADDITIONAL EXTERIOR DIMENSIONS

\*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

# ITALIA 1-2-3 NEUTRAL SHOWCASE


| ITALIA 3 NEUTRAL            |         |                              |                              |                              |                              |
|-----------------------------|---------|------------------------------|------------------------------|------------------------------|------------------------------|
| TECHNICAL FEATURES          |         | MODELS                       |                              |                              |                              |
|                             |         | ITALIA 3 N900<br>(ITL3NT35)  | ITALIA 3 N1200<br>(ITL3NT47) | ITALIA 3 N1500<br>(ITL3NT59) | ITALIA 3 N2000<br>(ITL3NT78) |
| External Dimensions (L-D-H) | Inches  | *35 3/8" - 31 5/8" - 53 1/8" | *47 1/4" - 31 5/8" - 53 1/8" | *59" - 31 5/8" - 53 1/8"     | *78 3/4" - 31 5/8" - 53 1/8" |
| Inches-MM                   | MM      | *900 - 803 - 1350            | *1200 - 803 - 1350           | *1500 - 803 - 1350           | *2000 - 803 - 1350           |
| Crated Dimensions (L-D-H)   | Inches  | 42" - 38" - 60"              | 54" - 38" - 60"              | 67" - 38" - 60"              | 85" - 38" - 60"              |
| Inches-MM                   | MM      | 1066 - 965 - 1524            | 1371 - 965 - 1524            | 1701 - 965 - 1524            | 2159 - 965 - 1524            |
| Operating Temperature       | °F      | Ambient                      | Ambient                      | Ambient                      | Ambient                      |
| Electric Supply             | V/Ph/Hz | 115/1/60                     | 115/1/60                     | 115/1/60                     | 115/1/60                     |
| Power Consumption           | W/A     | 80/0.7                       | 110/1.0                      | 160/1.5                      | 200/1.9                      |
| Net Weights                 | Lb      | 310                          | 385                          | 485                          | 630                          |
| Crated Weights              | Lb      | 360                          | 435                          | 560                          | 705                          |

\* DIMENSIONS ARE WITHOUT SIDE PANELS

| ITALIA 3 NEUTRAL            |         |                            |                            |
|-----------------------------|---------|----------------------------|----------------------------|
| TECHNICAL FEATURES          |         | MODELS                     |                            |
|                             |         | ITALIA 3 NA90LT            | ITALIA 3 NA90RT            |
| External Dimensions (L-D-H) | Inches  | ** 59" - 31 5/8" - 53 1/8" | ** 59" - 31 5/8" - 53 1/8" |
| Inches-MM                   | MM      | **1500 - 803 - 1350        | **1500 - 803 - 1350        |
| Crated Dimensions (L-D-H)   | Inches  | 67" - 38" - 60"            | 67" - 38" - 60"            |
| Inches-MM                   | MM      | 1701 - 965 - 1524          | 1701 - 965 - 1524          |
| Operating Temperature       | °F      | Ambient                    | Ambient                    |
| Electric Supply             | V/Ph/Hz | 115/1/60                   | 115/1/60                   |
| Power Consumption           | A       | 3                          | 3                          |
| Net Weights                 | Lb      | 740                        | 740                        |
| Crated Weights              | Lb      | 815                        | 815                        |

\*\*DIMENSIONS ARE WITHOUT SIDE PANELS. SEE PLAN VIEWS FOR ADDITIONAL EXTERIOR DIMENSIONS

## SECTION VIEWS: ITALIA 1-2-3 N900, N1200, N1500, N2000, NA90LT, NA90RT





\*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.




# ITALIA 1-2-3 NEUTRAL SHOWCASE

OPTIONAL:




**ITALIA 1-2-3 PLAN VIEWS:** ITALIA 1-2-3 N900, N1200, N1500, N2000, NA90LT, NA90RT

## ITALIA 1-2-3 LINEAR MODELS




| ELECTRICAL LEGEND |       |
|-------------------|-------|
|                   | POWER |

## ITALIA 1-2-3 NA90LT



## ITALIA 1-2-3 NA90RT



\*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.



512 South Airport Blvd., South San Francisco, CA 94080  
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400  
sales@oscartek.com | www.oscartek.com




# ITALIA 1-2-3 NEUTRAL SHOWCASE


## ITALIA 1-2-3 REAR ELEVATIONS (OPERATOR SIDE):

ITALIA 1-2-3 N900, N1200, N1500, N2000, NA90LT, NA90RT


### ITALIA 1-2-3 LINEAR MODELS



### ITALIA 1-2-3 NA90LT



### ITALIA 1-2-3 NA90RT



\*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.



512 South Airport Blvd., South San Francisco, CA 94080  
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400  
sales@oscartek.com | www.oscartek.com

