

Accessories

 LFRG Lavatory Faucet, 5 1/2" spread rigid gooseneck, 8" centers, rosespray outlet, 4 5/16" clearance deck to face of spray, 4" wrist action handles Service Sinks & Prep Tables	 KPSF Kettle & Pot Sink Faucet, Big-Flo, wall mounted 8" centers, 3/4" IPS model LL street EL inlets with locknuts, 12" swing nozzle, 175F four arm handles, 1 1/4" diameter holes required in backsplash Service Sinks & Prep Tables	 SSF Service Sink Faucet, 8" centers-adjustable from 7 3/4" to 8 1/4", 5 1/8" clearance wall to center line of faucet, 11 5/8" from wall to center of outlet, polished chrome plated finish, with built in screwdriver stops Service Sinks & Mop Sinks
 SCMV-SEC Slow Self Closing Mixing Faucet, 1/2" IPS threaded shank w/1/4" IPS tailpieces on 4" centers, 5 1/2" high, 1/2" OD slip inlet aerator outlet, vandal resistant option Correctional Type	 PRF Pre-Rinse Unit, mounted behind splash faucet 4" centers, 1/2" IPS female inlets, 33"high, 15"overhang, 4" from bottom of spray valve to center of faucet, 18" riser model, spray valve & flexible stainless steel hose	 PRF-FPV Pre-Rinse with Foot Pedal Valve Control, 1 1/4" long shank on base faucet, 1/2" end w/1/4" IPS tailpiece, 38" high, 15" overhang, 7 1/2" clearance, 24" riser model, spray valve, & flexible stainless steel hose

Accessories

 WF-GS Workboard Faucet, backsplash mounted, 6 1/2" long x 2" wide chrome plated escutcheon, 4" centers, 1 1/2" long shanks, 1/2" IPS thread, w/ 133x swivel gooseneck WS Hand Sink Faucet	 WFH-SN Workboard Faucet & Flexible Stainless Steel Hose w/Hose Spray 48" long, deck mounted, removable seats, 10 1/2" long x 2" wide chrome plated escutcheon, 8" inlet centers, 1" long shanks, 1/2" IPS threads, 8" swing nozzle, spray valve DL Can Washer Faucet/Spray	 WRA Wrist Action Handle, chrome plated zinc handle, 4" long
 WRA-4C Wrist Action Handle 4" long, chrome plated brass handle, includes color coded snap-in index  LH-BR Lever Handle, chrome plated zinc handle, blue index button & screw for cold, red index button & screw for hot	 FPV Double Pedal Valve, Floor Mounted paired with Sink Mounted Spout	 KNV-S Knee Action Valve w/Wall Support Bracket, heavy duty cam acting stirrup, valve will remain in set position for hot, cold or mixed water, 1/2" IPS female inlets, 2 1/2" centers, 1/2" IPS female outlet combined with Sink Mounted Spout

Accessories

 KNV Double Knee Pedal Valve, inlets on 2 1/2" centers, approximately 24" floor to base of valve, pedals 6 1/4" long combined with Sink Mounted Spout	 LDB Twist Waste Valve, 3 1/2" sink opening, 2" drain outlet, cast bronze, s/s strainer, nickel-plated wearing parts LDO Twist Waste Valve, 3 1/2" sink opening, 2" drain outlet with overflow assembly, cast bronze, s/s strainer, nickel plated wearing parts	 EFD ADA Compliant deck or splash mounted Electronic Faucet with motion detection operation. Supplied with plug-in transformer (AC) or AA batteries good for two years operation
 MH3 Stainless Steel Mop Hanger, 3 spring loaded rubber grips, 24" long x 3 3/4" wide	 WSDI-1012 Water Station, Drop-In, 10 1/2" x 12 1/2" drip pan in one piece 18GA stainless steel, push back glass filler with 8" clearance from tip to pan, 2 1/4" diameter sweat tailpiece for copper tube connection, 2 1/4" diameter grid drain, drain 1 1/4" x 4" long w/17GA tailpiece	 SD Soap Dispenser, s/s, 20 fl. oz. (0.6L) Capacity, 4" (100mm) Spout Length, 1" (25mm) Maximum Mounting Thickness