



SPEC SHEET

KoolMore 50 in. 8 Tub Ice Cream Dipping Cabinet Display Freezer with Sliding Glass Door, 13 cu. ft.


Model: **KM-ICD-49SD**

FEATURES

- Professional Ice Cream Freezer
- Top-Sliding Glass Door
- Enhanced Storage Space
- Rolling, Lockable Caster Wheels
- Interior LED Lighting
- ETL Listed for Safety and Sanitation



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

| | |
|-----------------------|-------|
| Length | 49.6 |
| Width | 28.14 |
| Height | 34.45 |
| Total Height | 34.45 |
| Interior Depth | 21.2 |
| Interior Width | 43.7 |
| Interior Height | 25.4 |
| DxWxH of Sneeze Guard | N/A |
| Power Cord Length | 70.8 |
| Weight (lbs) | 154 |

Capacity

| | |
|------------------|------|
| Gross Cubic Feet | 13 |
| Net Cubic Feet | 10.2 |
| Tub Capacity | |


Features & Materials

| | |
|-----------------------------|-----------------------------|
| Door Style | Sliding glass |
| Number of Doors | 2 |
| Bulk Storage Baskets Number | 4 |
| Defrost Type | Manual |
| Refrigerant Type | R-290 |
| Control Type | Mechanical |
| Ambient Temperature Range | 0-100 F |
| Temperature Range | -15-32 F |
| Casters | 4 |
| Color Finish | White |
| Interior Color | White |
| Exterior Material | Durable Powder Coated Steel |
| Interior Material | Steel |

Electric & Certifications

| | |
|--------------------------|--------------------------------------|
| Interior Lights | LED |
| Interior Lights Location | Front |
| Amps | 3 |
| Hertz | 60 |
| Phase | 1 |
| Plug Type | NEMA 5-15P |
| Voltage | 110 |
| Wattage | 270 |
| Horsepower | 0.4 |
| Certifications | ETL Listed for Safety and Sanitation |

Plan View



CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com