



# SPEC SHEET

## KoolMore 26 in. Gelato Dipping Cabinet Display Freezer with Sliding Glass Door, 6 Cu. Ft.

Model: KM-GDC-26SD

### FEATURES

- Effortless Serving: Designed for quick, easy gelato scooping.
- Perfect Temperature: Maintains ideal gelato serving conditions.
- Elegant Display: Sleek, modern design enhances any shop's appeal.
- Rust-Resistant: Durable steel walls ensure longevity and freshness.
- Top-Down Access: Sliding glass doors for simple viewing and serving.
- Spacious Capacity: 6 cu. ft. to store and display multiple flavors.
- Customer-Friendly: Clear glass window boosts visibility and sales.
- All-in-One: Combines storage, display, and serving in one unit.
- Stylish & Functional: Elevates décor while delivering practicality.
- Ideal for Small Businesses: Perfect for gelato shops, cafes, and restaurants.
- Manual Defrost: Ensures precise control over gelato quality.
- ETL & NSF Certified: Meets strict safety and sanitation standards.



### CLOSE UP IMAGES



# TECHNICAL SPECS

## Dimensions

|                       |       |
|-----------------------|-------|
| Length                | 26.18 |
| Width                 | 28.14 |
| Height                | 34.45 |
| Interior Depth        | 21.2  |
| Interior Width        | 20.2  |
| Interior Height       | 25.4  |
| Dxwxh Of Sneeze Guard |       |
| Power Cord Length     | 70.8  |
| Weightlbs             | 106   |

## Capacity

|                  |           |
|------------------|-----------|
| Gross Cubic Feet | 5.47      |
| Net Cubic Feet   | 4.2       |
| Pan Capacity     | 4 5L Pans |


## Features & Materials

|                           |  |
|---------------------------|--|
| Door Style                | Sliding                                |
| Number Of Doors           | 2                                      |
| Defrost Type              | Manual                                 |
| Refrigerant Type          | R-290                                  |
| Control Type              | Digital                                |
| Ambient Temperature Range | 0-100 F                                |
| Temperature Range         | -15-32 F                               |
| Casters                   | 4                                      |
| Glass Type                | LOW-E and Tempered                     |
| Color Finish              | White                                  |
| Interior Color            | White                                  |
| Exterior Material         | Durable Powder Coated Steel            |
| Interior Material         | Precoated Steel                        |
| Interior Lights           | LED                                    |
| Interior Lights Location  | On the two sides of the inside cabinet |

## Electric & Certifications

|                |                                      |
|----------------|--------------------------------------|
| Amps           | 1.98                                 |
| Hertz          | 60                                   |
| Phase          | 1                                    |
| Plug Type      | NEMA 5-15P                           |
| Voltage        | 110                                  |
| Wattage        | 210                                  |
| Horsepower     | 0.25                                 |
| Certifications | ETL Listed for Safety and Sanitation |

# Plan View



## CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213  
718-576-6342  
info@koolmore.com