



SPEC SHEET

KoolMore 36 in. Open Air Grab and Go Refrigerator - 11.3 Cu Ft.

SKU: **CDAU-13C**

FEATURES

- Beautiful Safety Shielded LED lighting on all both sides.
- Includes a night curtain for energy efficiency.
- Four casters with two breaks for increased mobility and easy cleaning.
- Easy to use digital temperature controls.
- Digital temperature display.
- Three adjustable shelves.
- Durable easy to clean heavy-duty stainless-steel shelves.
- Automatic defrost.
- Condensation water evaporates automatically.
- ETL Listed for Safety and Sanitation.



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	36.2
Width	33.2
Height	59.4
Interior Depth	22.87
Interior Width	34.13
Interior Height	31.52
Shelf Width	32.68
Shelf Depth	Upper 11.69, Middle 13.66, Lower 13.66
Depth Including Handles	29.2
Depth Excluding Handles	29.2
Depth Less Door	29.2
Depth with Door Open 90 Degrees	29.2
Power Cord Length	59.06

Capacity

Cubic Feet	11.3
Individual Shelf Capacity	44 lbs



Features & Material

Ambient Temperature Range	Max.86
Defrost Type	Automatic
Door Style	Open Air
Number of Doors	0
Number of Shelves	3
Refrigerant Type	R-290
Shelf Material Type	cold rolled sheet spray coating
Temperature Control Type	Digital temperature controller
Temperature Range (°C)	35.6-53.6
Light Type	LED
Casters	4
Interior Material	Steel plate spray coating & Tempering glass
Exterior Material	Pre coated board, Tempering glass & Plastics

Electric Data & Certifications

Plug Type	NEMA 5-15P
Phase	1
Voltage	115
Hertz	60
Wattage	599
Horsepower	1/2
Product Style	Cold show case
Amps	11.6
Certifications	ETL for safety and sanitation

Plan View



CERTIFICATIONS

Intertek Intertek



706 Eastern Parkway STE 1G, Brooklyn NY 11213
 718-576-6342
 info@koolmore.com