












FlamBoyant Accessories	Product	Reference
	<p><b>Prongless Chicken Spit</b> Cooks chicken without piercing the skin for superior retention of the juices.</p>	CUI1160
		CUI1375-1400
		CUI1600
	<p><b>Porchetta Spit</b></p>	BPOR1160
		BPOR1375-1400
		<i>Not currently available for FB1600</i>
	<p><b>Original Chicken Spit</b> The traditional spit.</p>	BP1160
		BP1375-1400
		BP1600
	<p><b>Rectangular Basket Spit</b> This adjustable spit permits the roasting of small cuts of meat, sausages, fish, vegetables, and fruits.</p>	BRC1160
		BRC1375-1400
		BRC1600
	<p><b>Ham, Turkey Spit</b> For larger poultry and roasts.</p>	BS1160
		BS1375-1400
		BS1600
	<p><b>Roast Clamp Spit</b> Ideal for small to medium roasts, whole fish.</p>	BRRO1160
		BRRO1375-1400
		BRRO1600
	<p><b>Split Chicken Spit</b> This basket spit holds split (spatchcock) chickens, reducing cooking time and increasing the browning surface. <i>This spit requires additional space about &amp; below and reduces the number of spit positions that can be used.</i></p>	<i>not available for FB1160</i>
		BCR1375-1400
		BCR1600
	<p><b>Lamb Spit</b> For Leg of Lamb, Ribs, whole Suckling Pig, large Roasts</p>	BA1160
		BA1375-1400
		BA1600

<b>FlamBoyant Accessories continued</b>	<b>PRODUCT</b>	<b>MODEL</b>	<b>Details</b>		<b>Weight</b>	<b>Reference</b>
	<i>Raised rack For meat storage over drip pan</i>	FB1160	Sized to fit drip pan			GSV1160
		FB1400	Sized to fit drip pan			GSV1375-1400
		FB1600	Sized to fit drip pan			GSV1600
	<i>Spare rib rack for cooking ribs or other meat</i>	FB1160	24 ½" W x ½" H		4.7 lb	GCP1160
		FB1400	40 ½" W x ½" H		7.7 lb	GCP1400
		FB1600	50 ½" W x ½" H		9.7 lb	GCP1600
	<i>Vertical Spit System for hanging kebabs, baskets, meat hooks, etc. ("C" indicates that brackets necessary for installation are included)</i>	FB1160	24 ½"	3 hooks	10 lb	FI1160-C
		FB1400	40 ½"	5 hooks	18 lb	FI1400-C
		FB1600	50 ½"	5 hooks	22.5 lb	FI1600-C
	<i>Carousel with 4 stainless skewers</i>	ALL	5 ½" Diam		0.5 lb	SBT
	<i>Square spit for pigeon, cockerel</i>	ALL	12 ½"	11 ¼"	0.1 lb	BC
	<i>Sausage spit</i>	ALL	12 ½"		0.55 lb	BA
	<i>Basket spit for standing rib, turbot, lobster</i>	ALL	13 ½" x 4 ¾"		0.5 lb	BP
	<i>"S" shaped meat hook</i>	ALL	4 ¾"		0.05 lb	S
	<i>Rectangle basket to roast individual portion</i>	ALL	4" Diam x 8 ½" H		0.5 lb	PRECPI
	<i>Round basket to roast individual portion</i>	ALL	4" Diam x 8 ½" H		0.5 lb	PRONPI
	<i>Copper casserole for soups &amp; stews (4 liters max)</i>	ALL	9" Diam x 7 ¼" H		3.4 lb	CHAUDRON
	<i>Suspended plate for cooking pie, ramekin, etc..</i>	ALL	10" Diam x 3/4" H		1.15 lb	PLAT 255

<b>ENVIRONMENT ACCESSORIES</b>	<b>PRODUCT</b>	<b>MODEL</b>	<b>Overall length</b>	<b>Weight</b>	<b>Reference</b>
	<u>Stainless Steel Tray for Unspitting</u>	FB1160	23"	6.5 lbs.	PID1160
		FB1400	38 ¾"	7.9 lbs.	PID1400
		FB1600	50 ½"	8.1 lbs.	PID1600
	Stainless steel wall-mounted spit holder	ALL	30 ¼" W x 3" H With 5 hooks	4.5 lbs.	SMIB
	<u>Spit Rack for 10 spits in all stainless steel</u>	FB1160	31 3/4" W x 19 7/8" D x 53 1/8" H	80 lbs.	RACK10 1160
		FB1400	47 1/4" W x 19 7/8" D x 53 1/8" H	110 lbs.	RACK10 1375-1400
		FB1600	59 1/4" W x 19 7/8" D x 53 1/8" H	140 lbs.	RACK10 1600
	<u>Plastic cover for 10-spit rack</u>	FB1160	to fit rack	5 lbs.	BACHE10 1160
		FB1400	to fit rack	6.5 lbs.	BACHE10 1375-1400
		FB1600	to fit rack	10 lbs.	BACHE10 1600
	<u>Spit Rack for 20 spits in all stainless steel</u>	FB1160	31 1/2" W x 31" D x 53 3/8" H	80 lbs.	RACK20 1160
		FB1400	47 1/2" W x 31" D x 53 3/8" H	110 lbs.	RACK20 1375-1400
		FB1600	59 1/8" W x 31" D x 53 3/8" H	140 lbs.	RACK20 1600
	<u>Plastic cover for 20-spit rack</u>	FB1160	to fit rack	10 lbs.	BACHE20 1160
		FB1400	to fit rack	13 lbs.	BACHE20 1375-1400
		FB1600	to fit rack	19 lbs.	BACHE20 1600
	<u>Foam Plus cleaner (formerly 'Hot &amp; Foamy')</u> 1 case of 6 bottles	ALL	6 bottles of 32 ounces each	9.5 lbs.	0420
	<u>Gas Connector Kit DORMOT 1675KIT48 Quick Disconnect</u>	ALL gas units	3/4" Connection, Coated, 48" Long – Furnished with Quick Disconnect, Street "El" ball valve, Restraining Cable adj. for 3' to 5'	3 lbs.	DOR 0080
	<u>3 Finger with VaporGuard Quicklean Gloves</u>	ALL	BurnGuard™ 15" 3-Finger Gloves Poly-Cotton (insulation to 650°F)	1 lbs.	GROT

