

WORKTOP REFRIGERATOR

**KIN27WTR-HC KIN36WTR-HC
KIN48WTR-HC KIN60WTR-HC KIN72WTR-HC**



KIN27WTR-HC



KIN36WTR-HC



KIN48WTR-HC



KIN60WTR-HC



KIN72WTR-HC


Worktop refrigerators provide a functional work surface utilizing a one-piece formed stainless backsplash with uniform product cooling.

FEATURES:


- R290 refrigerant and foam insulation
- Electronic thermostat and digital LED temperature display for accurate control and easy reading
- Easy to mount 4" casters (lockable in front) are standard with all units
- Self-closing doors that remain open at 90 degrees
- Magnetic gasket can be replaced without any tools
- Adjustable, heavy-duty epoxy coated wire shelves (one per door)
- Removable installation board makes it easy to access condenser coil for cleaning and service.
- Stainless steel framework construction
- Auto defrosting and auto evaporation of condensation water
- Exterior: 430 stainless steel, Interior: 201 stainless steel ,Interior floor: 304 stainless steel
- Temperature: 33 to 40°F / 0.5 to 4°C

WORKTOP REFRIGERATOR


KIN27WTR-HC



ELEVATION




PLAN




SECTION VIEW


KIN36WTR-HC



ELEVATION




PLAN




SECTION VIEW


KIN48WTR-HC



ELEVATION






PLAN






SECTION VIEW

WORKTOP REFRIGERATOR

KIN60WTR-HC



KIN72WTR-HC



Model	Doors	Shelf	Exterior Dimensions (In)	Interior Dimensions (In)	Amps	Compressor Size (HP)	Shipping WT (Lbs)	Wheel
KIN27WTR-HC	1	1	27" x 29.5" x 38.7"	22.4" x 19.8" x 23.5"	2.2	1/3	194	4"
KIN36WTR-HC	2	1	36.2" x 29.5" x 38.7"	33" x 19.8" x 23.5"	2.3	1/3	235	4"
KIN48WTR-HC	2	1	47.2" x 29.5" x 38.7"	42.6" x 19.8" x 23.5"	2.4	1/3	286	4"
KIN60WTR-HC	2	1	60.2" x 29.5" x 38.7"	55.6" x 19.8" x 23.5"	2.6	1/3	337	4"
KIN72WTR-HC	3	1	71.5" x 29.5" x 38.7"	66.9" x 19.8" x 23.5"	2.7	1/3	425	4"