



"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

Undercounter Refrigerators with Drawers

Standard Features

- Stainless steel exterior & interior with reinforced stainless steel top
- Environmentally friendly R290 refrigerant
- Electronic temperature controller
- Maintains temperatures between 35°F – 38°F
- Recessed door handle(s)
- Magnetic drawer gasket(s)
- Pre-installed 2" heavy duty plate casters

Optional Accessories

- Extended warranty up to 5 years
- 1" Low profile plate casters available
- 3",4",5" Stem casters available

Part#	Description	Overall Height	Capacity(lb)
R06001000228	1.2 Inch Swivel Plate Caster(without break)	1 7/8"	220
R06001000229	1.2 Inch Swivel Plate Caster(with break)	1 7/8"	220
R06001000006	2 Inch Swivel Plate Caster(without break)	2 7/8"	140
R06001000008	2 Inch Swivel Plate Caster(with break)	2 7/8"	140
R060010000015	3 Inch Swivel Plate Caster Heavy Duty(without break)	3 1/8"	550
R060010000016	3 Inch Swivel Plate Caster heavy Duty(with break)	3 1/8"	550
R06001000058	3.5 Inch Swivel Plate Caster(without break)	4 5/8"	220
R06001000014	3.5 Inch Swivel Plate Caster(with break)	4 5/8"	220
R06001000010	4 Inch Swivel M14 Stem Caster(without break)	4 7/8"	220
R06001000011	4 Inch Swivel M14 Stem Caster(with break)	4 7/8"	220
R06001000002	5 Inch Swivel Stem Caster(without break)	6"	330
R06001000004	5 Inch Swivel Stem Caster(with break)	6"	330

For the best results of food preservation we recommend setting your refrigerator between 35 °F to 38 °F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.



2 YEAR PARTS AND LABOR WARRANTY
5 YEAR COMPRESSOR PART WARRANTY

MODELS:

AUR27D2 / AUR36D2 / AUR48D4 / AUR60D4 / AUR72D6



AUR27D2



AUR36D2



AUR48D4



AUR60D4



AUR72D6





"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,


New Jersey, Ohio, Texas, Washington

SPECIFICATIONS

Models	Drawers	Capacity (Cu.Ft.)	Casters (inch)	Rated Current (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Net Weight (lb)	Gross Weight (lb)
AUR27D2	2	6.5	2	3.4	115/60/1	1/6	R290	27 ^{1/2} ×30×32 ^{1/2}	178	233
AUR36D2	2	9	2	3.4	115/60/1	1/6	R290	36 ^{3/8} ×30×32 ^{1/2}	207	271
AUR48D4	4	12.2	2	3.4	115/60/1	1/6	R290	48 ^{1/4} ×30×32 ^{1/2}	271	348
AUR60D4	4	15.5	2	3.9	115/60/1	1/5+	R290	60 ^{1/4} ×30×32 ^{1/2}	319	394
AUR72D6	6	18.9	2	3.9	115/60/1	1/5+	R290	72 ^{5/8} ×30×32 ^{1/2}	334	433

PLAN VIEW






AUR27D2




AUR36D2






AUR48D4



AUR60D4



AUR72D6



Interior Dimensions

Casters



Rear grate



Temperature control



NEMA 5-15P



NEMA 15A/125V



"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com



www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,



New Jersey, Ohio, Texas, Washington

PAN CONFIGURATION



AUR27





AUR36



AUR48



AUR60



AUR72

