



Founded in 1946

Project: \_\_\_\_\_  
Items: \_\_\_\_\_  
Quantity: \_\_\_\_\_  
Approval: \_\_\_\_\_  
Date: \_\_\_\_\_

## Cooler & Backroom Shelving

Winholt Cooler and Backroom Shelving is designed for use in refrigerated and backroom storage areas where sanitation and durability are required. The shelving is constructed entirely of welded aluminum and is suitable for foodservice, retail, and institutional environments.

### Features:

- All welded, heavy duty aluminum construction. Sanitary design that is easy to clean.
- Available in E-Channel, tubular, and T-Bar shelving styles.
- Offered in stationary and mobile configurations.
- Mobile units include two rigid and two swivel heavy duty casters.
- Phenolic wheels designed for cooler and backroom use.

### Options:

- Options for Mobile Units:
  - ALMCS** Mobile Tubular Bar Unit
  - ALMTB** Mobile T-Bar Unit
  - ALMCH** Mobile E-Channel Unit
- Locking Casters
- Correctional Unit

### Benefits:

- Aluminum construction supports long term use in damp and refrigerated environments.
- Welded surfaces reduce areas where debris can collect and simplify cleaning.
- Multiple shelving styles allow selection based on load requirements and product type.
- Stationary and mobile options support fixed storage or flexible layouts.
- Casters allow units to be moved for cleaning, restocking, and reconfiguration.

ALSCH-48-420



ALSTB-60-420





Founded in 1946

# Tubular Shelving

ALSCS-48-320

Tubular Shelving



| Model Number                                | Order # | Overall Dimensions |            |        | # of Shelves (C)             | Approx. Ship Wt (lb) |
|---------------------------------------------|---------|--------------------|------------|--------|------------------------------|----------------------|
|                                             |         | Width (A)          | Length (B) | Height |                              |                      |
|                                             |         | (in)               | (in)       | (in)   |                              |                      |
| Tubular Bar Style - Shelf Capacity 1500 lbs |         |                    |            |        |                              |                      |
| ALSCS-48-220                                | 102269  | 20                 | 48         | 60     | 2<br>48½”<br>Between Shelves | 24                   |
| ALSCS-48-224                                | 102277  | 24                 |            |        |                              | 28                   |
| ALSCS-60-220                                | 102314  | 20                 | 60         |        |                              | 29                   |
| ALSCS-60-224                                | 102322  | 24                 |            |        |                              | 33                   |
| ALSCS-36-320                                | 143511  | 20                 | 36         |        | 3<br>22½”<br>Between Shelves | 26                   |
| ALSCS-36-324                                | 143693  | 24                 |            |        |                              | 31                   |
| ALSCS-48-320                                | 102285  | 20                 | 48         |        |                              | 31                   |
| ALSCS-48-324                                | 102293  | 24                 |            |        |                              | 37                   |
| ALSCS-60-320                                | 102331  | 20                 | 60         |        |                              | 36                   |
| ALSCS-60-324                                | 102349  | 24                 |            |        |                              | 44                   |

**Options:**

LC Locking Casters

CM Correctional Unit

**Option for Mobile Unit:**

ALMCS Mobile Tubular Bar Unit



**Freight Class: 150**

As part of our commitment to continuous product improvement, Winholt reserves the right to modify materials and specifications without prior notice.



Founded in 1946

# T-Bar Shelving

COOLER & BACKROOM SHELVING

ALSTB-60-420

T-Bar Shelving



| Model Number                          | Order # | Overall Dimensions |            |        | # of Shelves (C)             | Approx. Ship Wt |
|---------------------------------------|---------|--------------------|------------|--------|------------------------------|-----------------|
|                                       |         | Width (A)          | Length (B) | Height |                              |                 |
|                                       |         | (in)               | (in)       | (in)   |                              | (lb)            |
| T-Bar Style - Shelf Capacity 1000 lbs |         |                    |            |        |                              |                 |
| ALSTB-48-320                          | 165112  | 20                 | 48         | 60     | 3<br>22½”<br>Between Shelves | 36              |
| ALSTB-48-324                          | 152979  | 24                 |            |        |                              | 41              |
| ALSTB-60-320                          | 165104  | 20                 | 60         |        |                              | 41              |
| ALSTB-60-324                          | 152987  | 24                 |            |        |                              | 48              |

Freight Class: 150

Options:

LC Locking Casters

CM Correctional Unit

Option for Mobile Unit:

ALMTB Mobile T-Bar Unit

Winholt Equipment | 20 Crossways Park North, Suite 205 | Woodbury, New York 11797

Pennsylvania | Texas | California

800.444.3595 | sales@winholt.com | www.winholt.com



Founded in 1946

# E-Channel Shelving

ALSCH-48-420

E-Channel Shelving



| Model Number                        | Order # | Overall Dimensions |        |        | # of Shelves                 | Approx. Ship Wt |
|-------------------------------------|---------|--------------------|--------|--------|------------------------------|-----------------|
|                                     |         | Width              | Length | Height |                              | (lb)            |
|                                     |         | (in)               | (in)   | (in)   |                              |                 |
| E-Channel - Shelf Capacity 1500 lbs |         |                    |        |        |                              |                 |
| ALSCH-48-220                        | 206498  | 20                 | 48     | 60     | 2<br>48½”<br>Between Shelves | 25              |
| ALSCH-48-224                        | 206501  | 24                 |        |        |                              | 29              |
| ALSCH-60-220                        | 206535  | 20                 | 60     |        |                              | 30              |
| ALSCH-60-224                        | 206543  | 24                 |        |        |                              | 34              |
| ALSCH-48-320                        | 206586  | 20                 | 48     | 60     | 3<br>22½”<br>Between Shelves | 33              |
| ALSCH-48-324                        | 206594  | 24                 |        |        |                              | 39              |
| ALSCH-60-320                        | 206615  | 20                 | 60     |        |                              | 38              |
| ALSCH-60-324                        | 206623  | 24                 |        |        |                              | 46              |

Freight Class: 150

**Options:**

LC Locking Casters

CM Correctional Unit

**Option for Mobile Unit:**

ALMCH Mobile E-Channel Unit



As part of our commitment to continuous product improvement, Winholt reserves the right to modify materials and specifications without prior notice.