


STAINLESS STEEL SINKS



16 Gauge Stainless Steel Sinks - Model Number Chart

Model Number: WS3T20202D18

# of Sink Compartments	Tub Size	# of Drainboards	Drainboard Size
WS3T 3 Tub Sink	2020 20"L x 20"W Tub Size	2D 2 Drainboards	18 18" Drainboards

3 Compartments, 12" Deep, 2 Drainboards, 16 Gauge

14 Gauge Stainless Steel Sinks - Model Number Chart

Model Number: WS3T20202D18-14DP-14GA

# of Sink Compartments	Tub Size	# of Drainboards	Drainboard Size	Tub Depth	Gauge
WS3T 3 Tub Sink	2020 20"L x 20"W Tub Size	2D 2 Drainboards	18 18" Drainboards	-14DP 14"D Tub Size	-14GA 14 Gauge Stainless Steel

3 Compartments, 14" Deep, 2 Drainboards, 14 Gauge

As part of our commitment to continuous product improvement, Winholt reserves the right to modify materials and specifications without prior notice.

800.444.3595 | orders@winholt.com | www.winholt.com

- All welded construction
- Complies with all sanitary standards: 16 GA or 14 GA 300 series stainless steel
- 12" or 14" deep fabricated bowls with coved corners
- Cross bracing for heavy duty support and stability
- Equipped with stainless steel gussets, stainless steel legs and stainless steel clad adjustable feet for leveling
- 9" backsplash with 45° return

STAINLESS SINKS - 1 COMPARTMENT WITHOUT DRAINBOARD

Bowl Size (in)	L x W x H (in)	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	21x23½x34	WS1T1618	45	WS1T1618-14DP-14GA	50
18x18	23x23½x34	WS1T1818	45	WS1T1818-14DP-14GA	50
16x20	21x25½x34	WS1T1620	43	WS1T1620-14DP-14GA	55
20x20	25x25½x34	WS1T2020	55	WS1T2020-14DP-14GA	60
18x24	23x29½x34	WS1T1824	53	WS1T1824-14DP-14GA	59
24x24	29x29½x34	WS1T2424	62	WS1T2424-14DP-14GA	68
20x28	25x33½x34	WS1T2028	65	WS1T2028-14DP-14GA	72

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200



WS1T2020



WS1T2424D24

Shown with Lever
Support Bracket

Sink Hardware
Sold Separately

STAINLESS SINKS - 1 COMPARTMENT WITH 2 DRAINBOARDS

Bowl Size (in)	L x W x H (in)	Drbd Size (in)	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	52x23½x34	18	WS1T16182D18	62	WS1T16182D18-14DP-14GA	68
	64x23½x34	24	WS1T16182D24	69	WS1T16182D24-14DP-14GA	77
18x18	54x23½x34	18	WS1T18182D18	71	WS1T18182D18-14DP-14GA	76
	66x23½x34	24	WS1T18182D24	80	WS1T18182D24-14DP-14GA	87
16x20	52x25½x34	18	WS1T16202D18	66	WS1T16202D18-14DP-14GA	70
	64x25½x34	24	WS1T16202D24	74	WS1T16202D24-14DP-14GA	80
20x20	40x25½x34	18	WS1T20202D18	85	WS1T20202D18-14DP-14GA	90
	44x25½x34	24	WS1T20202D24	95	WS1T20202D24-14DP-14GA	101
18x24	54x29½x34	18	WS1T18242D18	75	WS1T18242D18-14DP-14GA	80
	66x29½x34	24	WS1T18242D24	83	WS1T18242D24-14DP-14GA	91
24x24	60x29½x34	18	WS1T24242D18	92	WS1T24242D18-14DP-14GA	95
	72x29½x34	24	WS1T24242D24	112	WS1T24242D24-14DP-14GA	103
20x28	40x33½x34	18	WS1T20282D18	102	WS1T20282D18-14DP-14GA	115
	44x33½x34	24	WS1T20282D24	125	WS1T20282D24-14DP-14GA	126

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200

800.444.3595 | sales@winholt.com | www.winholt.com



WS1T1824LD24

Customize to meet your requirements:

- Stainless Sink Single Compartment with Drainboard
- 14" Swing Faucet Splash Mount
- Rotary Lever Waste Valve with Flat Strainer
- Flange Feet
- All welded construction
- Complies with all sanitary standards: 16 GA or 14 GA 300 series stainless steel
- 12" or 14" deep fabricated bowls with coved corners
- Cross bracing for heavy duty support and stability
- Equipped with stainless steel gussets, stainless steel legs and stainless steel clad adjustable feet for leveling
- 9" backsplash with 45° return



STAINLESS SINKS 1 COMPARTMENT WITH 1 DRAINBOARD

Bowl Size (in)	L x W x H (in)	Drbd Size (in)	Drbd Left / Right	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	36½x23½x34	18	LEFT	WS1T1618LD18	53	WS1T1618LD18-14DP-14GA	56
			RIGHT	WS1T1618RD18		WS1T1618RD18-14DP-14GA	
	42½x23½x34	24	LEFT	WS1T1618LD24	57	WS1T1618LD24-14DP-14GA	60
			RIGHT	WS1T1618RD24		WS1T1618RD24-14DP-14GA	
18x18	38½x23½x34	18	LEFT	WS1T1818LD18	55	WS1T1818LD18-14DP-14GA	59
			RIGHT	WS1T1818RD18		WS1T1818RD18-14DP-14GA	
	44½x23½x34	24	LEFT	WS1T1818LD24	58	WS1T1818LD24-14DP-14GA	63
			RIGHT	WS1T1818RD24		WS1T1818RD24-14DP-14GA	
16x20	36½x25½x34	18	LEFT	WS1T1620LD18	54	WS1T1620LD18-14DP-14GA	58
			RIGHT	WS1T1620RD18		WS1T1620RD18-14DP-14GA	
	42½x25½x34	24	LEFT	WS1T1620LD24	57	WS1T1620LD24-14DP-14GA	62
			RIGHT	WS1T1620RD24		WS1T1620RD24-14DP-14GA	
20x20	40½x25½x34	18	LEFT	WS1T2020LD18	70	WS1T2020LD18-14DP-14GA	77
			RIGHT	WS1T2020RD18		WS1T2020RD18-14DP-14GA	
	46½x25½x34	24	LEFT	WS1T2020LD24	74	WS1T2020LD24-14DP-14GA	83
			RIGHT	WS1T2020RD24		WS1T2020RD24-14DP-14GA	
18x24	38½x29½x34	18	LEFT	WS1T1824LD18	64	WS1T1824LD18-14DP-14GA	70
			RIGHT	WS1T1824RD18		WS1T1824RD18-14DP-14GA	
	44½x29½x34	24	LEFT	WS1T1824LD24	68	WS1T1824LD24-14DP-14GA	75
			RIGHT	WS1T1824RD24		WS1T1824RD24-14DP-14GA	
24x24	50½x29½x34	24	LEFT	WS1T2424LD24	77	WS1T2424LD24-14DP-14GA	85
			RIGHT	WS1T2424RD24		WS1T2424RD24-14DP-14GA	
20x28	40½x33½x34	18	LEFT	WS1T2028LD18	87	WS1T2028LD18-14DP-14GA	97
			RIGHT	WS1T2028RD18		WS1T2028RD18-14DP-14GA	
	46½x33½x34	24	LEFT	WS1T2028LD24	88	WS1T2028LD24-14DP-14GA	101
			RIGHT	WS1T2028RD24		WS1T2028RD24-14DP-14GA	

OPTIONS: WB18 18" WALL BRACKETS

Freight Class: 200

STAINLESS SINKS - 2 COMPARTMENT WITHOUT DRAINBOARD



Bowl Size (in)	L x W x H (in)	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	39x23½x34	WS2T1618	74	WS2T1618-14DP-14GA	79
18x18	43x23½x34	WS2T1818	78	WS2T1818-14DP-14GA	85
16x20	39x25½x34	WS2T1620	76	WS2T1620-14DP-14GA	83
20x20	47x25½x34	WS2T2020	96	WS2T2020-14DP-14GA	110
18x24	43x29½x34	WS2T1824	92	WS2T1824-14DP-14GA	103
24x24	55x29½x34	WS2T2424	109	WS2T2424-14DP-14GA	124
20x28	47x33½x34	WS2T2028	115	WS2T2028-14DP-14GA	134

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200



WS1T1824LD24

WS2T1824D24



STAINLESS SINKS - 2 COMPARTMENT WITH 2 DRAINBOARDS

Bowl Size (in)	L x W x H (in)	Drbd Size (in)	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	70x23½x34	18	WS2T16182D18	83	WS2T16182D18-14DP-14GA	90
	82x23½x34	24	WS2T16182D24	86	WS2T16182D24-14DP-14GA	95
18x18	74x23½x34	18	WS2T18182D18	96	WS2T18182D18-14DP-14GA	106
	86x23½x34	24	WS2T18182D24	103	WS2T18182D24-14DP-14GA	115
16x20	70x25½x34	18	WS2T16202D18	94	WS2T16202D18-14DP-14GA	103
	82x25½x34	24	WS2T16202D24	101	WS2T16202D24-14DP-14GA	112
20x20	78x25½x34	18	WS2T20202D18	135	WS2T20202D18-14DP-14GA	150
	90x25½x34	24	WS2T20202D24	150	WS2T20202D24-14DP-14GA	159
18x24	74x29½x34	18	WS2T18242D18	113	WS2T18242D18-14DP-14GA	130
	86x29½x34	24	WS2T18242D24	122	WS2T18242D24-14DP-14GA	139
24x24	86x29½x34	18	WS2T24242D18	128	WS2T24242D18-14DP-14GA	155
	98x29½x34	24	WS2T24242D24	139	WS2T24242D24-14DP-14GA	160
20x28	82x35½x34	18	WS2T20282D18	159	WS2T20282D18-14DP-14GA	175
	90x35½x34	24	WS2T20282D24	170	WS2T20282D24-14DP-14GA	185

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200

Sink Hardware Sold Separately

WS2TS2424LD24



Sink Hardware Sold
Separately

STAINLESS SINKS - 2 COMPARTMENT WITH 1 DRAINBOARD

Bowl Size (in)	L x W x H (in)	Drbd Size (in)	Drbd Left / Right	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	54½x23½x34	18	LEFT	WS2T1618LD18	83	WS2T1618LD18-14DP-14GA	90
			RIGHT	WS2T1618RD18		WS2T1618RD18-14DP-14GA	
	60½x23½x34	24	LEFT	WS2T1618LD24	86	WS2T1618LD24-14DP-14GA	95
			RIGHT	WS2T1618RD24		WS2T1618RD24-14DP-14GA	
18x18	58½x23½x34	18	LEFT	WS2T1818LD18	87	WS2T1818LD18-14DP-14GA	95
			RIGHT	WS2T1818RD18		WS2T1818RD18-14DP-14GA	
	64½x23½x34	24	LEFT	WS2T1818LD24	90	WS2T1818LD24-14DP-14GA	100
			RIGHT	WS2T1818RD24		WS2T1818RD24-14DP-14GA	
16x20	54½x25½x34	18	LEFT	WS2T1620LD18	85	WS2T1620LD18-14DP-14GA	93
			RIGHT	WS2T1620RD18		WS2T1620RD18-14DP-14GA	
	60½x25½x34	24	LEFT	WS2T1620LD24	88	WS2T1620LD24-14DP-14GA	98
			RIGHT	WS2T1620RD24		WS2T1620RD24-14DP-14GA	
20x20	62½x25½x34	18	LEFT	WS2T2020LD18	117	WS2T2020LD18-14DP-14GA	133
			RIGHT	WS2T2020RD18		WS2T2020RD18-14DP-14GA	
	68½x25½x34	24	LEFT	WS2T2020LD24	122	WS2T2020LD24-14DP-14GA	142
			RIGHT	WS2T2020RD24		WS2T2020RD24-14DP-14GA	
18x24	58½x29½x34	18	LEFT	WS2T1824LD18	107	WS2T1824LD18-14DP-14GA	120
			RIGHT	WS2T1824RD18		WS2T1824RD18-14DP-14GA	
	64½x29½x34	24	LEFT	WS2T1824LD24	111	WS2T1824LD24-14DP-14GA	126
			RIGHT	WS2T1824RD24		WS2T1824RD24-14DP-14GA	
24x24	76½x29½x34	24	LEFT	WS2T2424LD24	127	WS2T2424LD24-14DP-14GA	146
			RIGHT	WS2T2424RD24		WS2T2424RD24-14DP-14GA	
20x28	62½x33½x34	18	LEFT	WS2T2028LD18	175	WS2T2028LD18-14DP-14GA	190
			RIGHT	WS2T2028RD18		WS2T2028RD18-14DP-14GA	
	68½x33½x34	24	LEFT	WS2T2028LD24	185	WS2T2028LD24-14DP-14GA	199
			RIGHT	WS2T2028RD24		WS2T2028RD24-14DP-14GA	

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200

STAINLESS SINKS - 3 COMPARTMENT WITHOUT DRAINBOARD

Bowl Size (in)	L x W x H (in)	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	57x23½x34	WS3T1618	40	WS3T1618-14DP-14GA	44
18x18	63x23½x34	WS3T1818	109	WS3T1818-14DP-14GA	124
16x20	57x25½x34	WS3T1620	107	WS3T1620-14DP-14GA	119
20x20	69x25½x34	WS3T2020	142	WS3T2020-14DP-14GA	165
18x24	63x29½x34	WS3T1824	131	WS3T1824-14DP-14GA	150
24x24	81x29½x34	WS3T2424	157	WS3T2424-14DP-14GA	182
20x28	69x33½x34	WS3T2028	170	WS3T2028-14DP-14GA	200

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200



WS3T1818



WS3T18242D18

STAINLESS SINKS - 3 COMPARTMENT WITH 2 DRAINBOARDS

Bowl Size (in)	L x W x H (in)	Drbd Size (in)	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	88x23½x34	18	WS3T16182D18	121	WS3T16182D18-14DP-14GA	139
	100x23½x34	24	WS3T16182D24	128	WS3T16182D24-14DP-14GA	147
18x18	94x23½x34	18	WS3T18182D18	127	WS3T18182D18-14DP-14GA	146
	106x23½x34	24	WS3T18182D24	134	WS3T18182D24-14DP-14GA	155
16x20	88x25½x34	18	WS3T16202D18	125	WS3T16202D18-14DP-14GA	142
	100x25½x34	24	WS3T16202D24	132	WS3T16202D24-14DP-14GA	151
20x20	100x25½x34	18	WS3T20202D18	180	WS3T20202D18-14DP-14GA	204
	112x25½x34	24	WS3T20202D24	191	WS3T20202D24-14DP-14GA	220
18x24	94x29½x34	18	WS3T18242D18	172	WS3T18242D18-14DP-14GA	196
	106x29½x34	24	WS3T18242D24	180	WS3T18242D24-14DP-14GA	207
24x24	112x29½x34	18	WS3T24242D18	190	WS3T24242D18-14DP-14GA	229
	124x29½x34	24	WS3T24242D24	206	WS3T24242D24-14DP-14GA	239
20x28	102x33½x34	18	WS3T20282D18	62	WS3T20282D18-14DP-14GA	219
	112x33½x34	24	WS3T20282D24	65	WS3T20282D24-14DP-14GA	229

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200

As part of our commitment to continuous product improvement, Winholt reserves the right to modify materials and specifications without prior notice.

800.444.3595 | sales@winholt.com | www.winholt.com



WS3T1824LD18



STAINLESS SINKS 3 COMPARTMENT WITH 1 DRAINBOARD

Bowl Size (in)	L x W x H (in)	Drbd Size (in)	Drbd Left / Right	16 Gauge 12" Water Level	Wt (lb)	14 Gauge 14" Water Level	Wt (lb)
16x18	72½x23½x34	18	LEFT	WS3T1618LD18	112	WS3T1618LD18-14DP-14GA	127
			RIGHT	WS3T1618RD18		WS3T1618RD18-14DP-14GA	
	78½x23½x34	24	LEFT	WS3T1618LD24	116	WS3T1618LD24-14DP-14GA	132
			RIGHT	WS3T1618RD24		WS3T1618RD24-14DP-14GA	
18x18	78½x23½x34	18	LEFT	WS3T1818LD18	118	WS3T1818LD18-14DP-14GA	135
			RIGHT	WS3T1818RD18		WS3T1818RD18-14DP-14GA	
	84½x23½x34	24	LEFT	WS3T1818LD24	122	WS3T1818LD24-14DP-14GA	139
			RIGHT	WS3T1818RD24		WS3T1818RD24-14DP-14GA	
16x20	72½x25½x34	18	LEFT	WS3T1620LD18	115	WS3T1620LD18-14DP-14GA	120
			RIGHT	WS3T1620RD18		WS3T1620RD18-14DP-14GA	
	78½x25½x34	24	LEFT	WS3T1620LD24	119	WS3T1620LD24-14DP-14GA	129
			RIGHT	WS3T1620RD24		WS3T1620RD24-14DP-14GA	
20x20	84½x25½x34	18	LEFT	WS3T2020LD18	165	WS3T2020LD18-14DP-14GA	185
			RIGHT	WS3T2020RD18		WS3T2020RD18-14DP-14GA	
	90½x25½x34	24	LEFT	WS3T2020LD24	170	WS3T2020LD24-14DP-14GA	200
			RIGHT	WS3T2020RD24		WS3T2020RD24-14DP-14GA	
18x24	78½x29½x34	18	LEFT	WS3T1824LD18	141	WS3T1824LD18-14DP-14GA	163
			RIGHT	WS3T1824RD18		WS3T1824RD18-14DP-14GA	
	84½x29½x34	24	LEFT	WS3T1824LD24	145	WS3T1824LD24-14DP-14GA	169
			RIGHT	WS3T1824RD24		WS3T1824RD24-14DP-14GA	
24x24	102½x29½x34	24	LEFT	WS3T2424LD24	171	WS3T2424LD24-14DP-14GA	201
			RIGHT	WS3T2424RD24		WS3T2424RD24-14DP-14GA	
20x28	84½x33½x34	18	LEFT	WS3T2028LD18	185	WS3T2028LD18-14DP-14GA	215
			RIGHT	WS3T2028RD18		WS3T2028RD18-14DP-14GA	
	90½x33½x34	24	LEFT	WS3T2028LD24	195	WS3T2028LD24-14DP-14GA	225
			RIGHT	WS3T2028RD24		WS3T2028RD24-14DP-14GA	

OPTIONS: WB18 18" WALL BRACKETS

Freight Class: 200

STAINLESS SINKS - 3 COMPARTMENT MEAT & PLATTER, BAKERY & DELI, CONVENIENCE



WS3T18242D24-SS
Space Saver Design shown
with lever support brackets

Sink Hardware Sold
Separately

Stainless Meat Platter Sink 3 Compartment					
Bowl Size (in)	LxW x H (in)	Drainboard Size (in)	Drainboard	16 Gauge 12" Water Level	Wt (lb)
15x32	69½x37½x34	18	LEFT	WS3T1532LD18	183
15x32	69½x37½x34	18	RIGHT	WS3T1532RD18	183
15x32	69½x37½x34	18	LEFT & RIGHT	WS3T15322D18	183
Stainless Bakery & Deli Sink 3 Compartment					
19x28	66x33x34			WS3T1928	175
19x28	82½x33x34	18	LEFT	WS3T1928LD18	189
19x28	82½x33x34	18	RIGHT	WS3T1928RD18	189
19x28	99x33x34	18	LEFT & RIGHT	WS3T19282D18	199
Stainless Convenience Sink 3 Compartment					
10x14	58½x19½x34	12	LEFT & RIGHT	WS3T10142D12	85
10x14	70½x19½x34	18	LEFT & RIGHT	WS3T10142D18	120
14x16	70½x21½x34	12	LEFT & RIGHT	WS3T14162D12	138

OPTIONS: WB18 18" WALL BRACKETS
Freight Class: 200

SINK MODIFICATIONS



MODEL	DESCRIPTION	SOLD BY	MODEL	DESCRIPTION	SOLD BY
Top Modifications			Drainboard Modifications		
WH-ASBH	Anti. Siphon Vacuum Breaker Holes	each	WH-EXDB	Extra Drainboard	per lin. ft.
WH-WFJ	Welded Field Joint (<i>by other</i>)	each	WH-DBCTN	Corner Turn for Drainboard	each
WH-DSCB	Installation of Disposal Cone with 6" x 9" control bracket, faucet holes (<i>Cone supplied by other</i>)	each	WH-USDB	Undershelf Drainboard	per lin. ft.
WH-DSCB14	Installation of Disposal Cone with 14" x 16" control bracket, faucet holes (<i>Cone supplied by other</i>)	each	Additional Crating Costs		
WH-WATRG	Waste trough with removable basket - 2" deep	each	WH-CRATE	Complete Crating	per sink
WH-COLLAR	Installation of collar with each 6" x 9" control bracket (<i>Collar supplied by other</i>)	each	WH-EXPCRATE	Export Crating	per sink
WH-COLLAR14	Installation of Collar with 14" x 16" control bracket (<i>Collar supplied by other</i>)	each	Stainless Steel Sink Cover for Sink Bowls		
WH-DMFH	Deck Mounted Holes, per faucet	each	WSA-SSC1014	S/S Sink Cover, 14"L x 10"W bowl	each
WH-SPFH	Splash Mounted Holes, per faucet	each	WSA-SSC1416	S/S Sink Cover, 16"L x 14"W bowl	each
Base Modifications			WSA-SSC1618	S/S Sink Cover, 18"L x 16"W bowl	each
WH-HFLEG	H-Frame Support Leg	each	WSA-SSC1818	S/S Sink Cover, 18"L x 18"W bowl	each
WH-CBH	Holder for Cutting Board / Sink Cover	each	WSA-SSC1620	S/S Sink Cover, 20"L x 16"W bowl	each
WS-SDDEAD	Sound Deadening Spray	per lin. ft.	WSA-SSC2020	S/S Sink Cover, 20"L x 20"W bowl	each
WH-WHCG	Work Height Change	each	WSA-SSC1824	S/S Sink Cover, 24"L x 18"W bowl	each
Backsplash & Sidesplash Modifications			WSA-SSC2424	S/S Sink Cover, 24"L x 24"W bowl	each
WH-SPCU	Splash cutout	each	WSA-SSC1928	S/S Sink Cover, 28"L x 19"W bowl	each
WH-BS13	Backsplash up to 13"	per lin. ft.	WSA-SSC2028	S/S Sink Cover, 28"L x 20"W bowl	each
WH-BS18	Backsplash up to 18"	per lin. ft.	WSA-SSC1532	S/S Sink Cover, 32"L x 15"W bowl	each
WH-SSP	Sink Sidesplash	each	Poly Top Sink Cover for Sink Bowls		
WH-SSI	Integrated Sidesplash	per lin. ft.	WSA-PSC1618	Poly Sink Cover, 18"L x 16"W bowl	each
Sink Bowl Modifications			WSA-PSC1818	Poly Sink Cover, 18"L x 18"W bowl	each
WS-SSKRT	Sink Skirt	each	WSA-PSC1620	Poly Sink Cover, 20"L x 16"W bowl	each
WS-RLWV-BRKT	Rotary Leverwaste Support Bracket	each	WSA-PSC2020	Poly Sink Cover, 20"L x 20"W bowl	each
WHS-RLWV-OF	Punch for overflow hole in rear of sink	each	WSA-PSC1824	Poly Sink Cover, 24"L x 18"W bowl	each
WH-WS-RLWV-ST	Leverwaste Support Bracket	each	WSA-PSC2424	Poly Sink Cover, 24"L x 24"W bowl	each
WH-WS-RLWV-OF	Lever Waste Drain w/ Overflow	each	WSA-PSC1928	Poly Sink Cover, 28"L x 19"W bowl	each
WH-CT12XXXX	Custom Bowl 12" deep	each	WSA-PSC2028	Poly Sink Cover, 28"L x 20"W bowl	each
WH-CT14XXXX	Custom Bowl 14" deep	each	WSA-PSC1532	Poly Sink Cover, 32"L x 15"W bowl	each
WH-CT16XXXX	Custom Bowl 16" deep	each	Leg Accessories		
WH-CTMOD	Modify Bowl Depth	each	4497-3	Flanged stainless steel bullet foot	each
			4471	Stainless steel bullet clad foot	each
			WH-LWB	Leg to wall brace	each
			RECESSED LEG 6	6" Recessed Leg	each