



Project: _____
Items: _____
Quantity: _____
Approval: _____
Date: _____

Enclosed Mobile Transport Cabinets

Enclosed mobile transport cabinets are designed to store and transport goods while helping reduce dehydration. Constructed from reinforced aluminum, these cabinets provide a sanitary and corrosion-resistant solution for commercial environments.

Features:

- All welded, reinforced, non-insulated aluminum construction
- 1 1/2" spacing between runners
- Accommodates 18" x 26" pans
- 20 lb. capacity per runner
- Door opens up to 270° for full access
- Mounted on four 5" polyurethane swivel plate casters with double ball race design

Options:

- **PP** *Prison Package*
- **B** *Bumpers - (4) Corner bumpers*
- **LC** *Locking Casters - (4) locking casters*
- **LD** *Lexan Door - Clear acrylic door*

Benefits:

- Supports safe storage and transport while helping maintain product quality
- Withstands daily use in demanding environments
- Handles a range of capacity requirements across multiple cabinet sizes
- Supports evenly distributed loads on each runner
- Moves smoothly through workspaces with stable caster performance
- Adds control during staging or transport with locking caster option
- Allows visibility of contents when equipped with acrylic door option

MODEL EC1816-C



MODEL EC1824-C



MODEL EC1832-C



MODEL EC1840-C





MODEL EC1840-C-LD





Enclosed Mobile Transport Cabinets

MODEL EC1840-C



Model Number	Order#	Overall Dimensions			Pan Capacity	Approx. Ship Wt
		Length	Width	Height		
		(in)				
EC1840-C	110841	27	21	68	40	94
EC1816-C	110795	27	21	32	16	57
EC1824-C	100824	27	21	44	24	70
EC1832-C	110832	27	21	56	32	84
Clear Acrylic Door						
EC1840-C-LD	150375	21	27	68	40	115

Caster Information

Swivel Plate Caster with 5" Polyurethane Wheel 738A

5" Polyurethane Wheel 7112

Freight Class: 150



In line with our policy to continually improve our products, Winholt reserves the right to change materials and specifications without notice.




ROTISSERIE STORAGE/TRANSPORT RACK

FRONT VIEW

Dimensions and labels for the front view:

- Overall width: 21
- Overall height: 60 $\frac{1}{16}$
- Top section height: 28
- Bottom section height: 28 $\frac{13}{32}$
- Internal width: 18 $\frac{1}{4}$
- Top section internal height: 5 $\frac{11}{32}$
- Bottom section internal height: 5 $\frac{11}{32}$
- Labels: "typ", "1/4" hole 1/2" crank on front", "1/4" hole 1/2" crank (6 places)"



Model Number	Order #	Overall Dimensions			Pan Cap	Approx. Ship Wt
		Width	Length	Height		
		(in)	(in)	(in)	18" x 26"	(lb)
Heavy Duty Enclosed Cabinet with Reinforced Undercarriage						
EC1840-CTL	110859	21	27 ³ / ₈	67 ³ / ₄	40	115
Extra Heavy Duty Enclosed Cabinet with Reinforced Undercarriage and Frame						
EC1832-CTLPURC	150383	21	27 ³ / ₈	56	32	115
EC1840-CTLPURC	110904			67 ³ / ₄	40	120

Freight Class: 150

(4) 5" x 1½" Swivel Plate Casters (738)