



LA Cimbali


cimbali.com

Coffee Management



GT

Exclusive thermal system based on a boiler with two heat exchangers in series. Water for the coffee is preheated and distributed to the coffee boilers, where it is brought to the desired infusion temperature.



HD

Allows personalizing and correcting the extraction water pressure profile for each delivery button according to the coffee blend and the desired beverage.



THERMODRIVE

LaCimbali's adjustable thermal balance system allows to regulate the water temperature and to adapt each group to different blends of coffee.

Milk Management



TURBOSTEAM

For hands-free heating or frothing of large amounts of milk without manual intervention. When in their Milk4 version, they allow preparing 4 different milk recipes automatically. With the Cold touch wand version, the wand is coated with a silicon-based material to prevent any manual contact with the hot parts of the device.



TURBOMILK

This innovative system enables users to froth hot and cold milk and dispense it directly into the cup as well as the traditional jug.



HQ MILK

HQ Milk technology, available in the latest generation of LaCimbali superautomatic machines, allows to deliver a superior frothed milk directly in the cup.

User



PGS

For automatic adjustment of the grinding in traditional and super-automatic machines. Grinder burrs will “self-adjust” based on the reference points you set in the espresso machine



RUVECOTECK

In order to ensure maximum food safety, Ruveco Teck treatment is the process that drastically reduces the quantity of metal in the drinks delivered. The machine is coated with special material to stop such leaking



BDS

An integrated system that facilitates the work of the barista by maintaining a dialogue between the machine and grinder-doser. This innovative technology guides the barista step by step through all the beverage preparation stages, from grinding the coffee to dispensing.



AUTOTAMPER

Autotamper technology, available in Elective AT grinder, allows to set the ideal tamping pressure and to provide a consistent tamp on the coffee grounds, guaranteeing the delivery of a consistent extraction.



SMART BOILER

This patented innovation makes it possible to manage the accumulation of energy conserved in the boiler to enable a constant maximum steam and water supply even when machine is undergoing intensive use. This eco-friendly technology allows a continuous flow of water to the boiler in small increments increasing recovery



TELEMETRY

This technology enables data communication and remote monitoring of all the machine’s functions and performance via a Wi-Fi connection. This allows users to log into the machine and make adjustments to the profiles and parameters, plus viewing any data relating to machine errors or wash cycles counts

CONTACTS

Websites:

cimbali.us
cimbali.com
gruppocimbali.com

Contact Names:

Senior Vice President – Assaad Benabid
Office Manager – Blanca Garcia
National Accounts Director – Tim Holdsworth
National Sales Director – Laurel Bird
National Specialty Sales – Noah Goodman
National Service Manager – Johnna Bartee
National Technical Director – Marco Dianese
Assistant Office Manager – Eva Hanks
Assistant Technical Manager – Andy Hernandez
National Parts Manager – Walter Serrano

Index

• Traditional Espresso Coffee Machines 4
• Grinder-Dosers.....13
• Fully Automatic Espresso Coffee Machines..... 16
• Accessories 24
• Caption 26
• Sales Conditions 27



Traditional Espresso Coffee Machines

• M100 Attiva HDA	5
• M100 Attiva GTA.....	6
• M39 Dosatron TE – ThermoDrive, TSCT	7
• M26 TE Black – ThermoDrive, TSCT, Tall Cup	8
• M26 TE Black – ThermoDrive, TS, Tall Cup	9
• M26 BE Black – DT/2, DT/3	10
• M26 BE Black – DT/1, DT/2 Compact	11
• M21 Junior DT/1	12

TRADITIONAL ESPRESSO COFFEE MACHINES

M100 ATTIVA HDA

White, Black

M100 HDA DT/2 - 3 BUTTONS	UN236A1BT999A
M100 HDA DT/3 - 3 BUTTONS	UN336A1BT999A

M100 Attiva range, with its new thermal system HDA, interfaces, design, ergonomics features and accessories guarantee maximum flexibility and has been designed to rewrite the rules of an entire category and to pave the way for a new generation of professional machines. The HDA system allows the user to adjust and "profile" the recipes for their coffees and set them across multiple groups

	HDA System		Bluetooth
	Adjustable water temperature		Green Machine
	Steam wand Cold Touch		USB-Port
	Mixed water		WiFi connectivity (optional)
	PGS		
	Smart Boiler		



M100 Attiva Black HDA DT3 with 3 Push Buttons



Matte black



Glossy white

Features		DT/2	DT/3
Cold Touch steam wands		2	2
Hot water wand		1	1
Hot water selections		3	3
Service boiler capacity (Litres)		10	10
Independent coffee boilers		2	3
Independent coffee boilers capacity (cc)		400	400
Coffee boiler heater (W)		800	800
Technical information			
Width x Depth x Height with tall feet (In)		33 x 23 x 25	41 x 23 x 25
Weight (Lb)		196	232
Power at 208-240V ~ 60Hz (W)		5200 - 6900	6000 - 7900

Accessories

Kit Wi-Fi



TRADITIONAL ESPRESSO COFFEE MACHINES

M100 ATTIVA GTA

White, Black

M100 GTA DT/2 - 6 BUTTONS UN236A1BT999A

M100 GTA DT/3 - 6 BUTTONS UN336A1BT999A

M100 Attiva range, with its new thermal system GTA, interfaces, design, ergonomics features and accessories guarantee maximum flexibility and has been designed to rewrite the rules of an entire category and to pave the way for a new generation of professional machines. The GTA version uses the tall cup and Turbo Steam 4 steam wand for many applications. Whilst maintaining excellent control of the extraction, the milk is textured with microfoam technology for an extremely consistent textured quality milk. 4 milk settings allow you to choose multiple foam and heat settings

- | | | | |
|--|-----------------------------------|---|------------------------------|
|  | GTA System |  | Mixed water |
|  | Adjustable water temperature |  | Bluetooth |
|  | Steam wand Cold Touch |  | Green Machine |
|  | TurboSteam Milk4 Cold Touch wands |  | USB-Port |
|  | PGS |  | Tall Cup version |
|  | Smart Boiler |  | WiFi connectivity (optional) |



Glossy white



Matte black

Features		DT/2	DT/3
Cold Touch Steam wands		2	2
Hot water wand		1	1
Hot water selections		3	3
Service boiler capacity (Litres)		10	10
Independent coffee boilers		2	3
Independent coffee boilers capacity (cc)		400	400
Coffee boiler heater (W)		800	800
Technical information			
Width x Depth x Height with tall feet (In)		33 x 23 x 25	41 x 23 x 25
Weight (Lb)		196	232
Power at 208-240V ~ 60Hz (W)		5200 - 6900	6000 - 7900

TSCT Milk 4 + Tall Cup	✓	✓
------------------------	---	---

Accessories

Kit Wi-Fi		
-----------	--	--



TRADITIONAL ESPRESSO COFFEE MACHINES

M39 TE DOSATRON

ThermoDrive, TS

M39 DT/2 - TD, TS	B9210J9BTG9BE
M39 DT/3 - TD, TS	B9310J9BTG9BE
M39 DT/2 - TD, TS TALL CUP	B9210J9BTG9BE
M39 DT/3 - TD, TS, TALL CUP	B9310J9BTG9BE

Automatic espresso coffee machine with a new black matt colour and finishing in satin steel, equipped with electronics that allows connectivity via Wi-Fi and Bluetooth, for example with the Magnum On Demand Wireless grinder.



M39TE DT3 with TurboSteam Milk4 CT



-  ThermoDrive
-  TurboSteam Milk4
-  PGS
-  Smart Boiler
-  Mixed water
-  Green Machine
-  USB-Port
-  Bluetooth
-  Tall Cup version (optional)
-  Wi-Fi Connectivity (optional)

Features		DT/2	DT/3
Steam wands		2	2
Hot water wands		1	1
Hot water selections		3	3
Boiler capacity (litres)		10	15
Graphic Display		✓	✓
Technical information			
Width x Depth x Height with tall feet (In)		34 x 23 x 26	42 x 23 x 26
Weight (Lb)		190	229
Power at 208-240V ~ 60Hz (W)		3500 - 4700	5400 - 7200
Optional			
Tall Cup		✓	✓
Accessories			
Kit Wi-Fi			

TRADITIONAL ESPRESSO COFFEE MACHINES

M26 TE

Black – ThermoDrive

M26 TE DT/2 - TD, TSM4, TALL CUP UE210N8BTDDGA

M26 TE DT/3 - TD, TSM4, TALL CUP UE310N8BTDDGA

Automatic espresso coffee machine, equipped with a microprocessor for an easy programming of coffee and hot water dosage.



M26 TE Black DT/2



-  TurboSteam Milk4
-  PGS
-  Mixed water Smart
-  Boiler
-  ThermoDrive
-  Green Machine
-  USB-Port
-  Bluetooth
-  Wi-Fi Connectivity
-  Tall Cup version

Features	DT/2	DT/3
Steam wands	2	2
Hot water wands	1	1
Hot water selections	1	1
Boiler capacity (litres)	10	15
Graphic Display	✓	✓
Light groups	✓	✓

Technical information		
Width x Depth x Height with tall feet (In)	32 x 21 x 24	39 x 21 x 24
Weight (Lb)	165	192
Power at 208-240V 60Hz (W)	3500 - 4700	5400 - 7200

Accessories		
Kit Wi-Fi		

M26 TE

Black – ThermoDrive, TS, Tall Cup

M26 TE DT/1 - TD, TS, TALL CUP	UE110N8BFDDGA
M26 TE DT/2 COMPACT - TD, TS, TALL CUP	

Automatic espresso coffee machine, equipped with a microprocessor for an easy programming of coffee and hot water dosage.

-  TurboSteam (2 selection)
-  Mixed water
-  ThermoDrive
-  Tall Cup



M26 TE Black DT/1



M26 TE Black DT/2 Compact

Features	DT/1	DT/2 Compact
Steam wands	1	1
Hot water wands	1	1
Hot water selections	1	1
Boiler capacity (litres)	5	5
Technical information		
Width x Depth x Height with tall feet (In)	18 x 21 x 24	24 x 21 x 24
Weight (Lb)	106	137
Power at 120V 60Hz (W)	1700	1700

M26 BE

Black

M26 BE DT/2	UE210Q7BT99A
M26 BE DT/3	UE310Q7BT999A
M26 BE DT/2 - TALL CUP	UE210Q7BTDDAA

Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee and hot water dosage.



M26 BE DT/2



M26 BE DT/3

Features		DT/2	DT/3
Steam wands		2	2
Hot water wands		1	1
Hot water selections		1	1
Boiler capacity (litres)		10	15
Technical information			
Width x Depth x Height with tall feet (In)		32 x 21 x 24	39 x 21 x 24
Weight (Lb)		165	192
Power at	208-240V 60Hz (W)	3500 - 4700	5400 - 7200
Optional			
Tall cup (available only for DT/2)		✓	-

M26 BE

Black

M26 BE DT/1	UE110Z7BF999A
M26 BE DT/1 TALL CUP	UE110Z7BFDDBA
M26 BE DT/2 COMPACT	UG210Z7BF999A
M26 BE DT/2 COMP TALL CUP	UG210Z7BFDDAA

Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee and hot water dosage.



Tall Cup



M26 TE Black DT/2 Compact

Features		DT/1	DT/2 Compact
Steam wands		1	2
Hot water wands		1	1
Hot water selections		1	1
Boiler capacity (litres)		5	5
Technical information			
Width x Depth x Height with tall feet (In)		18 x 21 x 24	24 x 21 x 24
Weight (Lb)		106	137
Power at	120V 60Hz (W)	1700	1700
Optional			
Tall cup		✓	✓

M21 JUNIOR

DT/1

M21 JUNIOR DT/1BB110IIDF999A

- One-group professional automatic espresso coffee machine for small production needs.
- 1 steam wand.
- 1 hot water wand.
- Electronic auto-recording of coffee dosage.



M21 Junior DT/1

Features		DT/1
Steam wands		1
Hot water wands		1
Boiler capacity (litres)		2.5
Technical information		
Width x Depth x Height with tall feet (In)		12.5 x 18.5 x 20
Weight (Lb)		73
Power at	100-120V~ 60Hz (W)	1100 - 1500



Grinder-Dosers

- Elective 15
- Elective Autotamper 16

GRINDER-DOSERS

ELECTIVE

ELECTIVE

GZFARZ9B7999A.

Elective is an instantaneous, electronic grinder. It freshly grinds the set doses directly into the filter holder. Equipped with PGS, the grinder burrs will self adjust (optional and included) to the desired profile reference point set up in the espresso machine



4.3" LCD Touch Screen



New motor with inverter



PGS



Flat Burrs with Red Speed treatment



Innovative design



USB-Port



Bluetooth



Features

	ELECTIVE
Output - gram/s	3.5 – 4.1
Hopper capacity (Lb)	3.3
Diameter burrs (In)	2.52
Red Speed treatment	✓

Technical information

Width x Depth x Height (In)	9 x 16 x 23
Weight (Lb)	42
Power at 110-120V~ 60Hz (A)	4
Motor service	15s ON 20s OFF



* These data refer to grinding for an Italian espresso coffee.

ELECTIVE AT

Autotamper

ELECTIVE AUTOTAMPER

GZFA SZ9B7999A

Elective is an instantaneous, electronic grinder. It freshly grinds the set doses directly into the filter holder. Equipped with PGS, the grinder burrs will self adjust (optional and included) to the desired profile reference point set up in the espresso machine. The auto tamper allows you to utilize a consistent tamping solution attached to the grinder. Modes can be set to allow the user to adjust the pressure and sensitivity



Autotamper



4.3" LCD Touch Screen



New motor with inverter



PGS



Flat Burrs with Red Speed treatment



Innovative design



USB-Port



Bluetooth



Features

	ELECTIVE AT
Output – grams/s	3.5 – 4.1
Hopper capacity (Lb)	3.3
Diameter burrs (In)	2.52
Red Speed treatment	✓

Technical information

Width x Depth x Height (In)	9 x 19 x 23
Weight (Lb)	51
Power at 110-120V~ 60Hz (A)	4.1
Motor service	15s ON 20s OFF



* These data refer to grinding for an Italian espresso coffee.



Fully Automatic Espresso Coffee Machines

• S30 S10 - TurboSteam Milk4 Cold Touch.....	17
• S30 CP10 - MilkPs.....	18
• S30 CS10 - MilkPs + Choc	19
• S20 S10 - TurboSteam Milk4 Cold Touch.....	20
• S20 CP10 - MilkPs	21
• S20 CS10 - MilkPs + Choc	22
• Q10 - MilkPs	23

FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

S30 S10

TurboSteam Milk4 Cold Touch

S30 S10

D5RMPB9DT999A

Performance

Coffee Output (cups/h)	200
Hot Water Output (Lt/h - 500cc quantities)	28
Liquid Heating - TurboSteam (Lt/h - 500cc quantities)	26

Specifically designed for reliability, premium coffee quality and ease of use, the LaCimbali S30 delivers a large selection of beverages. Integrated Wi-Fi monitors consumables, output levels, cleaning status and maintenance requirements. Its intuitive 10.4" touchscreen also allows customization of graphics, screen savers, drink icons and branding.

	Recommended cups per day: up to 300		10.4" touch screen, up to 96 drink selections
	Metal coffee group		PGS
	Smart Boiler		Wi-Fi Connectivity
	TurboSteam Milk4 Cold Touch		USB-Port
			Bi-directional Telemetry



Features

S30 S10 TURBOSTEAM COLD TOUCH	
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 0,7 + 1 x 1,25
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 1,2
Coffee group diameter (mm)	50
Steam wand	TS Cold Touch

Technical information

Width x Depth x Height (in)	14.6 x 24.4 x 30
Weight (lbs)	175
Power at 220-240V~ 60Hz (W)	4800 - 5700

Accessories

Ground Disposal Kit	CODE: NR9MF9999990A
CSI/CCI Cable	CODE: 535959000



FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

S30 CP10

MilkPs

S30 CP10 MILK PS. D5BMPB9DT999A

Performance

Coffee Output (cups/h)	200
Cappuccino Output (150 cc cups/h)	190
Hot Water Output (Lt/h - 500cc quantities)	28
Liquid Heating - Steam Wand (Lt/h - 500cc quantities)	26

Specifically designed for reliability, premium coffee quality and ease of use, the LaCimbali S30 delivers a large selection of beverages. Integrated Wi-Fi monitors consumables, output levels, cleaning status and maintenance requirements. Its intuitive 10.4" touchscreen also allows customization of graphics, screen savers, drink icons and branding.



	Recommended cups per day: up to 300		Metal coffee group		PGS
	10.4" touchscreen, up to 96 drink selections		Smart Boiler		AWS - Automatic washing system
	HQ Milk		USB-Port		Wi-Fi Connectivity
	Perfect cold milk foam		Bi-directional Telemetry		

Features	S30 CP10
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 0,7 + 1 x 1,25
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 1,2
Powder hopper and capacity (Kg)	1 x 1,0
Coffee group diameter (mm)	50
Steam Wand	1

Technical information

Width x Depth x Height (in)	14.6 x 24.4 x 30
Weight (lbs)	175
Power at 220-240V~ 60Hz (W)	4800 - 5700

Accessories

Kit Milk Circuit Cleaning / Fridge undercounter	CODE: NR9MM9999999A
Ground Disposal Kit	CODE: NR9MF9999990A
Kit Milk Foam	CODE: NR9MO9999999A
Kit Smart milk sensor	CODE: NS9MA9999999A
Kit Power Station	CODE: NR9MU9999999A
Kit No-coffee sensor (2 grinders)	CODE: NR9P59999999A
CSI/CCI Cable	CODE: 535959000



FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

S30 CS10

MilkPs + Choc

S30 CS10

D5RMPB9DT999A

Performance

Coffee Output (cups/h)	200
Cappuccino Output (150 cc cups/h)	190
Hot Water Output (Lt/h - 500cc quantities)	28

Specifically designed for reliability, premium coffee quality and ease of use, the LaCimbali S30 delivers a large selection of beverages. Integrated Wi-Fi monitors consumables, output levels, cleaning status and maintenance requirements. Its intuitive 10.4" touchscreen also allows customization of graphics, screen savers, drink icons and branding.



	Recommended cups per day: up to 300		Perfect cold milk foam		USB-Port		Bi-directional Telemetry
	10.4" touchscreen, up to 96 drink selections		Metal coffee group		PGS		
	Powder Dosing System		Smart Boiler		AWS - Automatic washing system		
	HQ Milk		Wi-Fi				

Features	S30 CS10
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 0.7 + 1 x 1.25
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	1 x 1.2 + 1 x 1.0
Powder hopper and capacity (Kg)	1 x 1.0
Coffee group diameter (mm)	50
Steam wand	1

Technical information

Width x Depth x Height (in)	14.6 x 24.4 x 30
Weight (lbs)	175
Power at 220-240V~ 60Hz (W)	4800 - 5700

Accessories

Kit Milk Circuit Cleaning / Fridge undercounter	CODE: NR9MM9999999A	
Ground Disposal Kit	CODE: NR9MF9999990A	
Kit Milk Foam	CODE: NR9MO9999999A	
Kit Smart milk sensor	CODE: NS9MA9999999A	
Kit Power Station	CODE: NR9MU9999999A	
Kit No-coffee sensor (2 grinders)	CODE: NR9P59999999A	
CSI/CCI Cable	CODE: 535959000	



FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

S20 S10

TurboSteam Milk4 Cold Touch

S20 S10

D7ARLS9DT999A

Performance

Coffee Output (cups/h)	200
Hot Water Output (Lt/h - 500cc quantities)	30

Developed by drawing on knowledge and expertise about traditional machines, LaCimbali S20 enhances the LaCimbali superautomatic range with a perfect solution for locations that produce around 200 cups a day. Thanks to its built-in soluble hot system, you can also offer a wide and varied drinks menu, and with the metal coffee-group this coffee machine always guarantee the highest quality.



	Recommended cups per day: up to 200		7.0" touch screen, up to 96 drink selections
	Metal coffee group		Wi-Fi Connectivity
	Smart Boiler		Bi-directional Telemetry
	TurboSteam Milk4 Cold Touch		USB-Port

Features	S20 S10 TurboSteam Cold Touch
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 2.6
Grinder-dosers	1 or 2
Coffee hoppers and capacity (Kg)	1 x 1.2 or 2 x 1.2
Coffee group diameter (mm)	50
Steam wand	TurboSteam Cold Touch
Technical information	
Width x Depth x Height (in)	14.6 x 24.4 x 30
Weight (lbs)	157
Power at 220~ 60Hz (W)	3400

Accessories:

Ground Disposal Kit	CODE: NR9MF9999990A
CSI/CCI Cable	CODE: 535959000



FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

S20 CP10

MilkPs

S20 CP10

D7BMLS9DT999A

Performance

Coffee Output (cups/h)	200
Cappuccino Output (150 cc cups/h)	100
Hot Water Output (Lt/h - 500cc quantities)	30

Developed by drawing on knowledge and expertise about traditional machines, LaCimbali S20 enhances the LaCimbali superautomatic range with a perfect solution for locations that produce around 200 cups a day. Thanks to its built-in soluble hot system, you can also offer a wide and varied drinks menu, and with the metal coffee-group this coffee machine always guarantee the highest quality.



	Recommended cups per day: up to 200		7.0" touch screen, up to 96 drink selections
	MilkPs		AWS - Automatic washing system
	HQ Milk		Wi-Fi Connectivity
	Metal coffee group		Bi-directional Telemetry
	Smart Boiler		USB-Port

Features	S20 CP10
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 2,6
Grinder-dosers	1 or 2
Coffee hoppers and capacity (Kg)	1 x 1,2 or 2 x 1,2
Coffee group diameter (mm)	50
Steam wand	1

Technical information

Width x Depth x Height (in)	14.6 x 24.4 x 30
Weight (lbs)	157
Power at 220~ 60Hz (W)	3400

Accessories

Kit Milk Circuit Cleaning / Fridge undercounter	CODE: NR9MM9999999A
Ground Disposal Kit	CODE: NR9MF9999990A
Kit Milk Foam	CODE: NR9MO9999999A
Kit Smart milk sensor	CODE: NS9MA9999999A
Kit Power Station	CODE: NR9MU9999999A
Kit No-coffee sensor (2 grinders)	CODE: NR9P59999999A
CSI/CCI Cable	CODE: 535959000



FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

S20 CS10

MilkPs + Choc

S20 CS10

D7RMLSDT999A

Performance

Coffee Output (cups/h)	200
Cappuccino Output (150 cc cups/h)	100
Hot Water Output (Lt/h - 500cc quantities)	30

Developed by drawing on knowledge and expertise about traditional machines, LaCimbali S20 enhances the LaCimbali superautomatic range with a perfect solution for locations that produce around 200 cups a day. Thanks to its built-in soluble hot chocolate system, you can also offer a wide and varied drinks menu, and with the metal coffee-group this coffee machine always guarantee the highest quality.

	Recommended cups per day: up to 200		7.0" touch screen, up to 96 drink selections
	Powder Dosing System		AWS - Automatic washing system
	MilkPs		Wi-Fi Connectivity
	HQ Milk		Bi-directional Telemetry
	Metal coffee group		USB-Port
	Smart Boiler		



Features	S20 CS10
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 2.6
Grinder-dosers	1 or 2
Coffee hoppers and capacity (Kg)	1 x 1.2 or 1 x 1.2 + 1 x 1.0
Powder hopper and capacity (Kg)	1 x 1.0
Coffee group diameter (mm)	50
Steam wand	1

Technical information

Width x Depth x Height (in)	14.6 x 24.4 x 30
Weight (lbs)	157
Power at 220~ 60Hz (W)	3400

Accessories

Kit Milk Circuit Cleaning / Fridge undercounter	CODE: NR9MM9999999A	
Ground Disposal Kit	CODE: NR9MF9999990A	
Kit Milk Foam	CODE: NR9MO9999999A	
Kit Smart milk sensor	CODE: NS9MA9999999A	
Kit Power Station	CODE: NR9MU9999999A	
Kit No-coffee sensor (2 grinders)	CODE: NR9P59999999A	
CSI/CCI Cable	CODE: 535959000	



FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

Q10

MilkPs

Q10 MILKPS —	220VCCNC 9P9DT999A
Q10 MILKPS —	110VCCNC 9P9DT999A

Performance

Coffee Output (cups/h)	200
Cappuccino Output (150 cc cups/h)	140
Hot Water Output (Lt/h - 500cc quantities)	18

Machine easy to use, versatile and with reduced dimensions, Q10 is the right product for locations with a production up to 100 drinks a day can offer different types of drinks. The machine is equipped with hoppers' lock, "empty me" grounds indicator, sensor to detect lack of milk or coffee and cup beneath the delivery spout.



	Recommended cups per day: up to 100		Compact Size
	MilkPs		Variable Coffee Group Chamber
	Smart Boiler		

Features	Q10 CP11
Drink selections	6 x 3
Group diameter (mm)	48
Hot water wand	1
Hot water selections	2
Boilers and capacity (litres)	1 x 0.9 + 1 x 1.1
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0.6
Steam wand	-

Technical information

Width x Depth x Height (in)	13.8 x 25.6 x 26.4
Weight (lbs)	107
Power at 220V~ 50/60Hz (W)	2000 - 2300
Power at 110V~ 50/60Hz (W)	2000 - 2300

Accessories

Card reader kit	CODE: NR9AL9999999A
Ground disposal kit	CODE: NR9AF9999999A





Accessories

- SERIE S30 - Refrigerated Unit with Cupwarmer 25

REFRIGERATED UNIT

With Cupwarmer

REFRIGERATED UNIT WITH CUPWARMER LPR99ZFDA990A

- Preserves up to 4 litres of milk.
- Digital thermostat: ON/OFF function; milk temperature reading and setting (+/- 0,1°).
- 2 cup warming shelves.



Technical information

Width x Depth x Height (in)			11.5 x 17.2 x 29
Power at	110V 50Hz (W)		360



CAPTION

PROCESS CERTIFICATION



ISO9001: Zertifizierung des Qualitätsmanagementsystems.
OHSAS18001: Zertifizierung des Arbeitsschutzmanagementsystems.
ISO 14001: Umweltmanagement –Zertifizierung.

PRODUCT AND SAFETY CERTIFICATIONS



Safety certification and testing of consumer and industrial products and components.



The UL-EU Mark certifies that the tested products comply with the European (EN) standards. The Mark applies to both electrical and electronic products and components intended for use in Europe.



The D-Mark is a safety mark registered and provided by UL-Demko.



With the CE mark, which is obligatory in the European Union member countries, the manufacturer states that the individual product is compliance with the general safety regulations in the CE-marking directives.



The Eurasian Conformity mark indicate products that conform to all technical regulations of the Eurasian Customs Union. EAC-marked products meet all requirements of the corresponding technical regulations and have passed all conformity assessment procedures.

HYGIENE, HEALTH AND ENVIRONMENT



Certification of products and materials intended for contact with food and drinking water on the U.S. market.



It certifies the hygienic quality of machines intended for production of food and beverages.



All the machine components in contact with water and steam undergo the Ruveco Teck coating process which drastically reduces the risk of release of metals in the delivered beverages.



It certifies that the electrical and electronic equipment do not contain levels of lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDEs) above the legally permitted limit.

IN-THE-CUP QUALITY



Istituto Nazionale Espresso Italiano.

SALES CONDITIONS

LA CIMBALI

- Goods packed in standard cardboard boxes and delivered FCA, Via Archimede, 3 - Binasco (MI).
- Prices in US Dollars.
- Valid from March 2020.

GENERAL NOTES

- The installation of the softener is compulsory when the machines are fed by water harder than 8 degrees F.
- Could the main pressure exceed 6 bars (85,34 psi), the installation of a pressure reducer is required.
- The present price list cancels and replaces all previous editions.
- Optional: extra components directly assembled in factory.
- Accessories: finished goods or extra kits installed by the distributor.



GRUPPO CIMBALI

Via Manzoni, 17 - 20082

Binasco (MI) Italia

Tel. +39 02 900491

cimbali@gruppocimbali.com

gruppocimbali.com

LA CIMBALI

cimbali.com