



Founded in 1946

Project: _____

Items: _____

Quantity: _____

Approval: _____

Date: _____

Stainless Steel Medium Duty Pan Racks



Streamline your kitchen operations! Proof, store, and transport sheet pans with Winholt's Stainless Steel Medium Duty Pan Racks, featuring both side and end loading options.

Features:

- All welded stainless steel
- Runner angle 1" x 1.5"
- **Lifetime Warranty Against Rust**
- Rolling Capacity: 800 lbs
- Weight Capacity per Runner: 30 lbs
- Side load or end load racks available

Benefits:

- Maintains sanitary environment in the kitchen
- Provides strength and durability, while maintaining light weight.
- Safely and efficiently transport items
- Side and end loading options offer convenience and provide versatile solutions for optimizing space.

**SS-1820B
End Load**



**SS-2612B
Side Load**









Founded in 1946

Stainless Steel Medium Duty Pan Racks End Load

**SS-1820B
Specs**



Medium Duty Racks - End Load								
Model Number	Order#	Overall Dimensions			Pan Capacity		Runner Spacing	Approx. Ship Wt
		Width	Length	Height				
		(in)	(in)	(in)	18" x 26"	14" x 18"	(in)	(lb)
SS-1810B	110470	21	26	69 ¾	10	20	6	22
SS-1812B	110488	21	26	69 ¾	12	24	5	25
SS-1818B	110525	21	26	69 ¾	18	36	3	30
SS-1820B	110541	21	26	69 ¾	20	40	3	35
SS-1830B	110568	21	26	69 ¾	30	60	2	44

Caster Information:
(4) 5" Polyurethane Casters
Freight Class: 250

Options:
B Bumpers (4)
BP Plate Casters
LC Locking Casters
XB XHD Reinforced Upright



In line with our policy to continually improve our products, Winholt reserves the right to change materials and specifications without notice.



MEDIUM DUTY PAN RACKS


**AL-2620B
Specs**

Technical drawings of the AL-2620B Specs, showing front, side, and top views with dimensions.

Front View (Top): Shows a width of 18 in and a height of 69 3/16 in. The top section has a width of 5 in and a height of 5 in.

Side View (Left): Shows a width of 18 in and a height of 69 3/16 in. The top section has a width of 5 in and a height of 5 in.

Top View (Right): Shows a width of 28 9/32 in and a height of 31 in (D). The top section has a width of 26 3/8 in and a height of 3 1/32 in (C). The bottom section has a width of 31 in (B) and a height of 3 in (A). The bottom section has a width of 31 3/4 in and a height of 3 in (A). The bottom section has a width of 31 3/4 in and a height of 3 in (A). The bottom section has a width of 31 3/4 in and a height of 3 in (A).



Options:
B Bumpers (4)
BP Plate Casters
LC Locking Casters
XB XHD Reinforced Upright