



Project Name: _____ AIA#: _____

Model #: _____ Location: _____

SIS#: _____ Item#: _____ Quantity: _____

Shish Kebab Grill (NG/LP)

Built for Professional Kitchens
Performance ▪ Reliability ▪ Efficiency



Model

- o EMP.SK24-USA
- o EMP.SK36-USA
- o EMP.SK48-USA (**Shown model**)
- o EMP.SK60-USA

Standard Features

- Fully welded AISI 304 stainless steel grease tray, designed for optional water filling.
- Individually controlled stainless steel tube burners 20,000 BTU
- Heavy-duty cast iron angled radiants ensure optimum heat distribution and are removable for easy cleaning.
- 18-inch cooking surface.
- Constructed from heavy-duty 16-gauge stainless steel construction.
- Fire box constructed of 14-gauge stainless steel
- 6" adjustable legs

EMPERO Heavy-duty countertop gas kebab broiler featuring individually controlled 20,000 BTU stainless steel tube burners, fully welded AISI 304 stainless steel construction, removable angled cast iron radiants for even heat distribution, an 18-inch cooking surface, and a welded grease tray with optional water fill. Equipped with adjustable 6-inch legs for reliable commercial performance.

Warranty

- 1 year parts



Approved by: _____ Date: _____

USA Dealer Chef's Deal | 708 Dickerson Pike, Nashville TN 37207 | +1 (877) 254-5449 | info@chefsdeal.com



02/26/2026


Specifications are subject to change without notice.

FRONT VIEW


SIDE VIEW

TOP VIEW


EMP.SKG24-USA




EMP.SKG36-USA



EMP.SKG48-USA



EMP.SKG60-USA



TECHNICAL SPECIFICATIONS

MODEL	BTU	GAS PRESSURE	DIMENSIONS (WXHxD)	SHIPPING DIMENSIONS (WXHxD)	CUBIC FEET	SHIPPING WEIGHT
EMP.SKG24-USA	80,000	LP 10" WC NG 4"WC	24" x 17.2" x 26" 610 x 437 x 660 mm	24,53 " x 25,59" x 36,61" 930 x 650 x 930 mm	13.28	218,25 lb 99 kg
EMP.SKG36-USA	140,000	LP 10" WC NG 4"WC	36" x 18,4" x 27" 917 x 468 x 690 mm	36,61" x 25,59" x 36,61" 930 x 650 x 930 mm	19.85	264,50 lb 120 kg
EMP.SKG48-USA	180,000	LP 10" WC NG 4"WC	48" x 18,4" x 27.3" 1223 x 468 x 695 mm	48,43" x 25,59" x 36,61" 1230 x 650 x 930 mm	26,49	310,8 lb 141 kg
EMP.SKG60-USA	220,000	LP 10" WC NG 4"WC	60" x 18,5" x 27,2" 1528 x 471 x 692 mm	60,83 " x 25,59" x 36,61" 1545 x 650 x 930 mm	32,97	357 lb 162 kg

▪ Shipped in a heavy-duty wooden crate for maximum protection during transportation. Crated dimensions and shipping weight provided below are subject to variations.

This product ships on a pallet. Freight class 85.

REQUIRED CLERANCES

SIDE	NON-COMBUSTIBLE	COMBUSTIBLE CONSTRUCTION
LEFT	0" (00 mm)	1" (25 mm)
RIGHT	0" (00 mm)	1" (25 mm)
BACK	0" (00 mm)	4" (101 mm)