

BLACK◇DIAMOND®

admiralcraft.com
3355 Enterprise Ave #160,
Weston, FL 33331



BLACK◇DIAMOND®



table of contents



The Legacy Companies is a privately-owned company, founded in 2000. We are a leading commercial food service equipment provider that designs, manufactures, distributes and markets, nationally and internationally, a diverse portfolio of products under world-class brands that exceed customer expectations.

The Legacy Companies is a trusted leader in the commercial industry. We are dedicated to helping you get the most out of your kitchen – from refrigerators and freezers, to merchandisers, ice machines, dishwashers, proofers, kettles, counter-top equipment, and smallwares, we have what your commercial foodservice business needs.

The power of our iconic brand portfolio combined with our focus on innovation and quality is what makes us the Legacy Companies.

Gas Cooking Equipment

Deep Fryers	3-4
Charbroilers	
Heavy Duty Charbroilers	5
Standard Charbroilers	6
Griddles	
Heavy Duty Griddles	7
Standard Griddles	8
Heavy Duty Hotplates & Stock Pot Burners	9-10
Ranges	11-12
Convection Oven	13
Salamander	14

Food Preparation

Planetary Mixers	15-16
-------------------------	-------

Refrigeration

Chest Freezers	
Solid Top	17-18
Glass Top	19-20
Merchandising & Display Refrigeration	
Cake Displays	21-22
Countertop Display Cases	23-24
Glass Door Merchandisers	25-26
Vertical Air Curtain Merchandisers	27-28



ENERGY STAR certified commercial fryers are highly efficient and achieve advanced energy savings compared to standard commercial fryers and annually save in average

2,390 kWh of Energy **\$245** in utility cost

*Be sure to check for valuable rebate offers from your local power+gas companies.



- Integrated gas control valve acts as a manual and pilot valve, automatic pilot valve, gas filter, pressure regulator and automatic main valve
- Gas control valve prevents gas flow to the main burner until pilot is established and shuts off gas flow automatically if the pilot flame goes out
- Temperature limit automatically shuts off all gas flow if the fryer temperature exceeds 450°F (232°C)
- All stainless steel construction
- Nickel plated oblong wire mesh baskets
- Nickel plated tube rack(s)
- Drain extension
- Built-in heat deflector
- 6" adjustable legs
- Available Accessories
 - Stainless Steel Cover
 - Casters
 - Joiner Strips
 - Splash Guard

Energy Star Gas Fryers

Item #	Description	Capacity	Temp Range	BTU / Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDGF-ES35-LP	Black Diamond 65K BTU Energy Star Gas Deep Fryer, LP	35 lb	200°-400°	65000	30" x 15.5" x 48.9"	145.0	164.0
BDGF-ES35-NG	Black Diamond 65K BTU Energy Star Gas Deep Fryer, NG	35 lb	200° - 400°	65000	30" x 15.5" x 48.9"	145.0	164.0
BDGF-ES45-LP	Black Diamond 84K BTU Energy Star Gas Deep Fryer, LP	45 lb	200°-400°	84000	30" x 15.5" x 48.9"	156.0	176.0
BDGF-ES45-NG	Black Diamond 84K BTU Energy Star Gas Deep Fryer, NG	45 lb	200°-400°	84000	30" x 15.5" x 48.9"	156.0	176.0



Our portable Oil Filtration System is designed to preserve the life of your oil and ensure consistent fried food quality while saving you money. These compact, low profile units are constructed of all stainless steel and mounted on 4 swivel casters for easy movement and storage. The low profile body allows for easy placement under the fryer drain.



BDGF-90/LPG
BDGF-90/NG



BDGF-120/LPG
BDGF-120/NG



BDGF-150/NG
BDGF-150/LPG



BDOF-40



BDOF-75



BDOF-110

Gas Deep Fryers

Item #	Description	Capacity	Temp Range	BTU / Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDGF-90/LPG	Black Diamond 90K BTU Gas Deep Fryer, LP	40 lbs	200°-400°	90000	30.12" x 15.57" x 45.75"	134.5	161.0
BDGF-90/NG	Black Diamond 90K BTU Gas Deep Fryer, NG	40 lbs	200°-400°	90000	30.12" x 15.57" x 45.75"	134.5	161.0
BDGF-120/LPG	Black Diamond 120K BTU Gas Deep Fryer, LP	50 lbs	200°-400°	120000	30.12" x 15.57" x 45.75"	145.5	172.0
BDGF-120/NG	Black Diamond 120K BTU Gas Deep Fryer, NG	50 lbs	200°-400°	120000	30.12" x 15.57" x 45.75"	145.5	172.0
BDGF-150/LPG	Black Diamond 150K BTU Gas Deep Fryer, LP	70 lbs	200°-400°	150000	30.12" x 21" x 45.75"	165.4	205.1
BDGF-150/NG	Black Diamond 150K BTU Gas Deep Fryer, NG	70 lbs	200°-400°	150000	30.12" x 21" x 45.75"	165.4	205.1

Oil Filters

Item #	Description	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
BDOF-40	Black Diamond Portable Oil Filter 40 lb.	40 lbs	17.7" x 13" x 13.8"	71.0	76.0
BDOF-75	Black Diamond Portable Oil Filtration System, Stainless Steel	75 lbs	25" x 13" x 13.8"	77.2	77.2
BDOF-110	Black Diamond Portable Oil Filter 110 lb.	110 lbs	30.9" x 14.2" x 13.8"	66.1	81.6



- Stainless steel front bullnose design and side construction that's fully welded for extra durability
- Cast iron grill grates are reversible and height adjustable
- Removable stainless steel drip tray for easy cleaning
- One cast iron burner every 6" grate width
- Separate gas valves for each burner with standing pilot ignition system
- 3/4" rear NPT gas inlet
- 4"-5" adjustable legs



BDCTC-24



BDCTC-36



BDCTC-48



BDECTC-16/NG



BDECTC-24/NG



BDECTC-36/NG



BDECTC-48/NG

Heavy Duty Gas Charbroilers

Item #	Description	Number of Burners	BTU/ Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDCTC-24	Black Diamond Heavy Duty Gas Charbroiler - 24"	4	80000	29.06" x 24" x 13.17"	197.3	232.6
BDCTC-36	Black Diamond Heavy Duty Gas Charbroiler - 36"	6	120000	29.06" x 36" x 13.17"	274.5	330.8
BDCTC-48	Black Diamond Heavy Duty Gas Charbroiler - 48"	8	160000	29.06" x 48" x 13.17"	351.7	427.8

Gas Charbroilers

Item #	Description	Number of Burners	BTU/ Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDECTC-16/NG	Black Diamond Standard Series Gas Charbroiler - 16"	1	30000	26.13" x 15.91" x 15.95"	68.4	97.0
BDECTC-24/NG	Black Diamond Standard Series Gas Charbroiler - 24"	2	60000	26.13" x 23.78" x 15.95"	95.9	131.2
BDECTC-36/NG	Black Diamond Standard Series Gas Charbroiler - 36"	3	90000	26.13" x 35.59" x 15.95"	143.3	189.6
BDECTC-48/NG	Black Diamond Standard Series Gas Charbroiler - 48"	4	120000	26.13" x 47.4" x 15.95"	198.5	255.8





- Stainless steel front, sides and splash guards that are fully welded for extra durability
- Griddle plate is made up of thick polished steel
- One "U" shaped stainless steel burner for every 12" griddle width
- Separate gas valves for each burner with standing pilot ignition system
- Adjustable thermostat from 200° - 450°F for precise control while cooking
- 3" wide grease trough for easy cleaning
- 4"-5" adjustable heavy duty steel legs
- Removable steel drip tray for easy cleaning
- 3/4" rear NPT gas inlet
- Field convertible to LPG - L.P. orifices included



BDCTG-24T



BDCTG-36T



BDECTG-16/NG



BDECTG-24/NG



BDCTG-48T



BDCTG-60T



BDECTG-36/NG



BDECTG-48/NG

Heavy Duty Gas Griddles

Item #	Description	Number of Burners	BTU/ Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDCTG-24T	Black Diamond Thermostatic Gas Griddle - 24"	2	60000	29.06" x 24.01" x 13.17"	199.6	243.7
BDCTG-36T	Black Diamond Thermostatic Gas Griddle - 36"	3	90000	29.06" x 35.82" x 13.17"	285.5	344.0
BDCTG-48T	Black Diamond Thermostatic Gas Griddle - 48"	4	120000	29.06" x 47.65" x 13.17"	363.8	432.2
BDCTG-60T	Black Diamond Thermostatic Gas Griddle - 60"	5	150000	29.06" x 59.46" x 13.17"	450.9	534.7

Gas Griddles

Item #	Description	Number of Burners	BTU/ Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDECTG-16/NG	Black Diamond Standard Series Gas Griddle - 16"	1	30000	26.11" x 17.97" x 15.92"	98.1	130.1
BDECTG-24/NG	Black Diamond Standard Series Gas Griddle - 24"	2	60000	26.11" x 23.78" x 15.92"	125.7	161.0
BDECTG-36/NG	Black Diamond Standard Series Gas Griddle - 36"	3	90000	26.11" x 36" x 15.92"	165.4	218.3
BDECTG-48/NG	Black Diamond Standard Series Gas Griddle - 48"	4	120000	26.11" x 47.4" x 15.92"	278.9	341.8





BDCTH-12



BDCTH-24



BDCTH-36

- Stainless steel front bullnose design and side construction that's fully welded for extra durability
- Two cast iron burners every 12" grate width
- 4"-5" adjustable legs
- Separate gas valves for each burner with one pilot light per burner
- Removable stainless steel drip tray for easy cleaning
- 3/4" rear NPT gas inlet

- Stainless steel construction
- Heavy duty 1-7/8" thick removable cast iron top grate
- 3-ring cast iron burner
- Dual control valves
- 2 standing pilot lights for instant ignition
- 6" adjustable legs
- Removable crumb tray or easy cleaning
- 3/4" rear NPT gas inlet



BDCTSP-1/NG

Heavy Duty Gas Hot Plates

Item #	Description	Number of Burners	BTU/ Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDCTH-12	Black Diamond 2 Burner Heavy Duty Gas Hot Plates 12"	2	60000	29.05" x 11.99" x 13.19"	65.0	94.8
BDCTH-24	Black Diamond 4 Burner Heavy Duty Gas Hot Plates 24"	4	120000	29.05" x 24" x 13.19"	112.4	155.5
BDCTH-36	Black Diamond 6 Burner Heavy Duty Gas Hot Plates 36"	6	180000	29.05" x 36" x 13.19"	169.8	221.6

Gas Stock Pot Burner

Item #	Description	Number of Burners	BTU/ Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDCTSP-1/NG	Black Diamond Stock Pot Burner, NG	1	76000	20.01" x 18.11" x 19.75"	97.0	114.7



BDGR-24/NG



BDGR-36/NG



BDGR-60/NG

- Flame failure safety device
- Adjustable thermostat from 250°F-550°F
- Steel liner on door and sides with a porcelain oven liner
- Includes 2 removable and adjustable oven racks (per oven)
- Cool to touch stainless steel oven door handle
- 30,000 BTU/hr top burners with lift-off heads
- 30,000 BTU/hr total oven output
- 12" x 12" cast iron removable top grates
- Individual pilot light for each burner
- Spring loaded door(s) with cool to touch s/s handle
- Removable crumb tray for easy cleaning
- 6" stainless steel adjustable legs


Gas Ranges with Oven

Item #	Description	Number of Burners	Oven Temp Range	Dimensions	Item Weight lbs	Shipping Weight lbs
BDGR-24/NG	Black Diamond 4 Burner Gas Range with Oven - 24"	4	250°-550°	32.67" x 24" x 60.33"	284.4	356.1
BDGR-36/NG	Black Diamond 6 Burner Gas Range with Oven - 36"	6	250°-550°	32.67" x 36" x 60.33"	377.0	449.8
BDGR-60/NG	Black Diamond 10 Burner Gas Range with 2 Ovens - 60"	10	250°-550°	32.67" x 60" x 60.33"	640.6	767.3





BDGR-3624G/NG



BDGR-6024GB/NG



BDGR-6024G/NG

- Flame failure safety device
- Adjustable thermostat from 250°F-550°F
- Steel liner on door and sides with a porcelain oven liner Includes
- 2 removable and adjustable oven racks (per oven)
- Cool to touch stainless steel oven door handle
- 30,000 BTU/hr top burners with lift-off heads
- 30,000 BTU/hr total oven output
- 12" x 12" cast iron removable top grates
- Individual pilot light for each burner
- Spring loaded door(s) with cool to touch s/s handle
- Removable crumb tray for easy cleaning
- 6" stainless steel adjustable legs

Gas Range with Oven/Griddle Combo

Item #	Description	Number of Burners	Oven Temp Range	Dimensions	Item Weight lbs	Shipping Weight lbs
BDGR-3624G/NG	Black Diamond 2 Burner Gas Range/Griddle Combo with Oven - 36"	5	250°-550°	32.67" x 36" x 60.33"	430.0	509.4
BDGR-6024G/NG	Black Diamond 6 Burner Gas Range/Griddle Combo with Oven - 60"	10	250°-550°	32.67" x 60" x 60.33"	688.0	798.2
BDGR-6024GB/NG	Black Diamond 6 Burner Gas Range/Griddle Combo with Oven, Black - 60"	11	250°-550°	32.67" x 60" x 60.33"	731.0	853.3





BDCOF-60/NG



BDSAL-36/NG



- Interlock switch automatically turns the fan and burners off when doors open
- 19.7" steel legs with durable powder-black coating and adjustable bullet feet
- Seamless interior and corners for easy cleaning

- Porcelain enamel lined cooking chamber
- Double pane thermal glass windows
- 10 position guide rack with 1.5" spacing in between

- Includes 5 heavy duty, adjustable chrome-plated racks
- 1/4 HP two speed fan motor
- 3/4" rear NPT gas connection
- Optional casters, sold separately

- All heavy-duty stainless steel construction both inside and out
- Adjustable gas valves have a standing pilot light design for instant ignition
- Cool to touch control knobs with instant ignition buttons

- 3/4" rear NPT gas connection
- 3 infrared burners totaling 36,000 BTU's
- Chamber measures 17"D x 26.5"w x 10"H
- Spring-assisted Broiler Grid raises and lowers with multi-locking positions

- Full-width stainless steel crumb tray for easy cleaning
- Can be mounted on wall, countertop or range
- Easy to assemble stainless steel wall mounting bracket (sold separately)
- Non-slip rubber feet

Gas Convection Oven

Item #	Description	Temperature Range	Dimensions	Item Weight lbs	Shipping Weight lbs
BDCOF-60/NG	Black Diamond Full Size Convection Oven, NG	150°-550°	41.65" x 38.11" x 57.2"	507.0	568.9

Gas Oven Accessories

Item #	Description
COF-SK	Stacking Kit For All COF-60

Gas Salamander

Item #	Description	BTU / Hour	Dimensions	Item Weight lbs	Shipping Weight lbs
BDSAL-36/NG	Black Diamond Heavy Duty 36,000 BTU Infrared Gas Salamander/Broiler, NG	36,000	35" x 21" x 23"	165.0	210.0

Gas Salamander Accessories

Item #	Description
BDSAL-RMK	Range Mount Kit for Gas Salamander
BDSAL-WMK	Wall Mount Kit for Gas Salamander





BDPM-10



BDPM-30



BDPM-20



BDPM-60

Planetary Mixers

Item #	Description	Capacity	Volts	Watts	Amps	H.P.	Dimensions	Item Weight lbs	Shipping Weight lbs
BDPM-10	Black Diamond Planetary Mixer - 10 Qt.	10 qt	120V	600W	6.8	3/4	18.50" x 19.40" x 24.00"	126.0	157.0
BDPM-20	Black Diamond Planetary Mixer - 20 Qt.	20 qt	120V	1100W	12.8	1 1/2	21.90" x 22.40" x 30.90"	196.0	236.0
BDPM-30	Black Diamond Planetary Mixer - 30 Qt.	30 qt	120V	1800W	16.8	2 1/2	26.10" x 28.70" x 39.60"	331.0	392.0
BDPM-60	Black Diamond Planetary Mixer - 60 Qt.	60 qt	220V	2200W	8.5	3	29.90" x 30.80" x 51.80"	756.0	910.0

Mixer Capacity Chart

Product	Agitator	Speed	Max Bowl Capacity			
			10 qt	20 qt	30 qt	60 qt
Bread and roll dough	Dough hook	1st Only	12 lbs	25 lbs	45 lbs	80 lbs
Heavy bread dough	Dough hook	1st Only	*NR	15 lbs	30 lbs	70 lbs
Pasta Basic Egg Noodle	Dough hook	1st Only	*NR	5 lbs	8 lbs	40 lbs
Pizza dough, thin	Dough hook	1st Only	*NR	9 lbs	14 lbs	40 lbs
Pizza dough, medium	Dough hook	1st Only	*NR	10 lbs	20 lbs	70 lbs (1 st) 35 lbs (2 nd)
Pizza dough, thick	Dough hook	1st Only	*NR	20 lbs	40 lbs	70 lbs
Raised donut dough	Dough hook	1st & 2nd	*NR	9 lbs	15 lbs	60 lbs
Whole wheat dough	Dough hook	1st Only	*NR	20 lbs	40 lbs	N/A
Mashed potatoes	Flat beater	2nd	9 lbs	15 lbs	23 lbs	40 lbs
Mayonnaise (Quarts of Oil)	Flat beater	2nd	4 qts	8 qt	12 qts	N/A
Waffle or Hotcake batter	Flat beater	2nd	4 qts	8 qt	12 qts	24 qts
Egg whites	Wire whip	3rd	1 pt	1 qt	1.5 qts	2 qts
Meringue (Qty. of water)	Wire whip	3rd	3/4 pt	1.5 pts	1 qt	1 3/4 qts
Whipped cream	Wire whip	3rd	2 qts	4 qts	6 qts	22 qts
Cake, Angel Food (8-10 oz. cake)	Wire whip	2nd	6 lbs	15 lbs	22 lbs	N/A
Cake, Box or Slab	Flat beater	2nd	11 lbs	20 lbs	30 lbs	N/A
Cake, Cup	Flat beater	2nd	11 lbs	20 lbs	30 lbs	N/A
Cake, Layer	Flat beater	2nd	11 lbs	20 lbs	30 lbs	N/A
Cake, Pound	Flat beater	2nd	11 lbs	21 lbs	30 lbs	N/A
Cake Short (Sponge)	Wire whip	3rd	7 lbs	15 lbs	23 lbs	N/A
Cake Sponge	Wire whip	3rd	5.5 lbs	12 lbs	18 lbs	N/A
Cake	Flat beater	2nd	N/A	N/A	N/A	60 lbs
Cookies, Sugar	Flat beater	2nd	9 lbs	15 lbs	23 lbs	N/A
Pie Dough	Flat beater	2nd	10 lbs	18 lbs	27 lbs	50 lbs
Eggs & Sugar for Sponge Cake	Flat beater	2nd	4 lb	8 lbs	12 lbs	N/A
Icing, Fondant	Flat beater	2nd	6 lbs	12 lbs	18 lbs	36 lbs
Icing, Marshmallow	Wire whip	2nd	1 lb	2 lbs	3 lbs	N/A
Shorting & Sugar, Creamed	Flat beater	2nd	8.5 lbs	9.5 lbs	24 lbs	N/A

*** NOTE:**

The mixer capacity depends on the moisture content of the dough. When mixing doughs (pizza, bread, or bagels) remember to check your AR%!

%AR	(% Absorption Ratio) = Water weight divided by flour weight. The capacities listed in the chart above are based on flour at room temperature and 70°F water temperature	□	2nd speed should never be used on 60% AR or lower with the exception of the BDPM-60. BDPM-60 requires a 50% reduction in batch size to mix in speed 2 with 50% AR doughs.
X	Maximum Mixing Time – 7 minutes	*NR	Not Recommended
•	If high gluten flour is used, reduce the batch size by 10%	2nd speed should never be used on mixtures with less than 50% AR	
◇	If using chilled flour, water below 70°F, or ice, reduce batch size by 10%	Do not use attachments on the #12 hub while mixing	

Helpful measurements for calculating the correct size mixer for your application
8.3 lbs = 1 gallon of water - 2.08 lbs = 1 Quart



BDCF-9R



BDCF-10R



BDCF-13R



BDCF-16/2R

- Steel exterior with a durable white powder coating
- Embossed aluminum interior on the cabinet and lids
- Eco-friendly refrigerant ensures ideal operating temperatures
- Manual temperature controller with light up indicators
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Manual defrosting
- Includes wire coated baskets for organization inside the unit
- Drain plug inside the unit allows for easy cleaning



BDCF-5

Solid Top Chest Freezers

Item #	Description	Refrigerant	Baskets Included	Amps	HP	Casters	Doors	Dimensions	Item Weight lbs	Shipping Weight lbs
BDCF-5	Black Diamond Chest Freezer - 5.4 Cu Ft	R600a	1	0.92A	1/8	2	1	29.7" x 22.2" x 33.3"	68.3	75.0
BDCF-9R	Black Diamond Chest Freezer - 8.7 Cu Ft	R600a	1	0.82A	1/8	2	1	37.4" x 25.4" x 33.3"	81.6	92.6
BDCF-10R	Black Diamond Chest Freezer - 9.6 Cu Ft	R600a	1	0.71A	1/6	2	1	43.9" x 25.4" x 33.3"	90.4	101.4
BDCF-13R	Black Diamond Chest Freezer - 12.6 Cu Ft	R290a	1	0.67A	1/6	4	1	50.2" x 29.1" x 32.5"	121.3	143.3
BDCF-16/2R	Black Diamond Chest Freezer - 15.9 Cu Ft	R290a	2	0.63A	1/8	4	1	60.4" x 29.1" x 32.5"	138.9	165.3

* Front-2 Leveling Legs, Back-2 Rollers
 • 4 Rollers, 2 with locks, 2 without
 ≠ 6 Rollers, 2 with locks, 4 without





•BDCF-9-CG



BDCF-12-CG



•BDCF-15-CG



BDCF-19-CG

- Steel exterior with a durable white powder coating
- Embossed aluminum interior on the cabinet and lids
- Curved sliding glass lid
- Manual temperature controller with light up indicators
- Manual defrosting
- Brilliant internal LED illumination
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Includes wire coated basket for organization inside the unit
- Drain plug inside the unit allows for easy cleaning



BDCF-6-CG

Glass Top Chest Freezers

Item #	Description	Refrigerant	Baskets Included	Amps	HP	Casters	Doors	Dimensions	Item Weight lbs	Shipping Weight lbs
BDCF-6-CG	Black Diamond Sliding Glass Top Chest Freezer - 6.4 Cu Ft	R290	2	3.0A	1/6	4	2	26.2" x 27.8" x 34.4"	92.6	108.0
BDCF-9-CG	Black Diamond Sliding Glass Top Chest Freezer - 9.6 Cu Ft	R290	3	3.5A	1/6	4	2	39" x 27.8" x 34.4"	125.7	141.1
BDCF-12-CG	Black Diamond Sliding Glass Top Chest Freezer - 12.5 Cu Ft	R290	4	4.0A	1/6	4	2	49.6" x 27.8" x 34.4"	147.7	167.6
BDCF-15-CG	Black Diamond Sliding Glass Top Chest Freezer - 15.7 Cu Ft	R290	5	4.0A	1/5	4	2	60.2" x 27.8" x 34.4"	172.0	196.2
BDCF-19-CG	Black Diamond Sliding Glass Top Chest Freezer - 19.2 Cu Ft	R290	6	4.0A	1/5	4	2	71" x 28" x 34.5"	189.6	211.6

- 4 Rollers, 2 with locks, 2 without
- ≠ 6 Rollers, 2 with locks, 4 without





BDDRF-350

Rear swing door for easy access.

Cake Display Case

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
BDDRF-350	Black Diamond Display Refrigerator - 12 Cu Ft	1	3	3.3A	3/4	R290	25.5" x 31.7" x 57"	298.0	348.0



BDRCK-100/CT

Front easy-open self-closing door.



BDRCK-400

Cake Displays with Rotating Shelves

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
BDRCK-100/CT	Black Diamond Countertop Refrigerated Cake Display - 3.53 Cu Ft	1	3	1.95A	1/4	R290	19" x 19" x 40.6"	110.0	121.0
BDRCK-400	Black Diamond Floor Standing Refrigerated Cake Display - 12.7 Cu Ft	1	4	3.5A	1/2	R290	26.8" x 26.8" x 69"	280.0	308.0



- Refrigeration temperature: 35.6°F – 46.4°F
- Digital temperature control & display
- Brilliant internal LED illumination
- Glass adjustable and rotatable shelves
- Double tempered glass
- 5 Casters, front 2 with brakes
- Ventilated cooling system
- Automatic defrost
- Stainless steel base



BDRCTD-120



BDRCTD-160



BDRCTD-200



- Temperature range of 32°F – 53.6°F
- Brilliant internal LED illumination
- Digital temperature controller and display
- Adjustable shelves
- Front curved glass and double glass on all sides
- Ventilated cooling system
- Rear sliding doors
- Automatic defrost
- Stainless steel
- Maintenance free condenser

Countertop Display Cases

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
BDRCTD-120	Black Diamond Refrigerated Countertop Display Case - 4.2 Cu Ft	2	2	1.8A	1/4	R290	28" x 22.25" x 27"	126.0	132.0
BDRCTD-160	Black Diamond Refrigerated Countertop Display Case - 5.2 Cu Ft	2	2	3A	1/4	R290	35" x 22.5" x 27"	146.0	153.2
BDRCTD-200	Black Diamond Refrigerated Countertop Display - 7 Cu Ft	2	2	3.9A	1/2	R290	48" x 23.4" x 27"	195.0	204.0





CDRF-1D/1.5



CDRF-1D/2

- Refrigerator temperature range: 33°F–40°F
- Freezer temperature range: -13°F to -0°F
- Compact countertop design
- Brilliant LED lighting illuminates contents
- Eye-catching lighted merchandising sign
- Single glass door for optimal display
- Durable black coated steel exterior
- Adjustable, epoxy-coated shelves
- Manual defrost system
- Mechanical temperature controller



CDFZ-1D/1.4



CDFZ-1D/1.8



CDFZ-1D/3.5



CDRF-1D/2.7



CDRF-1D/4

Display Freezers

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
CDFZ-1D/1.4	Black Diamond Countertop Display Freezer - 1.4 Cu Ft	1	3	1.35A	1/4	R290	18.5" x 16.5" x 31.2"	68.3	72.8
CDFZ-1D/1.8	Black Diamond Countertop Display Freezer - 1.8 Cu Ft	1	3	1.4A	1/4	R290	19" x 18.1" x 33.9"	72.8	77.2
CDFZ-1D/3.5	Black Diamond Countertop Display Freezer - 3.5 Cu Ft	1	4	2.6A	1/2	R290	23.4" x 21.5" x 34.3"	108.0	112.4

Display Refrigerators

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
CDRF-1D/1.5	Black Diamond Countertop Display Refrigerator - 1.5 Cu Ft	1	2	0.81A	1/4	R600A	16.34" x 15.75" x 28.86"	44.1	48.5
CDRF-1D/2	Black Diamond Countertop Display Refrigerator - 2 Cu Ft	1	2	0.83A	1/4	R600A	18.1" x 16.5" x 31.2"	50.0	54.5
CDRF-1D/2.7	Black Diamond Countertop Display Refrigerator - 2.7 Cu Ft	1	3	1.03A	1/4	R600A	18.5" x 18.1" x 36.7"	63.9	70.6
CDRF-1D/4	Black Diamond Countertop Display Refrigerator - 4 Cu Ft	1	3	1.03A	1/4	R600A	21.9" x 19.7" x 41.2"	72.8	78.9





BDVACM-220



BDVACM-250



BDVACM-320



BDVACM-320/SS

- Temperature range of 35.6°F – 50°F
- Brilliant internal LED illumination
- Digital temperature controller and display
- 4 casters - 2 braking and 2 non-braking
- Stainless steel shelves
- Safety glass on 2 sides
- Night curtain
- Ventilated cooling system
- Automatic defrost
- Condensation water evaporated automatically



BDVACM-200

Air Curtain Merchandisers

Item #	Description	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
BDVACM-200	Black Diamond Vertical Air Curtain Merchandiser - 7.0 Cu Ft	2	11.7A	1 3/4	R290	39.5" x 25" x 49.25"	253.5	304.0
BDVACM-220	Black Diamond Vertical Air Curtain Merchandiser - 7.7 Cu Ft	3	11.2A	1 3/4	R290	19.5" x 26.5" x 68.5"	212.0	240.0
BDVACM-250	Black Diamond Vertical Air Curtain Merchandiser - 8.8 Cu Ft	3	12A	1 3/4	R290	24" x 29.25" x 67"	220.5	275.0
BDVACM-320	Black Diamond Vertical Air Curtain Merchandiser - 11 Cu Ft	3	14.5A	2	R290	36.2" x 31.2" x 57.5"	271.0	353.0
BDVACM-320/SS	Black Diamond Vertical Air Curtain Merchandiser in Stainless Steel - 11 Cu Ft	3	14.5A	2	R290	36.2" x 33.3" x 59.5"	287.0	315.0



Gas Oven Accessories

Item #	Description
COF-SK	Stacking Kit For All COF-60

Gas Salamander Accessories

Item #	Description
BDSAL-RMK	Range Mount Kit for Gas Salamander
BDSAL-WMK	Wall Mount Kit for Gas Salamander

Gas Charbroiler Accessories

Item #	Description
LRK-24	Lava Rock Conversion Kit For ECTC-24
LRK-16	Lava Rock Conversion Kit for 16" Charbroiler
LRK-36	Lava Rock Conversion Kit for 36" Charbroiler
LRK-48	Lava Rock Conversion Kit for 48" Charbroiler

Gas Equipment Accessories

Item #	Description
GR-1412H	Tube Screen Grate for GF-90 and GF-120
GR-1914H	Tube Screen Grate for GF-150

Gas Equipment Accessories

Item #	Description
GF-39	Gas Fryers Cover for GF-90 and GF-120
GF-40	Set of 4 Castors for Gas Fryers
GF-44	Joiner Strips for Gas Fryers
GF-46	Splash Guard for Gas Fryers

Gas Equipment Accessories

Item #	Description
RV48CL-44-002	Gas Regulator Fryers 12
RV48CL-66-0010	Gas Regulator Counter Top 34

Gas Equipment Accessories

Item #	Description
GF150-39	Gas Fryer Cover For GF-150

Planetary Mixer Accessories

Item #	Description
PM-10/73	HookAttachmentForPM-10
PM-30/78	BeaterAttachmentPM-30
PM-60/209	BeaterForPM-60
PM-60/210	DoughHookForPM-60
PM-60/211	WhipForPM-60
PM-10/74	BeaterAttachmentPM-10
PM-10/75	WhipAttachmentPM-10
PM-20/B	FlatBeaterForPM-20
PM-20/H	DoughHookForPM-20
PM-20/MG	MeatGrindAttachmt
PM-20/W	WireWhipForPM-20
PM-30/76	WhipAttachmentPM-30
PM-30/77	HookAttachmentPM-30

Our Warranty Statement

Admiral Craft Equipment Limited Warranty, One Year Parts and Labor + 5 Year Compressor and Evaporator Pan. Admiral Craft Equipment Corp. (ACE) warrants its equipment against defects in materials and workmanship, subject to the following conditions:

ACE Equipment is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receipt or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only and is not assignable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at ACE's discretion, such product will be repaired, replaced with a refurbished unit, or replaced with a new unit by ACE, after defective unit has been inspected and defect has been confirmed.

The following conditions are not covered by this warranty:

- Equipment failure relating to improper installation, improper utility connection or supply and problems due to improper ventilation.
- Equipment that has not properly been maintained, damage from improper cleaning, and water damage to controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, delivery or installation, fire, flood, riot, or act of God.
- Equipment that has the model number or serial number removed or altered.
- Equipment on which the security seal has been broken.

ACE does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to rubber and non-metallic synthetic parts that may need to be replaced due to normal usage, wear, or lack of preventative maintenance.

This warranty covers products shipped into the 48 contiguous United States, Hawaii, and metropolitan areas of Alaska and Canada. Warranty coverage on products used outside the 48 contiguous United States, Hawaii and metropolitan areas of Alaska and Canada may vary. Contact ACE for details at 1-877-672-7740.

If the equipment has been changed, altered, modified, or repaired without express written permission from ACE, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter.

This equipment is intended for commercial use only and this warranty is void if equipment is used in other than a commercial application.

For warranty and non-warranty related issues please call ACE at 1-877-672-7740 to speak to technical support. When calling please have your model number, serial number, and proof of purchase ready. To purchase replacement parts, receive online technical support or fill out a warranty claim visit www.admiralcraftequipment.com. It is not necessary to contact the place where you originally purchased your product from.

"THE FOREGOING WARRANTY IS IN LIEU OF ANY AND ALL WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSES AND CONSTITUTES THE ENTIRE LIABILITY OF ACE. IN NO EVENT DOES THE LIMITED WARRANTY EXTEND BEYOND THE TERMS STATED HEREIN."

