

ROSA HOT SHOWCASE

STANDARD FEATURES

- Extra clear glass: front, top, and sides glasses
- Heat lamp
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- CS - dry
- CBM - bain marie
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Available in 53 1/8"H with shelf
- Lift up top glass
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Casters



Photo shown with optional custom front. Standard cases are unfinished front with stainless steel skin sides.



Visit our website for more finishing options and RAL colors
www.oscartek.com

ROSA HOT (CS-DRY)				
TECHNICAL FEATURES		MODELS		
		ROSA CS1150 (ROSACSR44512)	ROSA CS1500 (ROSACSR45912)	ROSA CS2150 (ROSACSR48512)
External Dimensions (L-D-H)	Inches	*45 3/8" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*84 3/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1153 - 821 - 1200	*1503 - 821 - 1200	*2153 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	52" - 40 1/2" - 55 1/4"	66" - 40 1/2" - 55 1/4"	91" - 40 1/2" - 55 1/4"
Inches-MM	MM	1320 - 1030 - 1400	1676 - 1030 - 1400	2311 - 1030 - 1400
Electric Supply**	(V/Ph/Hz)	(2) 208-220/1/60	(2) 208-220/1/60	(2) 208-220/1/60
Power Consumption	HEAT LAMP (V/W/A)	208-220/620/3.5	208-220/900/4.2	208-220/1200/6.1
Direct Connection**	HOT PLATE (V/A)	120/6.5 - NEMA 5-15P	120/9.3 - NEMA 5-15P	120/12 - NEMA 5-15P
Operating Temperature	°F	177°F	177°F	177°F
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH
Net Weights	Lb	220	260	360
Crated Weights	Lb	270	320	420

*DIMENSIONS WITH POLISHED S/S SKIN SIDES **REQUIRES 2 INDEPENDENT ELECTRIC SUPPLY

ROSA HOT (CBM- BAIN MARIE)				
TECHNICAL FEATURES		MODELS		
		ROSA CBM1150 (ROSABMR44512)	ROSA CBM1500 (ROSABMR45912)	ROSA CBM2150 (ROSABMR48512)
External Dimensions (L-D-H)	Inches	*45 3/8" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*84 3/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1153 - 821 - 1200	*1503 - 821 - 1200	*2153 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	52" - 40 1/2" - 55 1/4"	66" - 40 1/2" - 55 1/4"	91" - 40 1/2" - 55 1/4"
Inches-MM	MM	1320 - 1030 - 1400	1676 - 1030 - 1400	2311 - 1030 - 1400
Electric Supply**	(V/Ph/Hz)	(2) 208-220/1/60	(2) 208-220/1/60	(2) 208-220/1/60
Power Consumption	HEAT LAMP (V/W/A)	208-220/1530/7.2	208-220/2030/9.5	208-220/3100/14.5
Direct Connection**	BAIN MARIE (V/PH/A)	***208-220/1/11.6 - 6-15P (OPTIONAL PLUG)	***208-220/1/17.4 - 6-30P (OPTIONAL PLUG)	***208-220/1/28.9 - NEMA-6-50P (OPTIONAL PLUG)
Operating Temperature	°F	177°F	177°F	177°F
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH
Net Weights	Lb	220	260	360
Crated Weights	Lb	270	320	420

*DIMENSIONS WITH POLISHED S/S SKIN SIDES **REQUIRES 2 INDEPENDENT ELECTRIC SUPPLY
***AVAILABLE IN 3 PHASE NOTE: CBM-BAIN MARIE: DRAIN SIZE FOR INDIVIDUAL WELL 3/4"


*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ROSA HOT SHOWCASE


ROSA HOT: CS-DRY SECTION VIEWS: ROSA CS1150, CS1650, CS2150

OPTIONAL: ROSA HOT: CS-DRY AVAILABLE IN 53 1/8"H WITH SHELF

STANDARD: ROSA HOT: CS -DRY 47 1/4"H



ROSA HOT: CS-DRY PLAN VIEWS: ROSA CS1150, CS1650, CS2150



ROSA HOT: CS-DRY REAR ELEVATIONS (OPERATOR SIDE): ROSA CS1150, CS1650, CS2150





*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ROSA HOT SHOWCASE

ROSA HOT: CBM-BAIN MARIE SECTION VIEWS: ROSA CBM1150, CBM1650, CBM2150




OPTIONAL: ROSA HOT: CBM-BAIN MARIE AVAILABLE IN 53 1/8"H WITH SHELF

STANDARD: ROSA HOT: CBM-BAIN MARIE 47 1/4"H




ROSA HOT: CBM-BAIN MARIE PLAN VIEWS: ROSA CBM1150, CBM1650, CBM2150

ELECTRICAL LEGEND	
	POWER



ROSA HOT: CBM-BAIN MARIE REAR ELEVATIONS (OPERATOR SIDE): ROSA CBM1150, CBM1650, CBM2150



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.