


Perlick® MODULAR WALL MOUNT DISPENSER



JOB	
AREA	
ITEM NO.	
MODEL NO.	

MODELS
4076BK
4076DN

Note: "BK" Leads out Back
 "DN" Leads out Bottom



Mounting Bracket

KEY PRODUCT FEATURES AND BENEFITS

- Seamless head in any length up to 96" (32 faucets)
- "Gang Run" multiple heads to create unlimited length and faucet count
- Beer and Glycol leads may exit through the back or bottom
- Accessory Glass Rinser can be added to each glass rack (not available on 2 or 3 faucet models)
- Faucets located on 3" centers
- Easy Installation system – Heavy duty 14 gauge mounting bracket with slotted hole mounts allows anchoring to multiple wall studs along the length of the dispensing head
- Pure copper coolant lines and cold block maintain chilled beverage temperature, minimizing foam and lost profits
- Insulated dispensing head and shank bushings minimize sweating to keep your bar clean, cool more efficiently for energy reduction, and reduce warm spots in the tower to give you the perfect pour
- Faucets sold separately



MODULAR WALL MOUNT DISPENSER

LEADS OUT THE BACK:

Part No. 4076BK	2	3	4	5	6	7	8
Number Of Faucets	2	3	4	5	6	7	8
Number Of Glass Racks	1	1	1	1	1	1	1
Length in. (mm)	9" (228)	9" (228)	12" (305)	15" (381)	18" (457)	21" (533)	24" (610)
Height in. (mm)	22-3/4" (578)						
Faucet Centers in. (mm)	3" (76)						
Drain Location "D1" in (mm)	2-1/2 (64)	2-1/2 (64)	4" (102)	5-1/2" (140)	7" (178)	8-1/2" (216)	10" (254)
Acc. Glass Rinser Location "G1" in. (mm)	N/A	N/A	6" (152)	7-1/2" (191)	9" (229)	10-1/2" (267)	12" (305)

Part No. 4076BK	9	10	11	12	13	14	15	16
Number Of Faucets	9	10	11	12	13	14	15	16
Number Of Glass Racks	2	2	2	2	2	2	2	2
Length in. (mm)	27" (686)	30" (762)	36" (914)	39" (991)	42" (1067)	45" (1143)	48" (1219)	51" (1295)
Height in. (mm)	22-3/4" (578)							
Faucet Centers in. (mm)	3" (76)							
Drain Location "D1" in (mm)	4-3/4" (121)	5-5/8" (143)	6-1/4" (159)	7-1/8" (181)	7-3/4" (197)	8-1/2" (216)	9-1/4" (235)	14-1/8" (359)
Drain Location "D2" in. (mm)	22-1/8" (562)	24-3/8" (619)	26-5/8" (676)	28-7/8" (733)	31-1/4" (794)	33-1/2" (851)	35-3/4" (908)	33-7/8" (860)
Acc. Glass Rinser Location "G1" in. (mm)	6-3/4" (171)	7-5/8" (194)	8-1/4" (210)	9-1/8" (232)	9-3/4" (248)	10-1/2" (267)	11-1/4" (286)	12-1/8" (308)
Acc. Glass Rinser Location "G2" in. (mm)	20-1/8" (511)	22-3/8" (568)	24-5/8" (625)	26-7/8" (683)	29-1/4" (743)	31-1/2" (800)	33-3/4" (857)	35-7/8" (911)

Part No. 4076BK	17	18	19	20	21	22	23
Number Of Faucets	17	18	19	20	21	22	23
Number Of Glass Racks	3	3	3	3	3	3	3
Length in. (mm)	51" (1295)	54" (1372)	57" (1448)	60" (1524)	63" (1600)	66" (1676)	69" (1753)
Height in. (mm)	22-3/4" (578)						
Faucet Centers in. (mm)	3" (76)						
Drain Location "D1" in (mm)	6-5/8" (168)	11-1/8" (283)	7-5/8" (194)	8-1/8" (206)	8-5/8" (219)	9-1/8" (232)	9-5/8" (244)
Drain Location "D2" in. (mm)	23-1/2" (597)	29" (737)	26-1/2" (673)	28" (711)	29-1/2" (749)	31" (787)	32-1/2" (826)
Drain Location "D3" in. (mm)	40-3/8" (1026)	46-7/8" (1191)	49-3/8" (1254)	51-7/8" (1318)	54-3/8" (1381)	56-7/8" (1445)	59-3/8" (1508)
Acc. Glass Rinser Location "G1" in. (mm)	8-5/8" (219)	9-1/8" (232)	9-5/8" (244)	10-1/8" (257)	10-5/8" (270)	11-1/8" (283)	11-5/8" (295)
Acc. Glass Rinser Location "G2" in. (mm)	25-1/2" (648)	27" (686)	28-1/2" (724)	30" (762)	31-1/2" (800)	33" (838)	34-1/2" (876)
Acc. Glass Rinser Location "G3" in. (mm)	42-3/8" (1076)	44-7/8" (1140)	47-3/8" (1203)	49-7/8" (1267)	52-3/8" (1330)	54-7/8" (1394)	57-3/8" (1457)




MODULAR WALL MOUNT DISPENSER

LEADS OUT THE BACK:

Part No. 4076BK	24	25	26	27	28	29	30	31	32
Number Of Faucets	24	25	26	27	28	29	30	31	32
Number Of Glass Racks	4	4	4	4	4	4	4	4	4
Length in. (mm)	72" (1829)	75" (1905)	78" (1981)	81" (2057)	84" (2134)	87" (2210)	90" (2286)	93" (2362)	96" (2438)
Height in. (mm)	22-3/4" (578)								
Faucet Centers in. (mm)	3" (76)								
Drain Location "D1" in. (mm)	7-1/8" (181)	7-1/2" (191)	7-7/8" (200)	8-1/4" (210)	8-5/8" (219)	13" (330)	13-3/8" (340)	13-3/4" (349)	14-1/8" (359)
Drain Location "D2" in. (mm)	25" (635)	30-1/8" (765)	27-1/4" (692)	28-3/8" (721)	29-1/2" (749)	34-5/8" (879)	35-3/4" (908)	36-7/8" (937)	38" (965)
Drain Location "D3" in. (mm)	47" (1194)	44-7/8" (1140)	50-3/4" (1289)	52-5/8" (1337)	54-1/2" (1384)	52-3/8" (1330)	54-1/4" (1378)	56-1/8" (1426)	58" (1473)
Drain Location "D4" in. (mm)	64-7/8" (1648)	67-1/2" (1715)	70-1/8" (1781)	72-3/4" (1848)	75-3/8" (1915)	74" (1880)	76-5/8" (1946)	79-1/4" (2013)	81-7/8" (2080)
Acc. Glass Rinsers Location "G1" in. (mm)	9-1/8" (232)	9-1/2" (241)	9-7/8" (251)	10-1/4" (260)	10-5/8" (270)	11" (279)	11-3/8" (289)	11-3/4" (298)	12-1/8" (308)
Acc. Glass Rinsers Location "G2" in. (mm)	27" (686)	28-1/8" (714)	29-1/4" (743)	30-3/8" (772)	31-1/2" (800)	32-5/8" (829)	33-3/4" (857)	34-7/8" (886)	36" (914)
Acc. Glass Rinsers Location "G3" in. (mm)	45" (1143)	46-7/8" (1191)	48-3/4" (1238)	50-5/8" (1286)	52-1/2" (1334)	54-3/8" (1381)	56-1/4" (1429)	58-1/8" (1476)	60" (1524)
Acc. Glass Rinsers Location "G4" in. (mm)	62-7/8" (1597)	65-1/2" (1664)	68-1/8" (1730)	70-3/4" (1797)	73-3/8" (1864)	76" (1930)	78-5/8" (1997)	81-1/4" (2064)	83-7/8" (2130)

LEADS OUT THE BOTTOM Replace the "BK" suffix with "DN": Example 4076DN

ACCESSORY GLASS RINSER Using the grid above, determine the number of glass racks. A "Glass Rinsers" can be optionally located in the middle of each glass rack. Use a "M" to include a Glass Rinsers or a "X" to designate NO Glass Rinsers.



Example Glass Rinsers Locations: **MXXM**

Model Number Key: **3076** **BK** # of Faucets **M** or **X** (Glass Rinsers Options)
DN **38** = Fittings for 3/8" Beer Line
 31 = Fittings for 5/16" Beer Line
 25 = Fittings for 1/4" Beer Line

EXAMPLES	DESCRIPTION
4076BK30MXXM38	Wall Mount Head, Leads Out the Back, 30 Faucets, Glass Rinsers in Rack 1, No Rinsers in Racks 2 & 3, Rinsers in Rack 4, 3/8" Fittings
4076DN21MX31	Wall Mount Head, Leads Out the Bottom, 21 Faucets, No Glass Rinsers in Rack 1, Rinsers in Rack 2, No Rinsers in Rack 3, 5/16" Fittings
4076BK6X25	Wall Mount Head, Leads Out the Back, 6 Faucets, No Glass Rinsers, 1/4" Fittings

Perlick® MODULAR WALL MOUNT DISPENSER

