

ROSA DELI/PASTRY SHOWCASE

STANDARD FEATURES

- Extra clear glass: front and top glasses with front air baffle
- Heated glass sides
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Available in 53 1/8"H with non-refrigerated shelf
- Narrow depth 25 7/16"D
- Lift up top glass
- Lift up mechanism for display plate and evaporator (linear models only)
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Stainless steel step shelf
- Cold storage
- Remote condensing unit
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Heated pan for evaporator
- Casters



Photo shown with optional RAL color finish. Standard cases are unfinished front with stainless steel skin sides.



Visit our website for more finishing options and RAL colors www.oscartek.com

ROSA DELI/PASTRY						
TECHNICAL FEATURES		MODELS				
		ROSA DP900 (ROSADPR43512)	ROSA DP1000 (ROSADPR43912)	ROSA DP1300 (ROSADPR45112)	ROSA DP1500 (ROSADPR45912)	ROSA DP1700 (ROSADPR46712)
External Dimensions (L-D-H)	Inches	*35 9/16" - 32 5/16" - 47 1/4"	*39 1/2" - 32 5/16" - 47 1/4"	*51 5/16" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*67 1/16" - 32 5/16" - 47 1/4"
Inches-MM	MM	*903 - 821 - 1200	*1003 - 821 - 1200	*1303 - 821 - 1200	*1503 - 821 - 1200	*1703 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	43 1/3" - 40 1/2" - 55 1/4"	46" - 40 1/2" - 55 1/4"	58" - 40 1/2" - 55 1/4"	66" - 40 1/2" - 55 1/4"	73" - 40 1/2" - 55 1/4"
Inches-MM	MM	1100 - 1030 - 1400	1168 - 1030 - 1400	1473 - 1030 - 1400	1676 - 1030 - 1400	1854 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck	Deck
Operating Temperature	°F	39°F	39°F	39°F	39°F	39°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap Temperature	BTU's	1500	1700	2200	2600	2900
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	550/5.2	550/5.2	650/5.9	710/6.7	850/8.1
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	210	220	255	265	310
Crated Weights	Lb	361	370	456	466	566

*DIMENSIONS WITH POLISHED S/S SKIN SIDES

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ROSA DELI/PASTRY SHOWCASE

ROSA DELI/PASTRY					
TECHNICAL FEATURES		MODELS			
		ROSA DP2000 (ROSADPR47912)	ROSA DP2100 (ROSADPR48312)	ROSA DP2600 (ROSADPR410212)	ROSA DP3000 (ROSADPR411812)
External Dimensions (L-D-H)	Inches	*78 7/8" - 32 5/16" - 47 1/4"	*82 13/16" - 32 5/16" - 47 1/4"	*102 1/2" - 32 5/16" - 47 1/4"	*118 1/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*2003 - 821 - 1200	*2103 - 821 - 1200	*2603 - 821 - 1200	*3003 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	85" - 40 1/2" - 55 1/4"	90 1/2" - 40 1/2" - 55 1/4"	109" - 40 1/2" - 55 1/4"	125" - 40 1/2" - 55 1/4"
Inches-MM	MM	2159 - 1030 - 1400	2300 - 1030 - 1400	2768 - 1030 - 1400	3175 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck
Operating Temperature	°F	39°F	39°F	39°F	39°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap Temperature	BTU's	3300	3700	4200	5000
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	890/8.3	1150/10.9	1250/11.7	1450/13.9
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid
Net Weights	Lb	330	350	440	490
Crated Weights	Lb	645	654	744	794

*DIMENSIONS WITH POLISHED S/S SKIN SIDES

ROSA DELI/PASTRY			
TECHNICAL FEATURES		MODELS	
		ROSA DPA90SQ (ROSADPR4AP9012)	ROSA DPA90C
External Dimensions (L-D-H)	Inches	*51 1/4" - 32 5/16" - 47 1/4"	*78 1/8" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1302 - 821 - 1200	*1984 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	57" - 57" - 55 1/4"	87" - 40 1/2" - 55 1/4"
Inches-MM	MM	1447 - 1447 - 1400	2209 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck
Operating Temperature	°F	39°F	39°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic
BTU'S @ +14°F Evap Temperature	BTU's	3900	4200
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60
Power Consumption	(W/A)	1150/10.9	1150/10.9
Defrost	Mode/Type	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	410	350
Crated Weights	Lb	728	654




*DIMENSIONS WITH POLISHED S/S SKIN SIDES

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ROSA DELI/PASTRY SHOWCASE


SECTION VIEWS: ROSA DP900, DP1000, DP1300, DP1500, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C

ALL ROSA DELI/PASTRY
LINEAR MODELS + DPA90SQ
(EXCEPT FOR ROSA DP3000)




OPTIONAL:


ROSA DELI/PASTRY - AVAILABLE IN
53 1/8"H WITH NON-REFRIGERATED SHELF




ROSA DELI/PASTRY WITH COLD STORAGE
AVAILABLE IN 47 1/4"H & 53 1/8"H



ROSA DELI/PASTRY NARROW
AVAILABLE IN 47 1/4"H & 53 1/8"H



ROSA DELI/PASTRY NARROW WITH COLD STORAGE
AVAILABLE IN 47 1/4"H & 53 1/8"H



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.




512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA DELI/PASTRY SHOWCASE

PLAN VIEWS: ROSA DP900, DP1000, DP1300, DP1500, DP1700, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C


ROSA DELI/PASTRY LINEAR MODELS



ROSA DPA90SQ



ROSA DPA90C



ELECTRICAL LEGEND

∞	REFRIGERATED LINES
⊕	DRAIN
⚡	POWER

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.




512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA DELI/PASTRY SHOWCASE

REAR ELEVATIONS (OPERATOR SIDE): SHOWN WITH OPTIONAL REAR VENTILATION ON LINEAR MODELS
ROSA DP900, DP1000, DP1300, DP1500, DP1700, DP2000, DP2100, DP2600, DP3000, DPA90SQ, DPA90C


ROSA DELI/PASTRY LINEAR MODELS



ROSA DPA90SQ



ROSA DPA90C



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.



512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com

