



Panasonic
FOOD SERVICE
EQUIPMENT
UNMATCHED EXPERIENCE



For 100 years, Panasonic has been the name to know in highest-quality, newest technology for everyone. Today that legacy of quality, trust and innovation is here in our finest professional line of high-efficiency, easy-to-use Food Service Equipment. Experience the difference our decades of expertise can make for your type of kitchen and cuisine. Your clientele will too.



COMMERCIAL STEAMERS PRO2

PERFECT FOR:

Heavy-volume steaming and microwave applications:

- Restaurants
- Supermarkets
- Delicatessens
- School food service
- Health care
- Banquets and buffets
- Catering services
- Arenas and more!



3200 Watts



NE-3280



MEET YOUR NEW PREP COOK!

- No water line or reservoir
- No hood required
- Portable
- 3200/2100 Watt

2100 Watts



NE-2180

High wattage allows the steamer to deliver effective, accurate heat that yields perfectly cooked products, and faster than any traditional steamer!

UNIVERSAL FEATURES

- Fits 2, 4" deep, **full-size** steam pans/covers
- 1.6 cubic feet capacity
- Drop-down counter style door
- Stainless steel cabinet and cavity
- Top and bottom energy feed
- 4 magnetrons (heating elements)
- 8 programmable memory pads
- 5 power levels
- 3-Stage cooking
- Program list/cycle counter
- Programmable or dial timer
- Easy-clean air filters
- See-through oven door
- Digital display
- Self diagnostics
- Shift key (AM-PM)
- Removable center shelf
- Tone control
- Chef technical support
- NSF and UL commercial approved

Panasonic

Premium Food Service Equipment
Unmatched Experience.

CULINARY PERFORMANCE (NE-3280)

Category	Product	Minute/Lb	Lb/Hour
Seafood	Shrimp	1:00	60
	Lobster	1-2	55
	Fish	2:00	30
Vegetable	Asparagus	0:40	100
	Potato	2:00	30
	Green Beans	1:20	46
	Broccoli	1:15	48
Meat	Meatballs	1:30	30
	Hot Dogs	0:30/dozen	104 dozen

Find more recipes, applications and suggested cook times in our [Sonic Steamer Cookbook](#), free online!




COMMERCIAL

MICROWAVE OVENS PRO



PERFECT FOR:

- » Vending
- » Break rooms
- » Waitress stations
- » Front of house



Bottom Energy Feed

Energy travels less distance to reach the food, compared to side or top energy feed, for increased efficiency.



“Grab & Go” Door Handle

Without moving parts like those found in trigger-activated or push button handles, the “Grab & Go” door handle is fast and durable.

1000 Watts of Cooking Power



NE-1064F

- Touch-control keypad with Braille
- Stainless steel cabinet and cavity
- Programmable and manual operation
- 6 power levels
- 2- and 3-stage cooking
- Program list/cycle counter
- Self diagnostics
- 99:99-minute capacity
- Tone control



NE-1054F

- Touch-control keypad with Braille
- Compact size
- 6 power levels
- 2- and 3-stage cooking
- Programmable and manual operation
- 10 programmable memory pads with 20-memory capability
- Program list/cycle counter
- Self diagnostics
- 99:99-minute capacity
- Tone control



NE-1025F

- 6-minute electronic dial timer
- Auto reset feature
- Compact size

UNIVERSAL FEATURES

- 0.8 cubic feet cavity
- Grab & Go door handle
- NSF and UL commercial approved
- Chef technical support
- Bottom energy feed
- Fits 1 half-size, 6” deep steam table pan/cover
- Cavity light
- See-through oven door
- Cord Length: 5’-5”
- Anti-theft equipped
- Will ship via UPS

Panasonic

Premium Food Service Equipment
Unmatched Experience.





COMMERCIAL
MICROWAVE OVENS PRO1



PERFECT FOR:

- » Quick serve and casual dining applications
- » Chef's line
- » Overshelf
- » High volume application where space is at a premium
- » Fast 1/2 pan cooking/re-therm

2100 Watts

NE-21521
 NE-21523

1700 Watts

NE-17521
 NE-17523
 NE-17723
 [SD Programming]



1200 Watts

NE-12521
 NE-12523



ENGINEERED IN
JAPAN
 SINCE 1969

UPGRADE YOUR PERFORMANCE WITH PRO1:

Quickly achieve delicious, consistent product your clients love in a fraction of time.

- » **Higher Wattage:** Quicker, more efficient operation—and better retains foods' nutrients!
- » **Programmable:** Same flavorful outcome every time
- » **Additional Power Levels and Multi-stage Cooking:** Best showcase the flavor in your food
- » Enhanced diagnostics, enhanced heating elements
- » Auto voltage switching

UNIVERSAL FEATURES

- 0.6 cubic feet capacity
- 16-5/8-wide
- Auto voltage switching
- Independent top/bottom energy feed control*
- Fits 1 half-size 6" deep steam table pan/cover
- Quick clean stainless steel cabinet and cavity
- Compact size, heavy-duty performance
- 2 magnetrons (heating elements)
- One-Touch start feature
- 15 power levels
- 5-stage cooking
- Controllable LED Lights
- 90-memory capability*1
- Enhanced diagnostics
- Cycle counter
- Programmable lock
- Easy clean air filter with reminder
- Patented safety door seal system
- See-through oven door
- Removable ceiling splatter shield
- Digital display
- Stackable



Panasonic

Premium Food Service Equipment
 Unmatched Experience.

*1 NE-17723 Features SD Programming with 1300 Programs



COMMERCIAL

RICE + GRAIN COOKERS

Panasonic's proven, easy-to-use Rice/Grain Cookers are designed for quality, convenience and flavorful results. Perfectly aligned with current interest in consuming more and healthier grains, Panasonic cookers lead the way with:

- » 1 button operation. Just press and cook
- » All grains capability. Rice, quinoa, wheat berries, faro and more
- » UL and NSF for safety commercial certification
- » Keep warm options. Less waste, lower costs
- » Removable pan. Quick, easy clean up

80-Cup^{*2}



SR-GA721L

- 168 – 3 oz. portions (approx.)
- Anodized aluminum inner pan with Stainless steel lid
- Triple Safety thermal fuse built-in
- Automatic shut-off
- Easy push-button operation
- Direct heating system
- Includes measuring cup
- Silver exterior color
- 208V

46-Cup^{*2}



SR-42HWP

- 94 – 3 oz. portions (approx.)
- 8-hour keep warm feature
- Anodized aluminum inner pan with Stainless steel lid
- Double heating coil
- Double Safety thermal fuse built-in
- Easy push-button operation
- Includes measuring cup
- Silver exterior color
- 120V

46-Cup^{*2}



SR-GA421H SR-GA421FH

- 94 – 3 oz. portions (approx.)
- "Keep warm" feature
- Anodized aluminum inner pan w/ stainless steel lid (SR-GA421H)
- Non-stick inner pan (SR-GA421FH)
- Double Safety thermal fuse built-in
- Easy push-button operation
- Includes measuring cup
- White exterior color
- 120V

40-Cup^{*}



SR-2363ZW

- 70 – 3 oz. portions (approx.)
- Automatic cooking setting
- Superior holding capability
- Heavy duty non-stick coated pan
- Locking lid with silicone rubber seal
- Magnetic rice scoop holder
- Easy-to-use carrying handles
- Multi-language instructions (English/Chinese/Korean/Vietnamese)
- Includes measuring cup, rice scoop and magnetic rice scoop holder
- 120V

Panasonic

Premium Food Service Equipment
Unmatched Experience.

^{*2} Based on cooked rice.

TECHNICAL SPECIFICATIONS	COMMERCIAL MICROWAVE OVENS PRO		
	NE-1064F	NE-1054F	NE-1025F
Power Source:	120V, 60Hz, Single Phase	120V, 60Hz, Single Phase	120V, 60Hz, Single Phase
Receptacle Required:	NEMA 5-15	NEMA 5-15	NEMA 5-15
Frequency:	2,450MHz	2,450MHz	2,450MHz
Required Power:	13.4A	13.4A	13.4A
Output:	1000 Watts*	1000 Watts*	1000 Watts*
Outer Dimensions: (w x d x h)	20-1/8" x 16-1/2" x 12"	20-1/8" x 16-1/2" x 12"	20-1/8" x 16-1/2" x 12"
Cavity Dimensions: (w x d x h)	13" x 13" x 8-1/16"	13" x 13" x 8-1/16"	13" x 13" x 8-1/16"
Net Weight:	34 lbs.	34 lbs.	34 lbs.
Shipping Weight:	40 lbs.	40 lbs.	40 lbs.
Shipping Box Size: (w x d x h)	24" x 18-3/4" x 14-3/4" - 3.8 cu. ft.	24" x 18-3/4" x 14-3/4" - 3.8 cu. ft.	24" x 18-3/4" x 14-3/4" - 3.8 cu. ft.
Timer:	99 Minutes, 99 Seconds	99 Minutes, 99 Seconds	6 Min. Electronic Dial w/ Auto Reset
Memory Capability:	20 Programs	20 Programs	N/A
Door / Cabinet / Cavity:	All Stainless	Stainless / Grey / White	Stainless / Grey / White

Panasonic

Premium Food Service Equipment

Division of
Panasonic Corporation of
North America

2 Riverfront Plaza
Newark, NJ 07102
(201) 348-7000

www.panasonic.com/cmo

TECHNICAL SPECIFICATIONS	COMMERCIAL STEAMERS PRO2		HIGH-POWER (PERFORMANCE) COMMERCIAL MICROWAVE OVENS PRO1		
	NE-3280	NE-2180	NE-21521 / NE-21523	NE-17521/-17523/-17723	NE-12521/12523
Power Source:	208/230-240V, 60Hz, Single Phase	208/230-240V, 60Hz, Single Phase	208/230-240V, 60Hz, Single Phase	208/230-240V, 60Hz, Single Phase	120V, 60Hz, Single Phase
Receptacle Required:	30 Amp, NEMA 6-30	30 Amp, NEMA 6-30	NEMA 6-20	NEMA 6-20	NEMA 5-20
Frequency:	2,450MHz	2,450MHz	2,450MHz	2,450MHz	2,450MHz
Required Power:	208V (28.0A), 230-240V (25.3A)	208V (20.0A), 230-240V (18.0A)	208V (16.3A), 230-240V (14.9A)	208V (13.6A), 230-240V (12.2A)	17.3A
Output:	3200 Watts*	2100 Watts*	2100 Watts*	1700 Watts*	1200 Watts*
Outer Dimensions: (w x d x h)	25 3/8" x 20 3/4" x 18 9/16"	25 3/8" x 20 3/4" x 18 9/16"	16-5/8" x 20" x 13-1/8"	16-5/8" x 20" x 13-1/8"	16-5/8" x 20" x 13-1/8"
Cavity Dimensions: (w x d x h)	21-1/16" x 13" x 9-7/8"	21-1/16" x 13" x 9-7/8"	13" x 12" x 6-1/8"	13" x 12" x 6-1/8"	13" x 12" x 6-1/8"
Net Weight:	137 lbs.	117 lbs.	68 lbs.	61 lbs.	59 lbs.
Shipping Weight:	151 lbs.	133 lbs.	72 lbs.	68 lbs.	65 lbs.
Shipping Box Size: (w x d x h)	29-7/8" x 26-1/8" x 22-1/4" 9.9 cu.ft.	29-7/8" x 26-1/8" x 22-1/4" 9.9 cu.ft.	19-15/16" x 24-7/8" x 16-7/8" 4.7 cu. ft.	19-15/16" x 24-7/8" x 16-7/8" 4.7 cu. ft.	19-15/16" x 24-7/8" x 16-7/8" 4.7 cu. ft.
Timer:	Maximum times for each stage of cooking: - Hi and Med. Power = 15 minutes - Low, Defrost and Hold Power 60 minutes	Maximum times for each stage of cooking: - Hi and Med. Power = 15 minutes - Low, Defrost and Hold Power 60 minutes	Maximum times for each stage of cooking: Times vary for each (of 15) power levels (See Manual)	Maximum times for each stage of cooking: Times vary for each (of 15) power levels (See Manual)	Maximum times for each stage of cooking: Times vary for each (of 15) power levels (See Manual)
Memory Capability:	16 Programs	16 Programs	60 Programs	60 Programs**	60 Programs

TECHNICAL SPECIFICATIONS	COMMERCIAL RICE + GRAIN COOKERS			
	SR-GA721L	SR-42HZP	SR-GA421H/SR-GA421FH	SR-2363ZW
Power Source:	208V - 60Hz	120V AC, 60Hz	120V AC, 60Hz	120V AC, 60Hz
Power Consumption	2235W	1550W	1550W	1400W
Capacity	Raw Rice: 13 lbs. (40 - 6 oz. cups); Servings: 168 - 3 oz. Portions	Raw Rice: 7.6 lbs. (23 - 6 oz. cups); Servings: 94 - 3 oz. Portions	Raw Rice: 7.6 lbs. (23 - 6 oz. cups); Servings: 94 - 3 oz. Portions	Raw Rice: 6.6 lbs. (20 - 6 oz. cups); Servings: 70 - 3 oz. Portions
Keep Warm	N/A	8 hours	5 Hours	8 hours
Unit Dimensions (h x w x d)	14" x 22" x 19"	11-7/8" x 16-7/8" x 10-1/2"	11-7/8" x 16-7/8" x 10-1/2"	14-1/5" x 16-7/10" x 14-4/5"
Unit Net Weight	25 lbs.	12 lbs.	12 lbs.	19 lbs.
Exterior Color	Silver	Silver	White	White Stripe
Shipping Weight	30 lbs.	14 lbs.	14 lbs.	21 lbs.

* IEC 705 Test Procedure

** SD Card Raises Memory Capability to 1300 - available on model NE-17723

Panasonic Commercial Food Service & Technical Assistance

Call toll free **1-888-350-9590 (option 1)** for **Parts** 9AM – 6PM (est) Monday through Friday

Call toll free **1-888-350-9590 (option 2)** for **nearest USA Distributor**

Call toll free **1-877-266-6836** for **Service** 9AM – 6PM (est) Monday through Friday

Online Sales Support: www.panasonic.com/cmo (Food Service Equipment)

Design and specifications subject to change without notice.



1291_090518