

**Refrigeration Equipment
Mega Top Table, 72" with 30GN 1/6
containers - Stainless Steel (R290)**

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



738262 (KCHMT70.30)

3-door mega top preparation table for 30 GN 1/6 containers, 72", R290 refrigerant gas, +33/+41°F, stainless steel

Short Form Specification

Item No. _____

3-door mega top refrigerated preparation table. Exterior back panel in aluminium, exterior bottom panel in galvanized steel, exterior side and top panel in 430 stainless steel; interior back, top and interior bottom panels in 304 stainless steel, worktop in 430 stainless steel. Built-in refrigeration unit and an insulated lid to maintain food freshness. Fin & Tube Condenser improves performance in high-temperature environments. Automatic Defrost Cooling System to provide worry-free performances.

Full-depth cutting board of 71x9x0,5 in.

Control panel, Vinyl-Coated Steel adjustable shelves, removable door gaskets and self-closing doors with 90-degree stay-open feature.

Temperature range: +33/+41°F.

R290 gas in the refrigeration circuit.

ETL Safety and Sanitation certifications.

3/5 Years warranty.

Main Features

- Removable door gasket for easy cleaning operations.
- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) - CFC and HCFC free.
- Fin & Tube Condenser improves performance in high temperature environments.
- Automatic Defrost Cooling System provides worry-free performance.
- Electronic Temperature Control, quick and simple to set, with control display for easy monitoring.
- Full Depth cutting board.
- External temperature display.
- CFC and HCFC free, highly ecological refrigerant type: R290 (ecological gas in foam: cyclopentane). Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3), to reduce green house and ozone depletion effects.
- High efficiency components to minimize the energy consumption still guaranteeing the highest performances.
- Cabinet and door insulated with high density polyurethane for low environmental impact.
- Heavy duty Vinyl coated steel shelves.


Construction

- Self-closing door with 90-degree stay-open feature.
- Heavy duty casters.
- Insulated lid maintains food freshness.
- Holds 30 1/6 pans.
- Pre-wired heavy duty power cord.
- Heavy duty door hinges.
- Magnetic door gasket removable without tools for easy cleaning.

Optional Accessories

- shelf for 48" and 72" (left/right) mega top, salad and undercounter PNC 880597
- middle shelf for 72" mega top, salad and undercounter PNC 880598
- shelf clips PNC 880611
- pan divider for mega top PNC 880612

APPROVAL: _____



Electric

| | | |
|-------------------------------|---------------------|------------------|
| Supply voltage: | 738262 (KCHMT70.30) | 115 V/1 ph/60 Hz |
| Electrical power, max: | | 0.7 kW |
| Current consumption: | | 7 Amps |
| Plug type: | | USA NEMA 5-15P |

Capacity:

| | |
|------------------------|-------------|
| Gross capacity: | 18 cu. feet |
|------------------------|-------------|

Key Information:

| | |
|---|--|
| Door hinges: | 1 Left+2 Right |
| External dimensions, Width: | 71 11/16" (1822 mm) |
| External dimensions, Depth: | 34 1/2" (877 mm) |
| External dimensions, Height: | 43 1/4" (1097.5 mm) |
| Number and type of doors: | 3 Full |
| Internal Dimensions (depth): | 23 13/16" |
| Internal Dimensions (height): | 23 1/2" |
| Internal Dimensions (width): | 66 7/16" |
| Shipping height: | 47 1/4" (1200 mm) |
| Shipping weight: | 408 lbs (185 kg) |
| Shipping volume: | 68.64 ft ³ (1.94 m ³) |
| Number and type of grids (included): | 3 - Vinyl-Coated Steel |
| Type of external material: | Stainless Steel |
| Type of internal material: | Polystyrene |
| Warranty: | 3 / 5 years |

Refrigeration Data

| | |
|------------------------------------|--------------|
| Compressor power: | |
| Refrigerant type: | R290 |
| Refrigerant weight: | 95 g |
| Operating temperature min.: | 32 °F |
| Operating temperature max.: | 41 °F |
| Condenser type: | Fin & tube |
| Defrost type: | Auto Defrost |