

ROSA NEUTRAL SHOWCASE

STANDARD FEATURES

- Extra clear glass: front, top, and sides glasses
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Available in 53 1/8"H with shelf
- Narrow depth 25 7/16"D
- Lift up top glass
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Stainless steel step shelf
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Casters



Photo shown with front finish by others. Standard cases are unfinished front with stainless steel skin sides.



Visit our website for more finishing options and RAL colors
www.oscartek.com

ROSA NEUTRAL						
TECHNICAL FEATURES		MODELS				
		ROSA N900	ROSA N1000 (ROSANTLR43912)	ROSA N1300	ROSA N1500 (ROSANTLR45912)	ROSA N1700
External Dimensions (L-D-H)	Inches	*35 9/16" - 32 5/16" - 47 1/4"	*39 1/2" - 32 5/16" - 47 1/4"	*51 5/16" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*67 1/16" - 32 5/16" - 47 1/4"
Inches-MM	MM	*903 - 821 - 1200	*1003 - 821 - 1200	*1303 - 821 - 1200	*1503 - 821 - 1200	*1703 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	43 1/3" - 40 1/2" - 55 1/4"	46" - 40 1/2" - 55 1/4"	58" - 40 1/2" - 55 1/4"	66" - 40 1/2" - 55 1/4"	73" - 40 1/2" - 55 1/4"
Inches-MM	MM	1100 - 1030 - 1400	1168 - 1030 - 1400	1473 - 1030 - 1400	1676 - 1030 - 1400	1854 - 1030 - 1400
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	20/0.2	20/0.2	30/0.3	30/0.3	40/0.4
Operating Temperature	°F	Ambient	Ambient	Ambient	Ambient	Ambient
Net Weights	Lb	210	230	249	300	320
Crated Weights	Lb	320	340	390	430	490

*DIMENSIONS WITH POLISHED S/S SKIN SIDES

ROSA NEUTRAL					
TECHNICAL FEATURES		MODELS			
		ROSA N2000 (ROSANTLR47912)	ROSA N2100	ROSA N2600	ROSA N3000
External Dimensions (L-D-H)	Inches	*78 7/8" - 32 5/16" - 47 1/4"	*82 13/16" - 32 5/16" - 47 1/4"	*102 1/2" - 32 5/16" - 47 1/4"	*118 1/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*2003 - 821 - 1200	*2103 - 821 - 1200	*2603 - 821 - 1200	*3003 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	85" - 40 1/2" - 55 1/4"	90 1/2" - 40 1/2" - 55 1/4"	109" - 40 1/2" - 55 1/4"	125" - 40 1/2" - 55 1/4"
Inches-MM	MM	2159 - 1030 - 1400	2300 - 1030 - 1400	2768 - 1030 - 1400	3175 - 1030 - 1400
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60	115/1/60	115/1/60
Power Consumption	(W/A)	40/0.4	80/0.8	100/1.1	120/1.2
Operating Temperature	°F	Ambient	Ambient	Ambient	Ambient
Net Weights	Lb	350	395	429	510
Crated Weights	Lb	490	580	620	680

*DIMENSIONS WITH POLISHED S/S SKIN SIDES

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.


ROSA NEUTRAL SHOWCASE

ROSA NEUTRAL			
TECHNICAL FEATURES		MODELS	
		ROSA NA90SQ (ROSANTLR4AP9012)	ROSA NA90C
External Dimensions (L-D-H)	Inches	*51 1/4" - 32 5/16" - 47 1/4"	*78 1/8" - 32 5/16" - 47 1/4"
	MM	*1302 - 821 - 1200	*1984 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	57" - 57" - 55 1/4"	87" - 40 1/2" - 55 1/4"
	MM	1447 - 1447 - 1400	2209 - 1030 - 1400
Electric Supply	(V/Ph/Hz)	115/1/60	115/1/60
Power Consumption	(W/A)	50/0.5	50/0.5
Operating Temperature	°F	Ambient	Ambient
Net Weights	Lb	355	355
Crated Weights	Lb	495	495


*DIMENSIONS WITH POLISHED S/S SKIN SIDES

SECTION VIEWS: ROSA N900, N1000, N1300, N1500, N2000, N2100, N2600, N3000, NA90SQ, NA90C


ALL ROSA NEUTRAL
LINEAR MODELS + NA90SQ
(EXCEPT FOR ROSA N3000)



ROSA N3000




ROSA NA90C




OPTIONAL:

ROSA NEUTRAL -
AVAILABLE IN 53 1/8"H WITH SHELF



ROSA NEUTRAL NARROW
AVAILABLE IN 47 1/4"H & 53 1/8"H



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.




512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ROSA NEUTRAL SHOWCASE

PLAN VIEWS: ROSA N900, N1000, N1300, N1500, N1700, N2000, N2100, N2600, N3000, NA90SQ, NA90C


ROSA NEUTRAL LINEAR MODELS



ROSA NA90SQ



ROSA NA90C



ELECTRICAL LEGEND	
	POWER


*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ROSA NEUTRAL SHOWCASE


REAR ELEVATIONS (OPERATOR SIDE):

ROSA N900, N1000, N1300, N1500, N1700, N2000, N2100, N2600, N3000, NA90SQ, NA90C


ROSA NEUTRAL LINEAR MODELS



ROSA NA90SQ



ROSA NA90C



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.



512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com

