



JUICE BAR SOLUTION

SERVING THE FOOD INDUSTRY SINCE 1951

SANTOS #52 CITRUS JUICE EXTRACTOR

Item: 46268 Model: SANTOS 52C



***DRINK FRESHLY
SQUEEZED CITRUS
JUICES ANYTIME!***

Santos' #52 citrus juice extractor is equipped with powerful and reliable commercial motor. For use everywhere you need a fresh squeezed citrus juice: juice bars, health food stores, hotels, bars, restaurants, cafeterias, ice cream shops, institutions and hospitals.




Authorized Dealer

JUICER BAR SOLUTION

SANTOS #52 CITRUS JUICE EXTRACTOR



High output: Just cut your citrus in half and press. You will extract easily from 20 to 40 liters per hour (5 to 10 gallons).



Stainless steel removable bowl

Unbreakable - food material

Wide spout accepting all types of glasses and jugs

■ Height of the spout: 8.3"

Aluminum body

Rubber front base

3 removable squeezers (cones) for:

- 1 for limes
- 1 for lemons and oranges
- 1 for grapefruits

Inclined body for better output

Heavy duty and quiet asynchronous motor; High speed



Output of up to **40L / hr**

Features:

- Easy to clean: quick removal of the bowl, filter grid, dome and squeezer
- 3 removable squeezers for oranges, lemons, limes and grapefruits
- Black polycarbonate anti-splash dome
- Spout height: 212 mm (8"), to make juice in a glass or in a jug
- Maximum output: 40 L per hour
- Ideal for juice bars, health food stores, hotels, bars, restaurants, cafeterias, ice cream shops, institutions, and hospitals

Anti splash dome

Squeezers (cones)

Stainless steel grid

Stainless steel bowl

Rubber bowl sustainer
Vibration absorbing



OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

E-mail: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2019.E.O.E

JUICER BAR SOLUTION

SANTOS #52 CITRUS JUICE EXTRACTOR



TECHNICAL SPECIFICATIONS

ITEM NUMBER	46268
MODEL	SANTOS 52C
PRODUCTION PER HOUR	Up to 40 liters (10 gallons) per hour
POWER	0.35 HP / 0.26 kW
RPM	1800
CURRENT	2A
ELECTRICAL	120V / 60Hz / 1Ph
DIMENSIONS (DWH)	12" x 8" x 19" / 304.8 x 203.2 x 482.6 mm
WEIGHT	21 lbs. / 9.5 kg.
GROSS DIMENSIONS	11.8" x 9.8" x 23" / 299.72 x 248.92 x 584.2 mm
GROSS WEIGHT	23 lbs. / 10.4 kg.

SAFETY | STANDARDS | HYGIENE

In accordance with the following regulations:

Machinery directive 2006/42/EC
Electromagnetic compatibility 2004/108/EC
RoHS directive 2002/95/EC
"Low voltage" Directive 2006/95/EC
Regulation 1935/2004/EC (contact with food)

Harmonized European standards

EN 12100 -1 and 2: 2004 - EN 60204-1: 2006
EN 60335 - 2 - 64: 2004 Commercial electric kitchen machines

CE (European standards),
NSF (USA), UL (USA) and cUL (Canada), KC (Korea)

Electric Safety

- On/Off interlock switch is waterproof
- All mechanical parts are ground (earth) connected
- All equipment is 100% tested at the end of assembly (special electrical testing bay)

Thermal Safety

Motor protected by internal thermal detector.

Acoustic Safety

The asynchronous motor with direct driving is particularly silent.

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

OMCAN INC.

Telephone: 1-800-465-0234
Fax: (905) 607-0234
E-mail: sales@omcan.com
Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2019.E.O.E