

ITALIA 1-2-3 FISH SHOWCASE

STANDARD FEATURES

- Available in 3 heights: 45"H, 47"H, 53"H
- Sliding double pane doors closure on operator side
- Diffused LED lighting 3000°K
- Front, top, sides double pane glasses
- Glass frame gray
- Stainless steel cold wall static cooling insulated bin to retain ice
- Insulated stainless steel interior AISI 316 anti-corrosion
- Built in drain for cleaning
- Floor sink required
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Italia 4
- Glass frame colors: black, white, and gold
- RAL color finish/wood laminate front and side panels
- Remote/water cooled unit
- Non-refrigerated shelf
- Casters



Photo shown with optional RAL color finish. Standard cases are unfinished front with stainless steel skin sides.



Visit our website for more finishing options and RAL colors
www.oscartek.com

ITALIA 1 FISH				
TECHNICAL FEATURES		MODELS		
		ITALIA 1 F900 (ITL1FISH35)	ITALIA 1 F1200 (ITL1FISH47)	ITALIA 1 F1500 (ITL1FISH59)
External Dimensions (L-D-H)	Inches	*35 3/8" - 31 5/8" - 45 1/4"	*47 1/4" - 31 5/8" - 45 1/4"	*59" - 31 5/8" - 45 1/4"
Inches-MM	MM	*900 - 803 - 1150	*1200 - 803 - 1150	*1500 - 803 - 1150
Crated Dimensions (L-D-H)	Inches	42" - 38" - 52"	54" - 38" - 52"	67" - 38" - 52"
Inches-MM	MM	1066 - 965 - 1320	1371 - 965 - 1320	1701 - 965 - 1320
Operating Temperature (Cold Wall)	°F	+34°F	+34°F	+34°F
BTU'S @ +4°F Expansion Temperature	BTU's	1536	2048	2390
Electric Supply	V/Ph/Hz	115/1/60	115/1/60	115/1/60
Power Consumption	W/A	650/5.9	750/6.9	900/8.9
Climatic Class	°F/%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lbs	260	330	420
Crated Weights	Lbs	310	380	470

* DIMENSIONS ARE WITHOUT SIDE PANELS

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ITALIA 1-2-3 FISH SHOWCASE

ITALIA 2 FISH				
TECHNICAL FEATURES		MODELS		
		ITALIA 2 F900 (ITL2FISH35)	ITALIA 2 F1200 (ITL2FISH47)	ITALIA 2 F1500 (ITL2FISH59)
External Dimensions (L-D-H)	Inches	*35 3/8" - 31 5/8" - 47 1/4"	*47 1/4" - 31 5/8" - 47 1/4"	*59" - 31 5/8" - 47 1/4"
Inches-MM	MM	*900 - 803 - 1200	*1200 - 803 - 1200	*1500 - 803 - 1200
Crated Dimensions (L-D-H)	Inches	42" - 38" - 54"	54" - 38" - 54"	67" - 38" - 54"
Inches-MM	MM	1066 - 965 - 1371	1371 - 965 - 1371	1701 - 965 - 1371
Operating Temperature (Cold Wall)	°F	+34°F	+34°F	+34°F
BTU'S @ +4°F Expansion Temperature	BTU's	1550	2050	2390
Electric Supply	V/Ph/Hz	115/1/60	115/1/60	115/1/60
Power Consumption	W/A	670/6.1	770/7.1	920/9.0
Climatic Class	°F/%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lbs	290	350	440
Crated Weights	Lbs	335	400	490

* DIMENSIONS ARE WITHOUT SIDE PANELS

ITALIA 3 FISH				
TECHNICAL FEATURES		MODELS		
		ITALIA 3 F900 (ITL3FISH35)	ITALIA 3 F1200 (ITL3FISH47)	ITALIA 3 F1500 (ITL3FISH59)
External Dimensions (L-D-H)	Inches	*35 3/8" - 31 5/8" - 53 1/8"	*47 1/4" - 31 5/8" - 53 1/8"	*59" - 31 5/8" - 53 1/8"
Inches-MM	MM	*900 - 803 - 1350	*1200 - 803 - 1350	*1500 - 803 - 1350
Crated Dimensions (L-D-H)	Inches	42" - 38" - 60"	54" - 38" - 60"	67" - 38" - 60"
Inches-MM	MM	1066 - 965 - 1524	1371 - 965 - 1524	1701 - 965 - 1524
Operating Temperature (Cold Wall)	°F	+34°F	+34°F	+34°F
BTU'S @ +4°F Expansion Temperature	BTU's	1550	2050	2390
Electric Supply	V/Ph/Hz	115/1/60	115/1/60	115/1/60
Power Consumption	W/A	690/6.3	800/7.4	950/9.2
Climatic Class	°F/%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lbs	310	380	460
Crated Weights	Lbs	360	455	535

* DIMENSIONS ARE WITHOUT SIDE PANELS

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.




512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




ITALIA 1-2-3 FISH SHOWCASE

SECTION VIEWS: ITALIA 1-2-3 F900, F1200, F1500




OPTIONAL: ITALIA 4



ITALIA 1-2-3 PLAN VIEWS:


ITALIA 1-2-3 F900, F1200, F1500



ELECTRICAL LEGEND	
	REFRIGERATED LINES
	DRAIN
	POWER

ITALIA 1-2-3 REAR ELEVATIONS (OPERATOR SIDE): SHOWN WITH REAR VENTILATION

ITALIA 1-2-3 F900, F1200, F1500



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.