

### P120E "B"

Modular electric oven for bakery

COMPOSITION WITH 1 BAKING CHAMBER INTERNAL HEIGHT 18cm (7")



## OPTIONS AND ACCESSORIES (WITH SURCHARGE)

- Leavening prover on wheels, height 800mm (31 1/2")
- ☐ Leavening prover on wheels and humidifier, height 800mm (31 1/2")
- ☐ Support with wheels, height 600mm (23 1/2")
- ☐ Support with wheels, height 800mm (31 1/2")
- □ Support with wheels, height 950mm (37 1/2")
- Additional tray holder guides for compartment and support
- Steamer for baking chamber
- ☐ Spacer element height 300mm (12")
- Refractory brick cooking surface
- ☐ Suction hood

#### (WITHOUT SURCHARGE)

☐ Front vapour collection hood in stainless steel sheet

#### **EXTERNAL CONSTRUCTION**

- ☐ Structure made in folded stainless steel
- ☐ Side panels in pre-painted sheet metal
- ☐ Stainless steel hood with aluminised steel top cover
- ☐ Front vapour collection hood in HT coating steel sheet
- Steam duct in stainless steel plate
- ☐ Stainless steel double door with bottom hinge and spring balance
- ☐ Tempered glass element
- ☐ Handles in thermoplastic material
- ☐ Control panel on front right hand side

#### INTERNAL CONSTRUCTION

- ☐ Cooking surface in buckle plate
- ☐ Aluminated steel top and side structure
- Rock wool heat insulation

#### **FUNCTIONING**

- ☐ Heated by armoured heating elements
- ☐ Electronic temperature management with independent adjustment of ceiling and floor
- ☐ Maximum temperatura reached 450°C (840°F)
- Continuous temperature monitoring wit thermocouple
- ☐ Vapour ducting using manual butterfly valve

#### STANDARD EQUIPMENT

- ☐ Lighting with halogen lamp
- ☐ Timer
- □ Economiser
- Independent maximum temperature safety device
- ☐ 20 customisable programs








#### MORETTI FORNI S.P.A.

www.morettiforni.com info@morettiforni.com Via A.Meucci, 4 - 61037 Mondolfo (PU) ITALIA Tel. +39.0721.96161 - Fax +39.0721.9616299



# P120E "B" 1 baking chamber height 18cm (7")

(assembled with support height 950mm (37 1/2"))



Note: The dimensions indicated in the views are in millimeters.

#### **SPECIFICATIONS**

The appliance comprises one cooking element and an optional leavening compartment or support. The oven cooking surface is in buckle plate that provides perfectly even heat distribution over the whole surface, making this oven particular suitable to cook bakery. Temperature adjustment is electronic, with independent control of the ceiling and floor heating elements. The oven door is hinged at the bottom, with a tempered glass window to check the state of the product while it is cooking. The support comprises a painted metal structure, whereas the leavening compartment has a stainless steel structure and is fitted with a heating thermostat. The leavening compartment can reach a maximum temperature of 65°C (150°F), whereas the maximum temperature of the baking chamber is 450°C (840°F)

#### All the data provided below refer to the configuration with 1 baking chamber

#### **DIMENSIONS** SHIPPING INFORMATION **FEEDING AND POWER** 1700mm (67") External height Packed in wooden crate Standard feeding External depth 1479mm (58 1/4") 900mm (36") A.C. V240 3ph Height External width 1610mm (63 1/2") Depth 1652mm (65") Feeding on request 272kg (600lb) 1810mm (72") A.C. V208 3ph Weight Width 1,1m<sup>2</sup> (11,84ft<sup>2</sup>) (322)kg (710)lb Frequency Baking surface Weight 60Hz Max power 10,1kW **TOTAL BAKING CAPACITY** When combined with leavening \*Average power cons 5kWh compartment or support: Ampère Max Tray (600x400)mm Max height 1850mm (73") 24,3A (V240 3ph) Tray 26"x18" Max weight (431)kg (951)lb 28,1A (V208 3ph) Connecting cable (8AWG) Power supply (optional prover) A.C. V(208/240) 1ph 60 Hz Max power 1,8kW \*Average power cons 0,9kWh Conn. Cable (14AWG)

<sup>\*</sup> This value is subject to variation according to the way in which the equipment is used

<sup>-</sup> NOTE: MORETTI FORNI S.P.A. reserves the right to modify the characteristics of the products illustrated in this publication without prior notice