

# CONNERTON

American Engineering Since 1936

## Model LRB Heavy Duty Lava Rock Broiler

Date:

Product:

Quantity:

Floor Model



Welded #304 Stainless Steel

For easy cleaning and long life

24" Deep Cooking Surface

Increased area for maximum production

40,000 BTU Burners

Cuts preheat time, increases production

CONNERTON



11990 Rivera Rd, Santa Fe Springs, CA 90670

Telephone: (562) 464-9901, (714) 547-9218

Fax: (714) 547-1969

connertoncooking.com

# Model LRB Heavy Duty Lava Rock Broiler



MODEL	WIDTH	DEPTH	BTU	BURNERS	WT. (EST)*	WT. (EST)*
LRB-18	18"	27"	40,000	1	110	130
LRB-24	24"	27"	80,000	2	160	185
LRB-30	30"	27"	80,000	2	200	225
LRB-36	36"	27"	120,000	3	250	280
LRB-42	42"	27"	120,000	3	290	320
LRB-48	48"	27"	160,000	4	340	375
LRB-60*	60"	27"	200,000	5	430	470

\*Note: LRB-60 is not CSA Approved

\*Note: Weight estimates are uncrated

## Product Specifications:

<p><b>BODY / FIRE BOX</b> 14 Gauge #304 Stainless Steel, Fully Welded</p>	<p><b>FRONT</b> Removable 18 Gauge #304 Stainless Steel Panel</p>	<p><b>TOP GRATES</b> Cast Iron w/Adjustable Rear Height</p>	<p><b>BOTTOM GRATES</b> Cast Iron</p>	<p><b>BURNERS</b> 40,000 BTU Cast Iron</p>
<p><b>DRIP PAN</b> 16 Gauge #304 Stainless Steel</p>	<p><b>VALVES</b> Heavy Duty Brass</p>	<p><b>GAS INLET</b> 3/4 NPT</p>	<p><b>GAS PRESSURE</b> 4.0" Natural, 11.0" Propane (Inches Water Column)</p>	<p><b>LEGS</b> (Floor Model) #304 Stainless Steel tubing with Stainless Steel undershelf and adjustable feet or casters</p>

## Available Options:

- 1/2" Steel Rolling Rod Grates
- 4" Removable Stainless Steel Splash, Sides and Back
- Stainless Steel Plate Shelf
- 4" Legs Accessory
- Floor Model Accessory

## Notes:

Gas Pressure Regulator is supplied and must be installed  
Non-Combustible Locations Only:  
0" Clearance sides and back  
Specify counter or floor model  
Specify type of gas and altitude if over 2,000 feet

Connerton reserves the right, without notice, to make changes and revisions in product specifications, materials and design, which in our opinion will provide better performance, durability and efficiency.