

ROSA CHOCOLATE SHOWCASE

STANDARD FEATURES

- Humidity control
- Extra clear glass: front, top, and sides glasses with front air baffle
- Diffused LED lighting 3000°K
- Sliding acrylic back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Available in 53 1/8”H with non-refrigerated shelf
- Narrow depth 25 7/16”D
- Lift up top glass
- Lift up mechanism for display plate and evaporator (linear models only)
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Stainless steel step shelf
- Cold storage
- Remote condensing unit
- RAL color finish/wood laminate front and side panels
- Epoxy RAL color interior over stainless steel
- Unfinished panels to accept custom millwork by others
- Heated pan for evaporator
- Casters



Photo shown with front finish by others. Standard cases are unfinished front with stainless steel skin sides.



Visit our website for more finishing options and RAL colors
www.oscartek.com

ROSA CHOCOLATE						
TECHNICAL FEATURES		MODELS				
		ROSA C900	ROSA C1000	ROSA C1300	ROSA C1500	ROSA C1700
External Dimensions (L-D-H)	Inches	*35 9/16" - 32 5/16" - 47 1/4"	*39 1/2" - 32 5/16" - 47 1/4"	*51 5/16" - 32 5/16" - 47 1/4"	*59 3/16" - 32 5/16" - 47 1/4"	*67 1/16" - 32 5/16" - 47 1/4"
	Inches-MM	*903 - 821 - 1200	*1003 - 821 - 1200	*1303 - 821 - 1200	*1503 - 821 - 1200	*1703 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	43 1/3" - 40 1/2" - 55 1/4"	46" - 40 1/2" - 55 1/4"	58" - 40 1/2" - 55 1/4"	66" - 40 1/2" - 55 1/4"	73" - 40 1/2" - 55 1/4"
	Inches-MM	1100 - 1030 - 1400	1168 - 1030 - 1400	1473 - 1030 - 1400	1676 - 1030 - 1400	1854 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck	Deck
Operating Temperature	°F	55°F	55°F	55°F	55°F	55°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +35°F Evap Temperature	BTU's	1500	1700	2200	2600	2900
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	550/5.2	550/5.2	650/5.9	710/6.7	850/8.1
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	3/8" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	210	220	255	265	310
Crated Weights	Lb	361	370	456	466	566

*DIMENSIONS WITH POLISHED S/S SKIN SIDES

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ROSA CHOCOLATE SHOWCASE

ROSA CHOCOLATE					
TECHNICAL FEATURES		MODELS			
		ROSA C2000	ROSA C2100	ROSA C2600	ROSA C3000
External Dimensions (L-D-H)	Inches	*78 7/8" - 32 5/16" - 47 1/4"	*82 13/16" - 32 5/16" - 47 1/4"	*102 1/2" - 32 5/16" - 47 1/4"	*118 1/4" - 32 5/16" - 47 1/4"
Inches-MM	MM	*2003 - 821 - 1200	*2103 - 821 - 1200	*2603 - 821 - 1200	*3003 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	85" - 40 1/2" - 55 1/4"	90 1/2" - 40 1/2" - 55 1/4"	109" - 40 1/2" - 55 1/4"	125" - 40 1/2" - 55 1/4"
Inches-MM	MM	2159 - 1030 - 1400	2300 - 1030 - 1400	2768 - 1030 - 1400	3175 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck	Deck
Operating Temperature	°F	55°F	55°F	55°F	55°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ +35°F Evap Temperature	BTU's	3300	3700	4200	5000
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	890/8.3	1150/10.9	1250/11.7	1450/13.9
Defrost	Mode/Type	Automatic	Automatic	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid	5/8" Suction, 5/16" Liquid	5/8" Suction, 5/16" Liquid
Net Weights	Lb	330	350	440	490
Crated Weights	Lb	645	654	744	794

*DIMENSIONS WITH POLISHED S/S SKIN SIDES

ROSA CHOCOLATE			
TECHNICAL FEATURES		MODELS	
		ROSA CA90SQ	ROSA CA90C
External Dimensions (L-D-H)	Inches	*51 1/4" - 32 5/16" - 47 1/4"	*78 1/8" - 32 5/16" - 47 1/4"
Inches-MM	MM	*1302 - 821 - 1200	*1984 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	57" - 57" - 55 1/4"	87" - 40 1/2" - 55 1/4"
Inches-MM	MM	1447 - 1447 - 1400	2209 - 1030 - 1400
Refrigeration	Type	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck
Operating Temperature	°F	55°F	55°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic
BTU'S @ +35°F Evap Temperature	BTU's	3900	4200
Electric Supply	(V/Ph/Hz)	208-220/1/60	208-220/1/60
Power Consumption	(W/A)	1150/10.9	1150/10.9
Defrost	Mode/Type	Automatic	Automatic
Climatic Class	°F/H.R.	75°F-55%RH	75°F-55%RH
Refrigerant Gas	Type	R404A / R452A	R404A / R452A
Pipe Size (Inches)	Suction, Liquid	1/2" Suction, 1/4" Liquid	1/2" Suction, 1/4" Liquid
Net Weights	Lb	410	350
Crated Weights	Lb	728	654


*DIMENSIONS WITH POLISHED S/S SKIN SIDES

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.

ROSA CHOCOLATE SHOWCASE


SECTION VIEWS: ROSA C900, C1000, C1300, C1500, C2000, C2100, C2600, C3000, CA90SQ, CA90C

ALL ROSA CHOCOLATE
LINEAR MODELS + CA90SQ
(EXCEPT FOR ROSA C3000)




OPTIONAL:


ROSA CHOCOLATE - AVAILABLE IN
53 1/8"H WITH NON-REFRIGERATED SHELF




ROSA CHOCOLATE WITH COLD STORAGE
AVAILABLE IN 47 1/4"H & 53 1/8"H



ROSA CHOCOLATE NARROW
AVAILABLE IN 47 1/4"H & 53 1/8"H



ROSA CHOCOLATE NARROW WITH COLD STORAGE
AVAILABLE IN 47 1/4"H & 53 1/8"H




*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.


ROSA CHOCOLATE SHOWCASE

PLAN VIEWS: ROSA C900, C1000, C1300, C1500, C1700, C2000, C2100, C2600, C3000, CA90SQ, CA90C


ROSA CHOCOLATE LINEAR MODELS



ROSA CA90SQ



ROSA CA90C




ELECTRICAL LEGEND	
	REFRIGERATED LINES
	DRAIN
	POWER

**Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.*


ROSA CHOCOLATE SHOWCASE

REAR ELEVATIONS (OPERATOR SIDE): SHOWN WITH OPTIONAL REAR VENTILATION ON LINEAR MODELS
ROSA C900, C1000, C1300, C1500, C1700, C2000, C2100, C2600, C3000, CA90SQ, CA90C


ROSA CHOCOLATE LINEAR MODELS



ROSA CA90SQ



ROSA CA90C



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.



512 South Airport Blvd., South San Francisco, CA 94080
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com

