

Item:
Quantity:
Project:

## **Delux Series**

Models: ☐ DRB-15 ☐ DRB-21 ☐ DRB-25 ☐ DRB-30 ☐ DRB-36	
--	--



Gas Type: ☐ Natural ☐ LP	
Elevation (if above 2000 ft.):	

#### **Standard Features**

- Fully welded frame with lifetime warranty
- 1,200°F mineral wool insulation
- Easily removable and replaceable independent firebox assembly on broiler
- Heavy cast iron burners rated at 11,000 BTU/hr every 6"
- Heavy cast iron radiants
- Stainless steel grease can
- Stainless steel sides and front valve cover
- 4" high adjustable heavy duty legs included

### **Options and Accessories**

	3/8" round steel	rod grate,	non-adjustable	height
(f	ish, chicken, stea	k & veg.)		

- ☐ 3/8" round stainless steel rod grate, non-adjustable height (fish, chicken, steak & veg.)
- ☐ 3/8" square steel rod grate, non-adjustable height (all uses)
- ☐ 3/8" square stainless steel rod grate, non-adjustable height (all uses)
- □Cast iron criss cross (diamond) grates, non-adjustable height (all uses)
- ☐ Stainless Steel Equipment Stand
  - □Knock Down □All Welded


#### Size

- **□** 18" **□**24" **□**30" **□**36" **□**48" **□**60" **□**72"
- □ 5" swivel casters (set of four 2 locking)
- □ 5" swivel casters (set of six- 3 locking for 60" and 72" stands)









Model Number	Width	Burners	Total BTU	Ship Weight
DRB-15	14 1/2"	2	22,000	113 lbs.
DRB-21	21"	3	33,000	151 lbs.
DRB-25	25"	4	44,000	181 lbs.
DRB-30	30 3/8"	5	55,000	213 lbs.
DRB-36	35 ¾"	6	66,000	253 lbs.

#### **Gas Connection:**

3/4" NPT on the right hand rear of the appliance. The pressure regulator (supplied) is to be connected by the installer.

Specify type of gas and altitude, if over 2,000 feet, when ordering.

#### **Gas Pressure:**

5" W.C.	Natural Gas
10" W.C.	Propane

# <u>Clearances:</u> For installation in non combustible locations only

	Combustible	Non-Combustible	
Rear	N/A	0"	
Sides	N/A	0"	

Due to continuing product development to ensure best possible performance, these specifications are subject to change without prior notification.