

GEM R4 GELATO/ICE CREAM SHOWCASE

STANDARD FEATURES

- Extra clear glass upper structure
- Diffused LED lighting 3000°K
- Sliding glass back doors
- Stainless steel lower interior foam tub
- Galvanized chassis structure
- All tempered glass
- Cases ship standard unfinished front and stainless steel skin sides

OPTIONS

- Available in 53 1/8"H
- Narrow depth 25 7/16"D
- Work top perimeter (brushed s/s, corian, black HPL, granite)
- Switch device from low temp. (-18°C) to positive temp. (+4°C)
- Stainless steel display trays for ice cream cakes
- Stainless steel pans (4 liter, 5 liter, and 8 liter)
- Dipper well
- Cone holder
- Remote condensing unit
- Popsicle display tray (stainless steel & plastic)
- Plastic available in color options (see images below)
- RAL color finish/wood laminate front and side panels
- Casters



Photo shown with optional RAL color finish. Standard cases are unfinished front with stainless steel skin sides.



Visit our website for more finishing options and RAL colors
www.oscartek.com

GEM R4 GELATO/ICE CREAM				
TECHNICAL FEATURES		MODELS		
		GEM R4 G1150 (GEMGELR44512)	GEM R4 G1650 (GEMGELR46512)	GEM R4 G2150 (GEMGELR48512)
External Dimensions (L-D-H)	Inches	*45 1/4" - 32 3/8" - 47 1/4"	*64 15/16" - 32 3/8" - 47 1/4"	*84 5/8" - 32 3/8" - 47 1/4"
	MM	*1150 - 821 - 1200	*1650 - 821 - 1200	*2150 - 821 - 1200
Crated Dimensions (L-D-H)	Inches	52" - 40 1/2" - 55 1/4"	70" - 40 1/2" - 55 1/4"	91" - 40 1/2" - 55 1/4"
	MM	1320 - 1030 - 1400	1778 - 1030 - 1400	2311 - 1030 - 1400
4 Liter Pan Capacity** 10 1/8" x 6 1/8" x 5 7/8" (258mm x 156mm x 150mm)	Pan Configuration	12	18	24
5 Liter Pan Capacity** 14 3/16" x 6 1/2" x 4 3/4" (360mm x 165mm x 120mm)	Pan Configuration	8	13	17
8 Liter Pan Capacity** 14 3/16" x 9 13/16" x 4 3/4" (360mm x 250mm x 120mm)	Pan Configuration	4	6	10
Refrigeration	Type	Fan Ventilated	Fan Ventilated	Fan Ventilated
Refrigeration Display Area	Type	Deck	Deck	Deck
Operating Temperature	°C / °F	-18°C / -0.4°F	-18°C / -0.4°F	-18°C / -0.4°F
Compressor	Nr./Type	1 / Hermetic	1 / Hermetic	1 / Hermetic
BTU'S @ -25°F Evap Temperature	BTU's	2100 BTU'S	3570 BTU'S	4550 BTU'S
Electric Supply	(V/Ph/Hz)	208-220V/1Ph/60Hz	208-220V/1Ph/60Hz	208-220V/1Ph/60Hz
Power Consumption	(W/A)	1500W / 7.5A	1720W / 11A	2050W / 10.5A
Defrost	Mode/Type	Hot Gas	Hot Gas	Hot Gas
Climatic Class	N°/°C/°F/H.R.	4/30/86/55%	4/30/86/55%	4/30/86/55%
Refrigerant Gas	Type	R452A	R452A	R452A
Net Weights	Kg/Lb	165Kgs / 363Lbs	220Kgs / 484Lbs	274Kgs / 602Lbs
Crated Weights	Kg/Lb	265Kgs / 583Lbs	340Kgs / 748Lbs	420Kgs / 924Lbs

* DIMENSIONS ARE WITHOUT SIDE PANELS

** PANS NOT INCLUDED

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.






512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
sales@oscartek.com | www.oscartek.com




GEM R4 GELATO/ICE CREAM SHOWCASE


SECTION VIEWS: GEM R4 G1150, G1650, G2150



SECTION VIEW - OPTIONAL 53 1/8" H



SECTION VIEW - OPTIONAL: GEM R4 NARROW 25 7/16" D



*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.




512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
 sales@oscartek.com | www.oscartek.com




GEM R4 GELATO/ICE CREAM SHOWCASE


PLAN VIEWS - 4 LITER PANS: GEM R4 G1150, G1650, G2150




PLAN VIEWS - 5 LITER PANS: GEM R4 G1150, G1650, G2150



PLAN VIEWS - 8 LITER PANS: GEM R4 G1150, G1650, G2150



REAR ELEVATIONS (OPERATOR SIDE): GEM R4 G1150, G1650, G2150



ELECTRICAL LEGEND	
	REFRIGERATED LINES
	DRAIN
	POWER

*Factory in its effort to upgrade and improve our products, has the right to change, modify, discontinue or change any feature, size or capacity on any model without prior notice.



512 South Airport Blvd., South San Francisco, CA 94080
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
 sales@oscartek.com | www.oscartek.com

